

# **NIT**

[ NOTICE INVITING e-TENDER ]

No. : WBKP/CP/NIT-252/DMG ITEMS/TEN Dated : 26.12.2018

**e-Tender**  
FOR SUPPLY & MAINTENANCE OF  
**DMG ITEMS**  
FOR USE OF  
**KOLKATA POLICE**



**KOLKATA POLICE DIRECTORATE**

Tender Section, 18, Lalbazar Street, Kolkata – 700 001.

Ph. : (033) 2250 5275 / (033) 2250-5048

e-Mail : [tendersection@kolkatapolice.gov.in](mailto:tendersection@kolkatapolice.gov.in)

## TABLE OF CONTENTS

NOTICE INVITING e-TENDER .....	3
<b>I. DEFINITIONS .....</b>	<b>4</b>
<b>II. PRE-BID QUALIFICATIONS .....</b>	<b>4</b>
1. Company Registration : .....	4
2. Undertaking Regarding Blacklisting : .....	4
3. Partnership Firm (if applicable) : .....	4
4. Annual Turnover : .....	4
5. Work Experience : .....	5
6. PAN No. : .....	5
7. Goods & Services Tax (GST) : .....	5
8. Capability of Bidder : .....	5
9. OEM Certificate : .....	5
10. Proprietary Article Certificate : .....	5
11. Solvency Certificate : .....	5
<b>III. INFORMATION FOR THE BIDDER .....</b>	<b>5</b>
1. Responsibility : .....	5
2. e-Tender Address : .....	5
3. Brochures : .....	5
4. Preference for Govt. Organisation : .....	5
5. Earnest Money Deposit (EMD) : .....	5
6. EMD Exemption : .....	5
7. Taxes & Other Clearance Certificates : .....	6
8. Custom Duty Exemption Certificate (CDEC) : .....	6
9. Pre-Bid Meeting : .....	6
10. Submission of Bids : .....	6
11. Type of Bid : .....	6
12. Evaluation Process : .....	6
13. Tender Acceptance & Rejection : .....	7
14. Demonstration : .....	8
15. Letter of Intent/Acceptance (LoI/LoA) : .....	8
16. Security Deposit (SD) : .....	8
17. Proforma Invoice (PI) : .....	8
18. Supply of Stores : .....	8
19. Grounds for Blacklisting : .....	9
20. Disputes & Arbitration : .....	9
21. Force Majeure Clause : .....	10
22. Office for Communication : .....	10
23. Training & Technical Support : .....	10
24. Warranty & Maintenance : .....	10
25. Bill of Materials & Commercial : .....	10
26. Delivery : .....	11
27. Payment : .....	11
<b>IV. AWARD OF CONTRACT .....</b>	<b>11</b>
<b>V. TECHNICAL SPECIFICATIONS .....</b>	<b>11</b>
<b>VI. GUIDELINES FOR SUBMISSION OF e-TENDER .....</b>	<b>17</b>
1. General guidance for e-Tendering : .....	17
2. Submission of Tenders : .....	17
<b>VII. CHECK LIST TO BE UPLOADED ONLINE .....</b>	<b>18</b>
ANNEXURE – I .....	19
ANNEXURE – II .....	20
ANNEXURE – III .....	21
ANNEXURE – IV .....	22

## NOTICE INVITING e-TENDER

e-Tenders are invited by **Commissioner of Police, Kolkata** from the bonafide Dealers/Original Equipment Manufacturers/Traders/Registered SSI Units/Industrial Undertakings/Organizations own and managed by Govt. based on Medium and Large Scale units for **Supply & Maintenance of Different Items for use of DMG, Kolkata Police.**

The detailed tender document can be downloaded from <https://wbtenders.gov.in>. Bidder has to submit their bid correctly duly digitally signed in this portal online. Necessary link may also be followed at Kolkata Police Official Website – <http://www.kolkatapolice.gov.in>.

<b>Name of Work</b>	<b>Supply &amp; Maintenance of Different Items for use of DMG, Kolkata Police.</b>
Quantity	As mentioned in BOM.
<b>Estimated Cost</b>	<b>Rs. 3,33,12,500/- (Rupees three crore thirty three lakh twelve thousand five hundred) only</b>
Earnest Money Deposit	<b>Rs.1,00,000/- (Rupees one lakh)</b> only through online submission. No alternative will be accepted.
<b>Date of Uploading of NIT Documents Online (Publishing Date)</b>	<b>26.12.2018 at 15.00 hrs.</b>
<b>Documents Download start Date &amp; Time (Online)</b>	<b>26.12.2018 at 15.00 hrs.</b>
<b>Pre-Bid meeting Date &amp; Time</b>	.
<b>Bid submission Start Date &amp; Time (Online)</b>	<b>14.01.2019 at 15.00 hrs.</b>
<b>Documents Download End Date (Online)</b>	<b>21.01.2019 up to 15.00 hrs.</b>
<b>Bid submission Closing Date (Online)</b>	<b>21.01.2019 up to 15.00 hrs.</b>
<b>Technical Bid opening Date &amp; Time</b>	<b>23.01.2019 at 15.00 hrs.</b>
<b>Technical Demonstration Date &amp; Time</b>	To be intimated later.
Type of Bid : <b>Two bid systems</b>	Technical and Financial Bid to be submitted separately. Financial Bid of only technically qualified bidders shall be opened.
Delivery Period	<b>60 days</b> from the date of issuance of Work/Supply Order.
Validity of Offers	<b>180 days</b> from the date of opening of Commercial Bid
Tender Opening Location	<b>Office of the Commissioner of Police, Kolkata. 18, Lalbazar Street, Kolkata – 700 001.</b>
<b>Contact Details –</b> Respective Offices on any working day during office hours (10:00 hrs. to 17:30 hrs.)	<ul style="list-style-type: none"> <li>• <b>Tender Section –</b> 18, Lalbazar street, Ground Floor, Kolkata - 700 001. Phone – (033) 2250-5275/5048. e-Mail – <a href="mailto:tendersection@kolkatapolice.gov.in">tendersection@kolkatapolice.gov.in</a></li> <li>• <b>For Tender Procedure Query -</b> Ph. – (033) 2250 5275, Mob.: 9830389446.</li> </ul>

**Bidders are requested to read the instruction carefully before submission of e-Tender. Defective e-Tender Bids are liable to be cancelled.**

**Sd/-**  
**for Commissioner of Police,**  
Kolkata

## I. DEFINITIONS

- i) **“Bidder”** means a bidder/firm/agency who has responded to this Tender Document by submitting his Technical and Financial Proposal.
- ii) **“Contract”** means the contract signed between the Kolkata Police and the successful bidder pursuant to the tender document herein.
- iii) **“Contract Price”** means the price to be paid to the Contractor for providing the intended solution, in accordance with the Contract.
- iv) **“Contractor”** means the successful Bidder whose bid to perform the Contract has been accepted by Kolkata Police and is named as such in the Letter of Intent (LoI)/Letter of Acceptance (LoA).
- v) **“Government”** means the Government of West Bengal.
- vi) **“Party”** means Kolkata Police or the Contractor, as the case may be, and **“Parties”** means both of them.
- vii) **“Services”** means the work to be performed by the contractor including the supply of related accessories, transportation, insurance, customization, commissioning, training, technical support, maintenance, repair, and other services necessary for proper operation of the intended equipment to be provided by the contractor and as specified in the Contract.

## II. PRE-BID QUALIFICATIONS

### 1. **Company Registration :**

The responding Bidder should be registered under statutes of India. The organization should be of repute and be incorporated/registered in India.

### 2. **Undertaking Regarding Blacklisting :**

- a) The bidder should not have been blacklisted by any Central/State Government/Public Sector Undertaking for the tendered item and/or any other item. An undertaking in this regard should be submitted by the bidder in the form of affidavit, otherwise the bid shall be summarily rejected.
- b) If the selected firm is found/detected Blacklisted by any Central/State Government/Public Sector Undertaking (for the tendered item or any other item) at any stage of procurement process, the acceptance of the selected firm and/or the supply order etc., if issued would be treated as cancelled and the contract in whole will be terminated with immediate effect without any intimation to the concerned firm.
- c) In this case the EMD/SD will be forfeited and the Commissioner of Police, Kolkata reserves the right to initiate the proceedings against the selected vendor. In this regard, the Commissioner of Police, Kolkata reserves the right to select the second lowest (L2) vendor for supply of the tendered item. The decision taken by Kolkata Police authority in the matter will be treated as full & final in this regard.

**[ An undertaking to be submitted in the form of Affidavit to the effect that the company was not blacklisted by GOI/State Government during last 5 years.]**

### 3. **Partnership Firm (if applicable) :**

- a) Bidder or in case of any partnership firm, any one of the partners should not be insolvent, in receivership, bankrupt or being wound up, their affairs are not being administered by the Court or a judicial officer, their business activities have not been suspended and should not be the subject of legal proceedings of any of the foregoing.
- b) Bidder or in case of any partnership firm, any one of the partners should not have been convicted of any criminal offence related to professional conduct or the making of false statement or misrepresentation as to their qualifications.
- c) Where this contract is made with a firm, the act of any partner in the firm whether in breach or performance of the contract, shall be binding on the firm.

### 4. **Annual Turnover :**

The bidder is desirable to have had an Annual Turnover of **Rs.50 lakh** only for the last financial year. **A certificate from Chartered Accountant should be attached stating the annual turnover.**

5. **Work Experience :**  
The Bidder is desirable to have experience in the relevant field for at least last 3 (three) consecutive years.
6. **PAN No. :**  
The bidder should have in its name PAN (Permanent Account Number) with Income Tax authority in India.
7. **Goods & Services Tax (GST) :**  
The bidder should have its name in Goods & Services Tax Identification Number (GSTIN) in India.
8. **Capability of Bidder :**  
The bidders should have sufficient no. of technically qualified support staff on their roles. A certificate in this respect has to be submitted.
9. **OEM Certificate :**  
Copy of Tender Specific Authorization Certificate from Manufacturer/Authorised Dealer should be submitted for all products to be supplied otherwise the bid may be rejected.
10. **Proprietary Article Certificate :**  
In case the bidder is **OEM – Manufacturing Units** will have to submit authentic documents to be a manufacturer or a **Proprietary Article Certificate** for the same.
11. **Solvency Certificate :**  
The Bidder is desirable to submit a Solvency Certificate from a Nationalize Bank.

### III. **INFORMATION FOR THE BIDDER**

1. **Responsibility :**  
It is the responsibility of the Bidders submitting the bid in the formats given and as per the terms & conditions of the tender documents. In the event of any doubt regarding the terms & conditions/ formats, the bidder concerned may seek clarifications from the authorized offices of Kolkata Police mentioned on Page.3 of this document. If required Kolkata Police may issue corrigendum during this tender period.
2. **e-Tender Address :**  
e-Tenders must be addressed to the Governor of West Bengal (through Commissioner of Police, Kolkata), 18, Lalbazar Street, Kolkata-700 001. It should be superscripted “**e-Tender for Supply & Maintenance of Different Items for use of DMG, Kolkata Police.**”
3. **Brochures :**  
Scan copy Brochures of the item(s) must be uploaded in the e-Tender portal. Any attempt of canvassing on the part of a bidder will render his tender liable to rejection summarily.
4. **Preference for Govt. Organisation :**  
The products of (1) **Regd. SSI Unit of the State**; (2) **State Govt. Undertakings/Organizations owned/ managed by the State Govt.** and (3) **State based Medium Scale/Large Scale Units** may be given preference, if quality is found satisfactory, in terms of the relevant rules of WBFR Vol-I (Since amended) & Finance Deptt. notification, Govt. of W.B. issued from time to time.
5. **Earnest Money Deposit (EMD) :**  
Intending bidder has to deposit the Earnest Money **Rs.1,00,000/- (Rupees one lakh) only** through online submission. No alternative will be accepted. **Annexure-II** may be referred for this purpose.
6. **EMD Exemption :**  
Firms registered as a Small Scale Industry/MSME/NSIC/C&SSI Department, West Bengal may, however, be exempted from depositing Earnest Money on production of satisfactory documents in support of their claim.

**7. Taxes & Other Clearance Certificates :**

- a) All bidders shall have to submit copy of the valid **Trade License, GSTIN and Professional Tax** along with tender on West Bengal e-Tender portal. **Tenders received without such certificates will not be considered.**
- b) Any claim of GST or any other prevalent Taxes & Duties, if applicable, should be clearly mentioned against the rate of item. The amount of such taxes & duties, if required should be shown separately.

**8. Custom Duty Exemption Certificate (CDEC) :**

In case the Custom Duty Exemption Certificate (CDEC) is to be obtained from Ministry of Home Affairs Govt. of India for imported item, the payment of Customs Duty/GST etc, whether to be required or not, should be expressly mentioned. Rate should be quoted including CDEC, if applicable. The final rate of the item may be accepted without Custom Duty subject to submission of CDEC by Kolkata Police at the time of supply of the item.

**9. Pre-Bid Meeting :**

Pre-bid Meeting will be held on [ ] in Lalbazar Kolkata Police Headquarters with the interested bidders. Bidder can send their queries through e-mail to Tender Section, KPD (tendersection@kolkatapolice.gov.in). **Participation in the Pre-Bid Meeting will be limited to two persons per bidder along with valid authorization.**

**10. Submission of Bids :**

Bidders shall have to submit the rate as per requirement as reflected in the BoQ during submission of the Financial Bid Sheet. The bidder is to quote the rate online through computer in the space marked for quoting rate in the BoQ. The **base price (rate per unit)** shall be quoted in the space earmarked for the same. **Tax and duties separately shall have to be mentioned in the columns provided for the purpose.**

**11. Type of Bid :**

- a) The tender shall comprise of two bid systems – (i) **Technical Bid** & (ii) **Financial Bid**. Bidder has to submit their bid separately in the portal <https://wbtenders.gov.in> online.
- b) The Technical Bid will be opened first and if it is found technically suitable and/or feasible, only then the Financial Bid will be considered. Otherwise the entire Bids (Technical, Financial and Earnest Money) will be treated as cancelled. Technical Bids shall be evaluated by Technical Committee and the overall performance of the bidder comprising Technical & Financial evaluation shall be done by the Tender Committee constituted for that purpose which will be informed to the bidders who found eligible to participate in the tender.
- c) Technically qualified bidders who have fulfilled eligibility criteria on the basis of technical evaluation by the tendering authority shall qualify for financial evaluation.
- d) Lowest out of valid financial bids shall be selected for issuance of contract.

**12. Evaluation Process :****A) Opening of Technical Proposal –**

- a) A Committee comprises of senior officers of Kolkata Police will open and assess the Technical bid of the Tender.
- b) Cover (folder) for Statutory Documents and cover (folder) for Non-Statutory Documents will be opened. Decrypted (transformed into readable formats) documents will be downloaded & handed over to the "Tender Evaluation Committee". If there is any deficiency in the documents the tender will summarily be rejected.
- c) **Bidders are requested to submit the hard copy of their technical bids personally on the day of opening of Technical Bid.** Bidders must ensure that the Technical Bid submitted online is identical to the hard copy of the Technical Bid submitted at the time of opening of Technical Bid.
- d) During evaluation the committee may summon of the bidders & seek clarification/ information or additional documents or original hard copy of any of the documents already submitted.

- e) If any bidder fails to produce the original hard copies of the documents like Completion Certificates and any other documents on demand of the "Tender Evaluation Committee" within a specified time frame or if any deviation is detected in the hard copies from the uploaded soft copies, it may be treated as submission of false documents by the bidder and action may be referred to the appropriate authority for prosecution as per relevant Act.
- e) Summary list of technically qualified bidders will be uploaded online.

**B) Opening of Financial Proposal –**

The Financial bids of only those bidders who have fulfilled eligibility criteria on the basis of technical evaluation by the tendering authority will be considered for financial bid evaluation. Lowest commercial bid will be designated as L1. Second lowest as L2 and so on.

**13. Tender Acceptance & Rejection :**

The following considerations shall be taken into account while evaluating the bids –

- i) Whether the goods and services offered are as per the requisite tender specifications in the document.
- ii) Whether the bidder has submitted all the information/documents as required to be submitted along with the Technical Bid.
- iii) Bidders with variance/contradiction between Technical Bid and Financial Bid will be liable for rejection.
- iv) Bidders submitting incomplete information, subjective and conditional offers as well as partial offers will be liable for rejection.
- v) Tenders with the Technical Bid not containing EMD amount/EMD exemption certificates will be summarily rejected.
- vi) Tenders without the signed copy of the Tender Documents will be summarily rejected.
- vii) In addition to the above rejection criteria, if there is non-compliance of any of the other clauses of this Tender Document, the tender is liable for rejection.
- viii) The Commissioner of Police, Kolkata reserves the right to accept any bid, and to annul the bid process and reject all bids at any time, without assigning any reason, prior to placement of supply order/ signing of contract, without thereby incurring any liability to the affected Bidder or any obligation to inform the affected Bidder of the grounds for Kolkata Police's action.
- xi) This contract shall not be sublet either wholly or partly without the written permission of the Commissioner of Police, Kolkata and on breach of this provision the Commissioner of Police, Kolkata may determine the contract and forfeit the Security Deposit and the Bidder shall have no claim for loss thereby resulting to him on any account whatsoever..
- x) Any breach by the Bidder of any of the terms of the contract the Commissioner of Police, Kolkata may, in addition to recovering any loss to sustain, terminate the contract on seven (07) days notice to the bidder. The decision of the Commissioner of Police, Kolkata shall be the final on all questions as to the extent, meaning or construction of the said schedule or any descriptions, prices or other matters therein mentioned.
- xi) In the event of failure to supply the articles according to approved samples as agreed upon by the bidder, such articles will be purchased elsewhere without notice to the bidder on the account and at the risk of the bidder. Bidder shall be liable for any loss which the Government may sustain on that account but the bidder shall not be entitled to any gain on purchase made against default.
- xii) The Commissioner of Police, Kolkata does not bind himself to accept the lowest or any tender, not to assign any reason for non-acceptance. The Commissioner of Police, Kolkata reserves the right to accept and/or reject any tender, all tenders or any part thereof, without assigning any reason thereto.
- xiii) The Commissioner of Police, Kolkata reserves the right to revise the quantity of the tendered article/item as per requirement and/or availability of fund within the validity period of tender which is 1(one) year.
- xiv) The Commissioner of Police, Kolkata may accept the tender in respect of all the items tendered for, or any of them, or any part of all or any of them, by notifying the Bidder accordingly in the acceptance and the tender shall thereupon be considered as a tender for the quantity so accepted.

- xv) The Commissioner of Police, Kolkata reserves the right to invoke and/or cancel the Supply/Firm Order, if situation so warrants or the terms and conditions are not complied with, without assigning any reason thereto.

**14. Demonstration :**

**The demonstration of the item/equipment will have to be arranged by the bidder before the Tender committee during technical evaluation.** A convenient date will be fixed after opening of Technical Bid. If any or all the items/equipment are not found suitable and/or up to the mark by the members of the Tender Committee, the same shall be liable to be rejected. The decision of Tender Committee and/or any other Committee constituted for the purpose will be taken as final. **The bidder is liable for the cost of equipment/product of demonstration and the Commissioner of Police Kolkata will never accept the demonstrated items for his own purpose at the time of delivery.**

**15. Letter of Intent/Acceptance (LoI/LoA) :**

- i) It should be noted that the firm/firms will be selected purely as "PROVISIONAL BASIS" and the forecast requirement may increase or decrease depends on requirement and availability of fund.
- ii) On completion of e-Tender formalities, Letter of Intent (LoI) / Letter of Acceptance (LoA) will be issued in favour of the selected bidder.
- iii) The instant e-tender accepted rate of the tendered items will remain valid for 01 (one) year from the date of issuance of LoI/LoA.
- iv) The Commissioner of Police, Kolkata reserves the right for placement of supply/firm order at any time during the validity period of the tender and the selected bidder will be bound to supply of the tendered items as per accepted rate of the respective tender against the Supply/Firm Order placed time to time within the validity of the e-Tender.
- v) The bidders are therefore advised to quote their rate keeping in mind with the above stipulation. No deviation of the above shall be entertained.
- vi) **LoI/LoA does not confer any right to supply/implementation. A separate supply order will be issued.**

**16. Security Deposit (SD) :**

- i) The Bidder shall have to deposit equivalent to a sum equal to **10%** of the total value of the Supply/Firm Order (excluding admissible Taxes/GST) as Security Deposit [covering the comprehensive warranty period of **3 (three) years**] in the form of Bank Guarantee/Bank Deposit Receipt, National Savings Certificate issued by the Post Office (P.O.) duly pledged in favour of the Commissioner of Police, Kolkata or in a Savings Bank Pass Book pledged to the Commissioner of Police, Kolkata or in Government Securities endorsed to the Commissioner of Police, Kolkata or FDR (of Nationalized Bank) and execute an Agreement in prescribed form (**Annexure-III**) within 10 days from the date of issue of the Supply/Firm Order failing which the Letter of Acceptance (LoA) may liable to be cancelled.
- ii) The Security Deposit will be released after completion of the whole project i.e. after satisfactory completion of **3 (three) years** comprehensive warranty period. **Security Deposit will not carry any interest.**
- iii) In the event of the Bidder failing to make a Security Deposit, Commissioner of Police, Kolkata may, at his discretion, forfeit the earnest money lodged with this tender and cancel the acceptance of the tender.

**17. Proforma Invoice (PI) :**

After completion of the process of selection, the selected firm is expected to furnish Proforma Invoice for the respective item(s) for initiating procedural formalities for obtaining sanction of Govt. The Supply/Firm order may, however be placed only on receipt of sanction of fund from Govt.

**18. Supply of Stores :**

- i) The Bidder shall be liable to supply the tendered item as per agreement mutually agreed upon against placement of order of supply from time to time by the Commissioner of Police, Kolkata within the time specified in the respective order. The Commissioner of Police, Kolkata reserves the right for placement of Supply/Firm Order at any time during the validity period of the tender and the bidder is bound to supply of the tendered item as per accepted rate of the respective tender.



- ii) If the Bidder by any cause, other than his own neglect or default, be prevented or delayed from supplying items/goods as aforesaid, the periods provided in clause may be extended by the Commissioner of Police, Kolkata on being satisfied that reasonable grounds exist for such extension.
- iii) The Bidder shall provide, at his own expense, all tools, plant, implements, packing, coolie hire charges and the like as will be necessary for the due performance of the contract. No claim on these accounts shall be entertained.
- iv) Random Testing of the delivered items will also be done at the time of Acceptance at the expense borne by the bidder.
- v) Hard & Soft Copies of operating & technical literature both in English are required at the time of supply of the stores.

**19. Grounds for Blacklisting :**

- a) **At the stage of competitive bidding – on the ground of :**
  - i) Submitting false documents as far as the eligibility criteria are concerned,
  - ii) Submission of bid which involves concealment/suppression of facts in the bids in order to influence the outcome of eligibility screening or any other stage of open bidding.
  - iii) Unauthorized use of one's name or the name of any other firm for the purpose of bidding,
  - iv) Withdrawal of a bid, or refusal to accept an award, or enter the contract with the Govt. without justifiable cause, after he had been adjudged as having submitted the lowest responsive bid,
  - v) Refusal or failure to post the required performance security within the prescribed time, as indicated in the detailed tender notice.
  - vi) Refusal to clarify in writing its Bid during post qualification within the prescribed period as contained in the detailed tender notice from receipt of the request for clarification.
  - vii) Any documented unsolicited attempt to unduly influence the outcome of bidding in his favour,
  - viii) All other acts that tend to defeat the purpose of competitive bidding which is contrary to financial rules of the Government e.g. habitual withdrawing from bidding except valid reasons, not complying with the requirements during bid evaluation.
- b) **At the stage of contract implementation – on the ground of :**
  - i) Failure on the part of the firm to supply items as per Supply Order due solely to his fault or negligence within the prescribed period as mentioned in the detailed tender notice.
  - ii) Failure on the part of the firm/company to fully and faithfully comply with the contractual obligations without valid cause or failure to comply with any written lawful instruction of the procuring entity or its representative(s) pursuant to the implementation of the contract.
  - iii) Assignment and sub-contracting of the contract or any part thereof
  - iv) Unsatisfactory progress in the delivery of goods/items in case of procurement,
  - v) Supply of inferior quality of goods, as may be provided in the contract or as per accepted sample/specimen of item(s).
  - vi) Any other reason, which the procuring entity deems it logical to include in the contract, duly agreed by the selected bidder/firm.
  - vii) Failure of supply within the stipulated period of time to be mentioned in the supply order.

**20. Disputes & Arbitration :**

In case of any dispute or differences, breach and violation relating to the terms of this agreement, the said dispute or difference shall be referred to the sole arbitration of Commissioner of Police, Kolkata or any other person appointed by him. The award of the arbitrator shall be final and binding on both the parties. In the event of such arbitrator to whom the matter is originally referred to vacates his office on resignation or otherwise or refuses to do works or neglecting his work or being unable to act as arbitrator for any reason whatsoever, **the Commissioner of Police, Kolkata shall appoint another person to act as arbitrator in the place of outgoing arbitrator and the person so appointed shall be entitled to proceed further with the reference from the stage at which it was left by the predecessor. The Bidder will have no objection in any such appointment that arbitrator so appointed is employee of Kolkata Police. The adjudication of such arbitrator shall be governed by the provision of the Arbitration and Conciliation Act, 1996, or any statutory modification or re-enactment thereof or any**

rules made thereof. The arbitration shall be held within the jurisdiction of Hon'ble High Court of Calcutta.

**21. Force Majeure Clause :**

The Bidder shall not be liable for forfeiture of its performance security, liquidated damages or termination for default, if the delay in performance or other failure to perform its obligations under the contract is a result of an event of Force Majeure. For purposes of the clause, "Force Majeure" means an event beyond the control of the Bidder and not involving the Bidder's fault or negligence and not foreseeable. Such events may include wars or revolutions, fires, floods, epidemics, quarantine restrictions, freight embargoes etc.

**22. Office for Communication :**

The Bidder is desirable to have an office in West Bengal and service delivery centre at Kolkata. The Bidder should mention in detail their support infrastructure including Address, Contact Phone No., Fax No., e-Mail ID etc. and modalities by which fast response to maintenance calls and minimum downtime will be ensured.

**23. Training & Technical Support :**

The after sale training, technical support during Warranty for the tendered item(s) should be done by the selected bidder "Free of Cost". **An Undertaking should be submitted along with the bid.**

**24. Warranty & Maintenance :**

- a) Supplier will have to give **3 (three) years** comprehensive warranty on all items including battery from the date of Acceptance of the supplied item. After completion of warranty period Kolkata Police may go for fresh AMC with the supplier. Hence bidder should maintain sufficient stock of spares with them for this warranty period. **Separate SLA will be signed with the vendor for warranty & support after supply of the equipments.**
- b) The **3 (three) years** comprehensive warranty is for support of all the active & passive components supplied under this project. During this period no active component should be declared "End of Life". In case it is declared "End of Life" during this **3 (three) years** comprehensive warranty period, the vendor has to replace such equipment at their own cost. A letter of Confirmation by OEM shall be mandatory. The rate should be quoted inclusive of warranty.

**25. Bill of Materials & Commercial :**

Sl. No.	Name of Item	Unit	Qty.	Make and Model	Total Amount with GST (Rs.)
1	FRP Boat for Rescue	No.	1	Bidder to specify	
2	Inflatable Rubber Boat & OBM	No.	2	Bidder to specify	
3	HDPE Floating Jetty (Docks)	Sq. M.	300	Bidder to specify	
4	Rescue Rotary Saw	No.	4	Bidder to specify	
5	Diamond /Concrete Cutting Chain Saw	No.	2	Bidder to specify	
6	Demolition Hammer	No.	4	Bidder to specify	
7	Kombi - Tool	No.	2	Bidder to specify	
8	Ram Set With Matching Foot Pump	No.	2	Bidder to specify	
9	Hydraulic access platform (15 Mtrs.	No.	1	Bidder to specify	
10	Hydraulic Jack (20 Ton)	No.	2	Bidder to specify	
11	Portable Pump for Fire Fighting	No.	1	Bidder to specify	
12	Portable Pump Set for Dewatering	No.	1	Bidder to specify	
13	Thermal Imaging Camera	No.	2	Bidder to specify	
14	Victim Location system with Breaching System	No.	1	Bidder to specify	
15	B A Set with CBRN Mask with drinking pot and bottle	No.	10	Bidder to specify	
16	Portable Air Compressor for BA Set & Scuba cylinder (filling )	No.	2	Bidder to specify	
17	High Beam underwater/ over ground search light with charger	No.	6	Bidder to specify	

Sl. No.	Name of Item	Unit	Qty.	Make and Model	Total Amount with GST (Rs.)
18	Industrial Grade Leather Hand Gloves	No.	200	Bidder to specify	
19	Rubber Gloves Electricals/ Chemicals	No.	500	Bidder to specify	
20	Gas mask with canister	No.	100	Bidder to specify	
21	Industrial safety Helmet ratchet Type	No.	600	Bidder to specify	
22	Working helmet with light	No.	150	Bidder to specify	
23	Safety Goggles	No.	750	Bidder to specify	
24	Silent Genset 15 KVA Trolley mounted	No.	2	Bidder to specify	
25	Hand Held wall through Radar	No.	1	Bidder to specify	
26	Manikin full body	No.	10	Bidder to specify	
27	Canvas/Fabric Water Tank (200 Ltrs)	No.	4	Bidder to specify	

**26. Delivery :**

The delivery period shall in no case exceed a period of **60 days** of the issuance of Work Order. The Commissioner of Police reserve the right to extend the delivery period against any satisfactory reason thereafter.

**27. Payment :**

The mode of payments to be made in consideration of the work to be performed by the bidder shall be as follows :

- **100% of the total project cost – On completion of supply.**

**IV. AWARD OF CONTRACT**

- The Bidder who's Bid has been accepted will be notified by the Tender Inviting & Accepting Authority through Acceptance Letter. The notification of award will constitute the formation of the Contract.
- The Agreement in prescribed format will incorporate all agreements between the Tender Accepting Authority and the successful bidder. All the tender documents including NIT & BoQ will be the part of the contract documents. After receipt of Letter of Acceptance, the successful bidder shall have to submit requisite copies of contract documents of NIT along with requisite cost through Bank Guarantee/Bank Deposit Receipt, National Savings Certificate issued by the Post Office (P.O.) duly pledged in favour of the Commissioner of Police, Kolkata or in a Savings Bank Pass Book pledged to the Commissioner of Police, Kolkata or in Government Securities endorsed to the Commissioner of Police, Kolkata or FDR (of Nationalized Bank) for the concerned work within time limit to be set in the Letter of Acceptance.

**V. TECHNICAL SPECIFICATIONS**

Sl. No.	Description of Item	Specification
1	FRP Boat for Rescue	a) Length Overall : 12.35 MTR b) Beam : 03.82 MTR c) Draft : 0.6 MTR d) Displacement : 07 Tonnes e) Fuel Capacity : 1200 LTRS f) Water Capacity : 200 LTRS g) Engine : INBOARD WATER JET
2	Inflatable Rubber Boat & OBM	<b><u>Inflatable Rubber Boat</u></b> a) Full Load Capacity – 8 - 10 b) Deflating weight – 70 kg (±5) c) Length – Overall – 15 - 16ft d) Exterior Bow to Transom – 12 - 13ft e) Interior Bow to Transom – 10 - 11ft f) Keel – in three parts manufactured form high strength anodized aluminium. Could be easily assembled by locking in front bow floor boat and transom slot at the back g) Decking – The decking is manufactured from high strength anodized aluminium

Sl. No.	Description of Item	Specification
		<p>floor boat. Floor boat is further supported by extruded aluminium profiles at the boarders for stability. Deck is anti skid and has a provision for fitment of fuel tank. Decking consist of four part.</p> <p>h) Buoyancy Tube – Divided into five independent compartments having almost equal volume. A moulded neoprene rubbing strake is fitted throughout the buoyancy tube and under the kill for protection against abrasion during operation</p> <p>i) Floor – A heavy duty coated fabric for the floor at the bottom forms the hull of the boat</p> <p>j) Certification – NCD 4006, ISSUE – 3</p> <p><b><u>Out Board Machine (OBM)</u></b></p> <p>a) Output – 30HP</p> <p>b) Type – 4 Stroke</p> <p>c) Fuel Delivery/Introduction System – Electronic Fuel Injection (EFI)</p> <p>d) Displacement – 480 - 600cc</p> <p>e) Alternator Amp/Watt – 10 -15 Amp/120 -180 Watt</p> <p>f) Cooling System – Watered Cool</p> <p>g) Bore and Stroke – 60 - 63/60 - 63mm</p> <p>h) RPM- 5000 - 6500</p> <p>i) Fuel – Petrol</p> <p>j) No. of Cylinder – 3</p> <p>k) Fuel tank Capacity – 20 – 25 ltr</p> <p>l) Engine Oil capacity – 2 - 3ltrs</p> <p>m) Weight – Not more than 80kg</p> <p>n) Shaft – Long</p> <p>o) Certification – EN/ISO</p>
3	<b>HDPE Floating Jetty (Docks)</b>	<p>The HDPE buoys are Cubical in shape and modular in nature that enable easy assembly and dismantling. Being modular in nature, they can be easily arranged to form a Floating Jetty / Platform of any Size (each).</p> <p>These Buoys have anti-skid surface to prevent accidents when the buoys are wet during rains. The Buoys are assembled using HDPE Nuts &amp; Bolts hence, all parts used in the assembly are metal free, therefore the complete installation is rust free. These buoys have provision for Hand Rails</p>
4	<b>Rescue Rotary Saw</b>	<p>(A) Petrol operated circular/cut off saw with adjustable blade guard,</p> <p>(B) Trigger lock and safety interlock, Size – 355mm (14”),</p> <p>(C) Min power 3.2 Kw - 4.4 Bhp,</p> <p>(D) RPM not less than 4800 - 5460,</p> <p>(E) Cutting depth approx – 5” for metal and concrete both,</p> <p>(F) Weight not more than – 9.6 kgs (9 Kg dry weight)</p> <p>(G) Complete with two high performance blade (2 abrasive blade)</p>
5	<b>Diamond /Concrete Cutting Chain Saw</b>	<p>a) Displacement - Min 77 CC</p> <p>b) Engine Power - Min 4.5 Kw</p> <p>c) Engine - 2 Mix Engine Anti vibration system</p> <p>d) Dry Weight - Not more than 7.7 Kgs</p> <p>e) Fuel Tank capacity - Max 0.8 Ltrs.</p> <p>f) Cutting depth/ Length - 15.75” Min.</p> <p>g) Chain type - Diamond Abrasive Chain</p> <p>h) Chain pitch - 3/8”</p> <p>i) Guide Bar - Rollomatic Guide bar 16”</p> <p>j) Sound Pressure level - 105dba</p> <p>k) Vibration Level - Left 4.5m/s<sup>2</sup> Right 4.0m/s<sup>2</sup></p>
6	<b>Demolition Hammer</b>	<p>(A) 28.5 MM Hex,</p> <p>(B) Bit with strong Demolishing Power,</p> <p>(C) Min 1000 IPm, Cap 70 Jule Min,</p> <p>(D) Power 2000 Watts.</p> <p>(E) Max Weight 32 Kgs. With 02 Bits.</p>
7	<b>Kombi - Tool</b>	<p>a) <b>General-</b> The kombi -tool should have a light weight, balanced and ergonomic design with anti slip twist grip handle and safety control. The blades should be made of tempered tool steel. They should be straight, serrated, regrind able and</p>

Sl. No.	Description of Item	Specification
		<p>easily exchangeable. The cylinder body and housing could be made of high strength aluminium alloy or equivalent material. Pigtail(s) should be fitted with anti-kink springs or some form of kink protection, have quick connect couplings and automatic locking.</p> <p>b) Working Pressure not less than 630 bars</p> <p>c) Opening (spreading) width More than 300 mm</p> <p>d) Minimum spreading force at 2.5cm from tip of blades 35 KN</p> <p>e) Cutting force at 630 to 720 bars More than 200 KN</p> <p>f) Pulling force More than 50 KN</p> <p>g) Weight Not more than 17 Kgs without hoses. Should cut round steel bars (as per current EN Standard or equivalent)</p> <p>h) More than 25 mm diameter</p> <p>i) The hoses should be of 10 m length and of different colours , if Two hoses are to be used. Factor safety should be of the order of four Operating Temperature-20 to +80 degrees Celsius</p>
8	<p><b>Ram Set With Matching Foot Pump</b></p>	<p><b>PURPOSE :</b> RAMs are Hydraulic Tools used for pushing apart and staying two masses of material in order to create space for extrication of victims following vehicle crashes, earthquakes or rail and industrial accidents. They can be single or multistage (telescopic) and operated by hydraulic pumps which may be based on IC engine power or on hand / foot pumping. The oil from the pump is used with either a two hose connection to the RAM or by a single hose with two concentric chambers</p> <p><b>SPECIFICATIONS:</b>                      Max. Working Pressure: 630 to 720 bar.                      Max. Spreading Force                      1<sup>st</sup> plunger : &gt; 20 t                      2<sup>nd</sup> Plunger : &gt; 8 t                      Length retracted : &lt; 60 cm                      Total stroke : &gt; 70 cm                      Max. Length (incl Cross heads) : &lt; 130 cm                      Weight, ready for use : &lt; 20 Kg                      Temperature reach : - 20 deg                      +60 deg C</p> <p><b>SAFETY FACTOR</b>                      Tool, hydraulic : 2                      Safety factor extension hoses : 4</p> <p><b>ACCESSORIES</b></p> <ul style="list-style-type: none"> <li>• Spare hose(s) (not less than 2 mtrs)</li> <li>• Maintenance Set</li> <li>• Cross Head.</li> <li>• RAM support</li> </ul> <p><b>SPECIFICATION OF HAND PUMP</b>                      Operating Pressure : 630 bto 720 bar.                      Weight (ready for use) : 10. Kgs Max.                      Temperature reach : -20 degree C + 60 degree C                      Accessories / Maintenance Set</p> <p><b>STANDARDS</b>                      Equipment must conform to Pr EN 13204 and / or NFPA 1936 standards hydraulic tools and certification will be submitted with tender</p>
9	<p><b>Hydraulic access platform (15 Mtrs.)</b></p>	<ol style="list-style-type: none"> <li>1. Desired Working Height – 13 - 15mtr</li> <li>2. Max Height of Basket floor from ground level –12-13mtr</li> <li>3. Max working out reach – 5.5 - 6mtr</li> <li>4. Safe working load – 260 - 270kg</li> <li>5. Personal basket size – 1.12 x 0.72x 1.12mtr (± 5% for all edges)</li> <li>6. Slew – 360 degree continuous in either direction</li> <li>7. System Pressure – 150 Bar</li> <li>8. Automatic personal basket leveling</li> <li>9. Full shape working load in all boom position</li> <li>10. System flow – 11.5LPM</li> <li>11. Hydraulic Tank – 78 - 82ltr</li> </ol>

Sl. No.	Description of Item	Specification
		12. Personal basket insulated to resist a working voltage of 600volts 13. Net Weight – Up to 2500kg 14. Chassis recommendation - suitable for mounting on TATA – 909/1109 or equivalent Chassis 15. In collapsed condition - Height – Up to 3400mm, Width – Up to 2300mm, Length – Up to 7700mm
10	Hydraulic Jack (20 Ton)	<b>WEDGE JACK</b> <b>(A)</b> Working Pressure – 700 – 750 bar <b>(B)</b> Lifting Height – 50mm minimum <b>(C)</b> Insertion Height – Not more than 14mm <b>(D)</b> Spreading Force – 20 Ton or More <b>(E)</b> Wedge Angle – 50 degree minimum <b>(G)</b> Weight, Ready For Use - Not more than 15 kgs. <b>TOE JACK</b> <b>(A)</b> Insertion Height – Not More than 60mm <b>(B)</b> Low Cap height – More than 12 inch <b>(C)</b> Stroke – 250mm minimum <b>(D)</b> Maximum lifting force at the centre – 12 ton minimum <b>(E)</b> Maximum lifting force on the Toe – 10 ton minimum <b>(G)</b> Temperature reach - (-)20 degree (+) 60degree <b>(H)</b> One hydraulic foot pump along with 10mtr hose matching with Toe jack and wedge jack is also required
11	Portable Pump for Fire Fighting	The Portable Fire Fighting pump should have the following features ; The weight of ready to use pump should not exceed more than 130 kgs. The engine used should be 4 stroke, 2 cylinder, with minimum 37 HP and it should be primarily Air Cooled, with Additional Water Cooling through heat exchanger. The pump should be centrifugal type, and should have output of minimum 1300 lpm capacity at 7 bar. The pump should have oil less Rotary vane Priming System , with electric clutch, with push button priming , and should be capable of lifting the water from 7 mtr depth in less than 30 secs The pump should have 100 mm suction inlet along with 2 outlets of 63 mm dia with screw down valve. The entire pump should be mounted on SS frame with 4 multi position, spring loaded handles. Complete control panel should be provided The pump should be supplied with Suction Hose of 100 mm dia, in 2.5 mtrs length duly binded with couplings – 4 nos. The pump should be supplied with EN : 14466 standard , CE certified
12	Portable Pump Set for Dewatering	Dewatering Pump should be Electric Driven, 3 phase, Submersible type . The weight of the pump should not exceed 54 kgs. The Electric Motor should not be more than 3.2kW and 7.3 AMP. It should be capable of pumping out solid waste up to 80 mm dia. The output of the pump at 6 mtr. head should be minimum 1400 lpm. The frame should be made of SS with 4 carrying handles. The suction inlet and outlet should be of 100 mm dia. It should be supplied with 4 nos of 100 mm dia Suction Hose of 2.5 mtrs length complete with Storz coupling .
13	Thermal Imaging Camera	a) The Camera model <b>should be certified</b> to the NFPA 1801 :2018 standard on Thermal Imagers b) The camera shall be compact and having dimensions not exceeding 8 x 5 x 4 inch (LxWxH), suitable of being housed within Fireman’s Coat pocket . weight less than 1kg c) The Camera should be able to provide clear imagery and resolve detail in the entire fire scene across a dynamic temperature range of at extremely hot temperature zone of 1050 deg C without white out d) The Camera should have image capture facility , capable of taking and storing more than 800 images and Video Capture Facility, capable of taking and storing IR videos for minimum 8 hours e) The Camera should also have Zoom feature with X2 and X4 digital zoom for strategic safe applications f) Camera should be supplied with Rechargeable Battery capable to operate in

Sl. No.	Description of Item	Specification
		<p>ambient temperature of 80 deg C and having at least 1000 recharge cycles. Only Lithium Iron Phosphate battery are acceptable. Manufacturer battery certification will be required to confirm safe operation above 85°C (185°F),</p> <p>g) The Camera should be supplied c/w Truck Mount Battery Charging System. The Charger should be capable of charging with both 220 V AC supply as well as 12-24 V DC supply</p> <p>h) The Thermal Imager Set should be supplied complete with the following:</p> <p>a) Thermal Imaging Camera 1</p> <p>b) Rechargeable Battery Pack 2</p> <p>c) Truck Mounted Battery Charger 1</p> <p>d) Retractable Lanyard 1</p> <p>e) Instruction Manual 1</p> <p>f) Carrying Case/ Soft Bag 1</p>
14	<b>Victim Location system with Breaching System</b>	<p>a. Victim Location Systems to be acquired are designed for location and rescue of victims trapped under debris during natural calamities or in mine collapses or confined space disasters. They enable insertion below the debris of a telescopic probe which mounts at its head, a sensitive articulable video camera, supported by appropriate illumination whose images can be viewed by the operator and other rescue personnel on remote display monitors. The System also integrates a two – way audio system which can pick up life sounds from the victim and also permits the passage of spoken instructions or assurances to him from the rescue team. Since a rigid telescopic probe has limitation on how far it can be inserted, the camera, light and sound system can also be mounted on one end of a cable which can be used to reach greater depths.</p> <p>b) The required Breaching System is a heavy duty drill used for making an entry hole for the probe of the victim location system through debris at the disaster site, or other overlaying material required to be breached to enable the Search Camera to access underlying void spaces. It should allow rescue teams to breach most common construction materials with only one system. It coring bits, carbide tipped diamond studded should be able to bore through wood, nails, sheet metal and roofing materials and reinforces concrete. The System should have a collar for attachment of coring bits as well as for cooling water to be delivered to the spinning carbide tipped diamond studded bits when used.</p>
15	<b>B A Set with CBRN Mask with drinking pot and bottle</b>	<p>a) EN 12245</p> <p>b) SCOTT, USA (preferably)</p> <p>c) Maximum Air Pressure - 374 BAR at 60°Celsius</p> <p>d) Volume - 6.8 litre capacity</p> <p>e) TS – 50° to 60° Celsius</p> <p>f) Approved by – PESO, Govt. of India</p> <p>g) Mechanical pressure gauge (no electronic gauge)</p>
16	<b>Portable Air Compressor for BA Set &amp; Scuba cylinder (filling )</b>	<p>a) Fuel - Petrol</p> <p>b) Three stage safety valves</p> <p>c) Final Stage Valve Capacity – 4700 psi</p> <p>d) Crankcase is made of aluminium alloy</p> <p>e) Flanges with roller bearings support the crankshaft to be kept in oil-tight</p> <p>f) Cylinders are made of cast iron</p> <p>g) Engine– mono block</p> <p>h) Pressure gauge in Bar &amp; Psi</p> <p>i) Starting Mode – Recoiling</p> <p>j) CE – Certification</p> <p>k) Engine cylinder Displacement range – 195 – 200 cc</p> <p>l) Filling Capacity – 100 lpm</p>
17	<b>High Beam underwater/ over ground search light with charger</b>	<p><b>Uses</b> Can be used in various search and rescue operation in underwater and over ground.</p> <p><b>Specifications</b></p> <p>(A) Waterproof – 100m depth</p> <p>(B) Weight without battery – 1.5 – 1.8 kg</p> <p>(C) Over ground coverage – 200m</p> <p>(D) Lamp Type – Xenon HID/LED</p> <p>(E) Lamp Power – 35 – 45w</p>

Sl. No.	Description of Item	Specification
		(F) Lamp Light – 3000 to 5000 lumens (G) Battery Type – Lithium Ion
18	<b>Industrial Grade Leather Hand Gloves</b>	Heavy Duty Working Gloves – Pure chrome Leather made of goat skin , Hand Gloves - 14 “
19	<b>Rubber Gloves Electricals/ Chemicals</b>	Electrical Insulated Seamless Rubber hand Gloves, as per IS 4770It should be tested from ERDA(Electric Research & development Association; NABL accredited lab. Working voltage Min 10000 Volts.
20	<b>Gas mask with Canister</b>	<p>Technical specification of Protective Fire and Gas mask, BIS approved Full face mask as per IS 14166:1994.</p> <p>Multi function full face mask should provide comfort and protection against a wide variety of respiratory hazards in wide variety of industrial application. The mask should have unique face seal design which provides a highly efficient seal with minimal pressure on the face . computer design air path channels provides exceptionally low airflow resistance, reducing fatigue even for long periods of use.</p> <p>Technical Details</p> <ul style="list-style-type: none"> <li>* Fully adjustable five point elastic head harness is equipped with quick release buckles easy to wear and dismount.</li> <li>* Secure &amp; fit on the face due to the anatomic chin cup.</li> <li>* 8face mask with threaded connectors.</li> <li>* Comfort Fit with wide sealing edge.</li> <li>* Comfort to wear even long periods without the user becoming tired or stressed</li> <li>* Maximum protection for specific gases</li> <li>* Visor is made of polycarbonate glass materials</li> <li>* The mask should be EN/ISI approved</li> <li>* The mask should prevent fire smoke, carbon mono oxide</li> <li>* The elastic head harness should be made of non toxic industry standard material approved by competent agency.</li> </ul> <p><b>General features :</b></p> <ul style="list-style-type: none"> <li>Light weight &amp; highly durable</li> <li>Provide high impact protection</li> <li>Respiratory protection</li> <li>Provides leak proof fit</li> <li>Good skin comfort in tough conditions ( skin friendly )</li> <li>Adjustable for better handling</li> <li>Zero power hard coated visor</li> <li>Good quality of straps</li> <li>High clarity, durability and double anti fog</li> <li>One size fits all</li> <li>Easy to assemble / wear and dismantle/dismount</li> <li>To be made of an extremely soft and non allergic thermoplastic rubber for comfort &amp;fit</li> <li>Perfect undistorted vision</li> <li>Exhalation valve should help make breathing easier giving a cool and dry comfort to the user</li> <li>Inner mask should provide with proper air circulation valves for preventing the visor from streaming up</li> <li>The mask should protect for a minimum 40(forty) minutes from fire smoke and toxic gases .Effective period may be longer</li> </ul> <p><b>Filter cartridge (canister) :</b></p> <ul style="list-style-type: none"> <li>Canister should be approved by DRDO, ministry of defence .</li> <li>As per DS Cat no : 1195-000 003JSS 1195-03: 2012. Revision no.2</li> <li>Each face mask should be supplied with min. Three (3) Nos. Of matching canister approved by DRDO/DRDE</li> </ul>
21	<b>Industrial safety Helmet ratchet Type</b>	Industrial Safety Helmet with Chin Strap six anchorage point with multilevel vents, it should have push type special ratchet to fit head size 53-61 MM, The band should be sweat absorbing with textile suspension. ISI marked it should confirm EN 397, IS 2925 & ANSI Z89.1
22	<b>Working helmet with light.</b>	FRP Industrial Safety Helmet with Chin Strap six anchorage point with multilevel vents, it should have push type special ratchet to fit head size 53-61 MM, The band should be sweat absorbing with textile suspension. ISI marked it should confirm EN 397, IS 2925 & ANSI Z89.1 with LED light Rechargeable type.
23	<b>Safety Goggles</b>	(A) Colour – Transparent (B) Material – Light weight and safe to wear with a impact resistant plastic



Sl. No.	Description of Item	Specification
		(C) The safety glass provide protection against low energy impact and are suitable for use with chain saws and cut off machines with ventilation system. (D) Adjustable according to size
24	<b>Silent Genset 15 KVA Trolley mounted</b>	(A) Power – 15 KVA (Generation Unit) (B) Power Output – 12 KW (Consumption Unit) (C) Three Phase (D) Weight <= 750 kg (E) Fuel – Diesel (F) Fuel Consumption <= 3 kg/hour @75% (G) Fuel Tank Capacity : 70 – 100 ltrs. (H) Mode – Silent. To conform CPCB latest noise norms. (I) The DG sets should confirm to standard reference conditions as per BS 5514/ISO3046/ISO8528 (J) The entire set should be supplied with trolley mounted with 02 Jeep Wheel for carrying. (K) Suitable 300 Mtrs. 3 Core Cables to supplied with 03 Nos. of BUS BAR BOX/Distribution (Metal) box with necessary fittings.
25	<b>Hand Held wall through Radar</b>	<b>Main Features :</b> a) Reliable detection of life behind most common wall materials. b) Indication of target presence, movement direction and distance 20m detection range. c) Enable stand-off operation Specification) Penetration Through- Cement, Plaster, Brick, Concrete, Re-enforced concrete, Adobe, Stucco, Dry wall and many other building materials. d) <b>Detection range-</b> 4m, 8m, 20m e) <b>Field Of View-</b> 120 degree in both Azimuth and Elevation. f) <b>Display Mode-</b> Indication of target presence, movement direction and distance. g) <b>Frequency Range-</b> 3GHz to 10GHz.vi) Dimensions- L: 21.8cm, W: 9.7cm, D: 6.5cm. h) <b>Weight-</b> 660g with 4 Lithium 123 Batteries. i) <b>Power Supply-</b> 4 Lithium Batteries. j) <b>Battery Operation Time-</b> 3.5 Hours with 4 Lithium Batteries. <b>Wireless Capability-</b> Optional built-in wireless module for remote monitoring and control.
26	<b>Manikin full body</b>	Adult Male Manikin Full Body (Fibre Made)
27	<b>Canvas/Fabric Water Tank (200 Ltrs)</b>	200 Ltrs Canvas water bucket for Carrying /Storing Drinking water with Tap

## VI. GUIDELINES FOR SUBMISSION OF E-TENDER

### 1. General guidance for e-Tendering :

- Registration of Bidder** – Any bidders willing to take part in the process of e-Tendering will have to be enrolled & registered with the Government e-Procurement System through logging on to <https://wbtenders.gov.in> (the web portal of Public Works Department) the bidder is to click on the link for e-Tendering site as given on the web portal.
- Digital Signature certificate (DSC)** – Each Bidder is required to obtain a Class-II OR Class-III Digital Signature Certificate (DSC) for submission of tenders for the approval service of the National Informatics Centre (NIC) on payment of requisite amount. Details are available at the website stated in Clause-I above DSC is given as a USB e-Token.

### 2. Submission of Tenders :

Tenders are to be submitted through online to the website stated in Clause-I in two folders at a time for each work, one in Technical Proposal & the other is Financial Proposal before the prescribed date & time using the Digital Signature Certificate (DSC). The documents are to be uploaded virus scanned copy duly Digital Signed. The documents will get encrypted (transformed into non readable formats).

**A) Technical Proposal** – The Technical proposal should contain scanned copies of the following in two covers (folders).

- Statutory Cover Containing the following documents** –  
i) NIT; ii) Any other documents if applicable; iii) Agreement Paper; iv) Check List.
- Non-statutory Cover Containing the following documents** –

Sl. No.	Category Name	Sub-Category Description	Detail(s)
A.	Certificate(s)	Certificate(s)	<ul style="list-style-type: none"> <li>GSTIN.</li> <li>PAN.</li> <li>P Tax (Challan)</li> <li>ITR for current Assessment year.</li> <li>Solvency Certificate from any Nationalized Bank or Registered Chartered Accountant.</li> </ul>
B.	Company Detail(s)	Company Detail	<ul style="list-style-type: none"> <li>Proprietorship Firm (Trade License)</li> <li>Partnership Firm (Partnership Deed, Trade License)</li> <li>Ltd. Company (Incorporation Certificate, Trade License)</li> <li>Society (Society Registration Copy, Trade License)</li> </ul>
C.	Credential	Credential	Documents of Credential in the form of work completion certificates & payment certificates of executing similar nature of works done in any Govt. / Semi Govt. Organization or PSU / Corporation or Local Bodies not less than 50% of the estimated cost, which is applicable for eligibility in this tender.
D.	Undertaking	Undertaking reg. blacklisting	Undertakings to be submitted as per Para (2) of Credentials & Pre-qualifications of the Bidders.

**THE ABOVE STATED NON-STATUTORY/TECHNICAL DOCUMENTS SHOULD BE ARRANGED IN THE FOLLOWING MANNER :**

- Click the check boxes beside the necessary documents in the My Document list and then click the tab "Submit Non Statutory Documents" to send the selected documents to Non-Statutory folder.
- Next Click the tab "Click to Encrypt and upload" and then click the 'Technical' Folder to upload the Technical Documents.

**B) Financial Proposal –**

- The financial proposal should contain the following documents in one cover (folder) i.e. Bill of Quantities (BoQ). The bidder is to quote the rate online through computer in the space marked for quoting rate in the BoQ.
- Only downloaded copy of the above document is to be uploaded duly digitally signed by the bidder.

**VII. CHECK LIST TO BE UPLOADED ONLINE**

NIT No. ....  
NAME OF THE TENDER : .....

**DETAILS TO BE GIVEN**

SL NO	ITEMS	PLEASE MARK		FOR USE OF THE BIDDERS	REMARKS (FOR OFFICE USE ONLY)
1	EMD AS PER NIT	YES	NO		
2	COPY OF THE LATEST TRADE LICENCE	YES	NO		
3	COPY OF THE PARTNERSHIP DEED/ INCORPORATION CERTIFICATE/ SOCIETY REGISTRATION COPY	YES	NO		
4	COPY OF LATEST PROFESSIONAL TAX CHALLAN	YES	NO		
5	COPY OF PAN CARD (PAN NO TO BE MENTIONED)	YES	NO		
6	COPY OF LATEST INCOME TAX RETURN AS DESIRED	YES	NO		
7	COPY OF GSTIN	YES	NO		
8	CREDENTIALS & OTHER PAPERS, IF ANY	YES	NO		
9	BALANCE SHEET OF LAST 3 YEARS	YES	NO		
10	PROFIT AND LOSS ACCOUNT OF LAST 3 YEARS	YES	NO		
11	SOLVENCY CERTIFICATE FROM BANK/REGISTERED CHARTERED ACCOUNTANT	YES	NO		
12	TURNOVER DULY CERTIFIED BY C.A. LAST ONE YEAR	YES	NO		
13	UNDERTAKING IN THE FORM OF AFFIDAVIT TO THE EFFECT THAT THE COMPANY WAS NOT BLACKLISTED BY G.O.I. / STATE GOVERNMENT DURING LAST 5 YEARS	YES	NO		
14	CERTIFICATE ABOUT OPERATIONAL OFFICE IN KOLKATA	YES	NO		

**Note :**

- The bidders are requested to see that all of the above columns are marked.
- If any of the information furnished above are found to be false, action as per tender rule will be initiated.

**Sd/-**  
**for Commissioner of Police,**  
**Kolkata**

**ANNEXURES**

[ To be submitted in following Format ]

**ANNEXURE – I****DECLARATIONS**

Sir,

Having examined the Bid Documents of **e-Tender for Supply & Maintenance of Different Items for use of DMG, Kolkata Police** for the use of Kolkata Police, We, \_\_\_\_\_, offer to supply and deliver the entire work in conformity with the Terms & Conditions laid down in the Tender Notice No. \_\_\_\_\_ dated \_\_\_\_\_ and would abide by the same terms and conditions throughout the period of contract.

We, hereby also agree to execute a “Contractual Agreement” with Kolkata Police based on all the terms & conditions laid down in the Tender Notice No. \_\_\_\_\_ dated \_\_\_\_\_ in the event of being selected as a successful Bidder.

We understand that you are not bound to accept the lowest or any bid you may receive.

We also understand that you have the right to revise the quantities and/or split the total order among the Bidders and/or procure the available and compatible items/ equipments under DGS&D Rate Contract.

\_\_\_\_\_  
Signature with date

\_\_\_\_\_  
Name in block letters

\_\_\_\_\_  
Seal of the Company

**ANNEXURE – II****ONLINE SUBMISSION OF EARNEST MONEY DEPOSIT**

Necessary Earnest Money will be deposited by the bidder electronically: online—through his net banking enabled bank account, maintained at any bank or: offline—through any bank by generating NEFT/RTGS challan from the e-Tendering portal. Intending Bidder shall have to get the Beneficiary details from e-Tender portal with the help of Digital Signature Certificate and may transfer the EMD from their respective Bank as per the Beneficiary Name & Account No., Amount, Beneficiary Bank name (ICICI Bank) & IFSC Code and e-Proc RefNo.

Intending bidder who wants to transfer EMD through NEFT/RTGS must read the instruction of the Challan generated from e-Procurement site.

Bidders are also advised to submit EMD of their bid, **at least 3 working days before** the bid submission closing date as it requires time for processing of Payment of EMD.

Bidders eligible for exemption of EMD as per Govt. rule may avail the same and necessary documents regarding the exemption of EMD must be uploaded in the EMD folder of Statuary bid documents.

Unsuccessful bidders will get their EMD refund automatically online.

## ANNEXURE – III

### Security Deposit (SD)

[ To be stamped in accordance with Stamp Act ]

Ref: Bank Guarantee No.

Date:

To

Dear Sir,

WHEREAS ..... (Name of bidder) hereinafter called "the bidder" has undertaken, in pursuance of Contract dated, ..... (hereinafter referred to as "the Contract") **Supply & Maintenance of Different Items for use of DMG, Kolkata Police.**

AND WHEREAS it has been stipulated in the said Contract that the Bidder shall furnish a Security Deposit ("the Guarantee") from a scheduled bank for the sum specified therein as security **Supply & Maintenance of Different Items for use of DMG, Kolkata Police.**

WHEREAS we \_\_\_\_\_ ("the Bank", which expression shall be deemed to include its successors and permitted assigns) have agreed to give Kolkata Police the Guarantee:

THEREFORE the Bank hereby agrees and affirms as follows:

1. The Bank hereby irrevocably and unconditionally guarantees the payment of all sums due and payable by the Bidder to Kolkata Police  
Under the terms of their Agreement dated \_\_\_\_\_ on account of any breach of terms and conditions of the said contract related to partial non-implementation and/ or delayed and/ or defective implementation. Provided, however, that the maximum liability of the Bank towards Kolkata Police under this Guarantee shall not, under any circumstances, exceed \_\_\_\_\_ in aggregate.
2. In pursuance of this Guarantee, the Bank shall, immediately upon the receipt of a written notice from Kolkata Police stating full or partial non-implementation and/ or delayed and/ or defective implementation, which shall not be called in question, in that behalf and without delay/demur or set off, pay to Kolkata Police any and all sums demanded by Kolkata Police Under the said demand notice, subject to the maximum limits specified in Clause 1 above. A notice from Kolkata Police to the Bank shall be sent at the following address:  
  
\_\_\_\_\_  
Attention Mr \_\_\_\_\_.
3. This Guarantee shall come into effect immediately upon execution and shall remain in force for a period of **3 (three) years** from the date of its execution.
4. The liability of the Bank under the terms of this Guarantee shall not, in any manner whatsoever, be modified, discharged, or otherwise affected by -
  - i) Any change or amendment to the terms and conditions of the Contract or the execution of any further Agreements.
  - ii) Any breach or non-compliance by the Bidder with any of the terms and conditions of any Agreements/ credit arrangement, present or future, between Bidder and the Bank.
5. The BANK also agrees that Kolkata Police at its option shall be entitled to enforce this Guarantee against the Bank as a Principal Debtor, in the first instance without proceeding against Bidder and notwithstanding any security or other guarantee that Kolkata Police may have in relation to the Bidder's liabilities.
6. The BANK shall not be released of its obligations under these presents by reason of any act of omission or commission on the part of Kolkata Police Or any other indulgence shown by Kolkata Police Or by any other matter or thing whatsoever which under law would, but for this provision, have the effect of relieving the BANK.
7. This Guarantee shall be governed by the laws of India and only the courts of Kolkata shall have exclusive jurisdiction in the adjudication of any dispute which may arise hereunder.

Dated this the ..... Day of .....

Witness

(Signature)

(Signature)

(Name)

Bank Rubber Stamp

(Official Address)

(Name)

Designation with Bank Stamp  
Plus Attorney as per Power  
of Attorney No.

Dated:

Dated:

**ANNEXURE – IV**

**Manufacturer’s Authorization Letter [if applicable]**

TENDER NOTICE NO. \_\_\_\_\_

Date \_\_\_\_\_

To

WHEREAS \_\_\_\_\_ who are official producers of

\_\_\_\_\_ and having production facilities at

\_\_\_\_\_ do hereby authorize

\_\_\_\_\_ located at

\_\_\_\_\_ (hereinafter, the “Bidder”) to submit a proposal of the following Products produced by us, for the Supply Requirements associated with the above Tender

When resold by \_\_\_\_\_, these products are subject to our applicable standard end user warranty terms.

We assure you that in the event of \_\_\_\_\_, not being able to fulfill its obligation as our Service Provider in respect of our standard Warranty Terms we would continue to meet our Warranty Terms through alternate arrangements and also provide spares in accordance with the Tender for the period of **3 (three) years**.

Name

In the capacity of

Signed

Duly authorized to sign the authorization for and on behalf of : \_\_\_\_\_

Dated on \_\_\_\_\_ day of \_\_\_\_\_, \_\_\_\_\_.

Note: This letter of authority must be on the letterhead of the manufacturer, must be signed by a authorized person of the organization who is competent and having the power of attorney to bind the Producer, and must be included by the Bidder in its bid as specified in the Instructions to Bidders.

\_\_\_\_\_