Government of West Bengal Office of the Commissioner of Police 18, Lalbazar Street, Kolkata-700 001.

No. T-403/PHE/24-25

Date - 14.03.2025

NOTICE INVITING TENDER

Sealed tenders in printed form are invited for the following work from eligible tenderers as per particulars given below:

Name of work 1.

Necessary civil repairing work for Quarter No. 8, 3rd floor, Block-N3 of Belghoria PHE at B. T. Road, Kolkata.

(Details in ANNEXURE-A)

Eligibility 2.

All bonafide contractors /firms having experience for essential

civil/elec. work.

3. **Estimated Cost**

Rs. 67,707/-

Last date for submission of the tender

21.03. 2025 up to 15.00 hrs.

Time allowed for completion of work 5.

07(seven) days after the issue of Work Order


The intending tenderers may inspect the site on any working day during office time. 6.

The intending tenderers will have to submit copy of valid Certificate of up to date Clearance of Trade License, Professional tax, Income Tax, G.S.T and Credential along with tender papers for the work. 7.

8. Sealed Tender addressed to The Commissioner of Police, 18, Lalbazar Street, Kolkata-700001 may be dropped in the box kept in front of the office of the Officer-in-Charge, Building Section, 2nd floor, Northern Building, 18, Lalbazar Street, Kolkata-700001 before the last date.

Sealed tender may also be sent by Registered Post / Speed Post super scribing the envelope as "Tender in response to Tender 9. Notice No. T-403/PHE/24-25 dt. 14.03.2025" so as to reach on or before the last date.

Lalbazar, Kolkata.



et of work: Estimate for Repairing of cilling & walt of kitchen, hatteroon, bedroom & dinning room, window glasses & inside painting .OF ighoria PHE.B.T Road Kalkata 56 QUAYER NO.05 3rd FL BLOCK NO-N3 (During the year 2024-2025). [IBMS Req. No. 3187 Dt.]01/2025]

Page &	Yh 2 - 4 3 4 4 3 4	Quant	14-17	Rate	Unit	Amount
item	Description of item					247.00
Page-11 item-10	Stripping off worn out plaster and raking out joints of walls, calings etc. upto any height and in any floor including removing rubbish within a lead of 75m as directed.	13.00	sqmtr	19.00	sqmtr	247.00
Page-45 Item-05	Cleaning the concrete surface by removing dirt and debnis, marking defective locations and removing loose concrete by careful stripping untill hard surface is exposed, cutting the concrete to regular shape, wire	23.00	sqmtr	90.00	sqmtr	2070.00
	brushing the exposed surface and removing debris from site complete as per direction of the Engineer - in - Charge					
Page-45 Item-06	Cleaning the exposed reinforcement preferably upin full diameter by wire brush, applying two costs of polymer based rust removing compounds left for 24 hours, removing the costing and then applying two [2] costs of polymer modified and corrosive protective coating formulated to inhibit the corrosion of reinforcement as per manufacturer's specification[[Mode of measurement: The affected]	2.60	squatr	₹ 782.00	sqmtr	₹ 1,564.0
	surface area of reinforcement shall be considered for payment]					
Page 45 liem-07	Applying epoxy based reactive joining agent for joining the old concrete with fresh concrete to be applied within manufacturer's specified time as per manufacturers, specification. (0.4 Kg f m² of concrete surface).	2.00	cum	₹ 309.00	cum	₹ 618.0
Page-45 item-03	a) Applying 2 coats of bonding agent with synthetic multi functional rubber emulsion having adhesive and water proofing properties by mixing with water in	36.00	sqmtr	88.00	squitr ,	3168.0
	proportion (I bonding agent : 4 water : 6 cement) as per Manufacturer's specification [Cement to be supplied by the Department]					
Page-40 Item-27	Cement concrete (1:1.5:3) with graded stone chips 5.6 mm size with hexagonal square mesh wire netting, I.R.C. fabric mesh or X.P. M. fitted and fixed after tying the existing reinforcement on concrete without distributing the same and with proper scarping and cleaning the reinforcement and disturbed concrete with wire brush etc. after applying a coat of cement including the cost of wire netting I.R.C or X. P. M. & cost of all					
	handling and scaffolding complete as per direction of Engineer-in-charge.					
	b) 25 mm thick	23.00	sqmtr	522.00	sqmtr	12006.0
Page-189 Item-1	Plaster (to wall, floor, ceiling etc.) with sand and cement mortar including round off or chamfering corners as directed and raking out joints including throating, nosing and drip course, scaffolding/staging where necessary (Ground floor). [Excluding coat of chipping over concrete surface:					
	(i) With 1:6 cement mortar					
	(c) 15 mm thick plaster	13.00	sqmtr	151.00	sqmtr	1963.0
	(ii) With 1:4 cement mortar					
Page-204 Item-05	(c) 10 mm thick plaster (b) Rendering the surface of walls and ceiling with white cement based wall putty of approved make and brand(1.5mm thick)	23.00 36.00	sqmtr sqmtr		sqmtr sqmtr	3059.6 3960.6
Page-196 Item-10	Acrylic Distemper to interior wall, ceiling with a coat of solvent based interior grade acrylic primer (as per manufacturer's specification) including cleaning and smoothning of surface. Two Coats	185.00	sqmtr	70.00	sqmtr	12950.0
Pnge-64 Item-35	Supplying, fitting & fixing 1st quality Ceramic tiles in walls and floors to match with the existing work & 4 nos. of key stones (10mm) fixed with araldite at the back of each tile & finishing the joints with white cement mixed with colouring oxide if required to match the colour of tiles including roughening of concrete surface, if necessary or by synthetic adhesive & grout materials etc.					
	(B)Wall					
	With Sand Cement Mortar (1:3) 15 mm thick & 2 mm thick cement slurry at back side of tiles using cement @ 2.91 Kg/Sq.m & joint filling using white cement alurry @ 0.20kg/Sq.m					
	(a) Area of each tile upto 0.09 Sq.m (i) Coloured decorative	2.00	sqmtr	757.00	sqmtr	1514
	(i) Colotted decorative	2.00	eduiti		- Areas	

e-53		Description of item	Quantity		Rate	Unit	Amount
		Supplying, fitting and fixing Black Stone slab used in Kitchen slab, alcove, wardrobe etc. laid and jointed with necessary adhesive Cement morter (1:2) including grinding or polishing as per direction of Engineer-in-Charge in Ground Floor					
		AND STATE OF THE S					
Page-2 Item-0	205	(a) Slab Thickness 20 to 25 mm Supplying best Indian sheet glass panes set in putty and fitted and fixed with nails and putty complete. (In all floors for internal wall & upto 6 m height for external wall)	2.60	nimpa	643.00	sqmtr	1286.0
		(i) 3 mm thick (weighing 7.4 kg/Sq.m)	0.50	sgintr	477.00	somtr	238.5
3 Page-2 Item-1	200	at Priming one coat on steel or other noted surface with synthetic oil bound primer of approved quality including smoothening surfaces by sand papering etc	16.00	aquatr	29.00	squir	464.0
4 Page-2 ltem-1	2000 I	(b) Priming one coat on timber or plastered surface with synthetic oil bound primer of approved quality including smoothening surfaces by sand papering etc.	76.00	squit	38.00	edunt	2888,0
5 Page-2i Item-2	3	[A] Painting with best quality synthetic enamel paint of approved make and brand including amouthening surface by sand papering etc. including using of approved putty etc. on the surface, if necessary;					
		(a) On timber or plastered surface :					
		With super gloss (hi-gloss) -					
		(iv) Two coats (with any shade except white)	76.00	somtr	81.00	agmtr	6156.0
		(b) On steel or other metal surface ;	, 4,04	oriente.	GANTS	Organia.	4130.0
		With super gloss (hi-gloss; -					
	. 1	(iv) Two coats (with any shade except white)	16.00	samtr	79.00	aquitr	1264,
		S & P					
Page-90 ltem-10	0	Supplying, fitting and fixing Closet seat of approved make with lid and C.P.hinges, rubber buffer and brass screws complete [a] E.W.C. [ii] Plastic (hallow type) white	1.00	each	380.00	each	380.0
Page-36	12	Supplying, fitting and fixing 10 litre P.V.C. low-down cistern conforming to I.S. specification with P.V.C. fittings complete, C.I. brackets including two coats of	1.00	each	1015.00	each	1015.0
	. 1	painting to bracket etc.				*	
							56810.5
					Add 9% for CGST		5112.9
					Add 9% 1	5112.9	
					Total	67036.3	
					Add 1% for		670.3
				Grand Total =			67706.7
					Say,	Rs.	67707.0

RUPEES: SIXTY-SEVEN THOUSAND SEVEN HUNDRED SEVEN ONLY.

JE-III RPD

AE-II KPD

TERMS AND CONDITITON OF TENDERS

- 1. All works to be carried out in a manner according to specification for original work now in laid as the regional works in building department circle.
- 2. All materials, tools, plant and labour, the housing, water supply and transport will have to be provided by Contractor at their own cost inclusive of G.S.T. and other charges.
- 3. No extra work will be allowed without prior approval.
- 4. The contractors are requested to inspect the schedule of nature of works at site to save all eventualities connection with works any other information may be obtained from the OC, Buildings Office, Lalbazar. Any place of ignorance after submission of tender by the contractors will not be considered.
- 5. The quantities as shown against the item of work can be verified according to nature of works. Actual requirement to be done soon after containing the written approval of the Jt. CP(O), but contractors are liable for execution of varied quantities at their accepted rates. The rate of the addition item which are not found in the enclosed schedule will be based on building schedule of the regional works and buildings circle subject to approval of proper authority.
- 6. The contractors should submit tender enclosed with Trade License, Income Tax return, GST, Credential, Under taking of black listed failure to which will be disqualified.
- 7. The work will be taken up within 07(Seven) days after receipt of work order, failing to which legal action may be taken against the firm.
- 8. The Commissioner of Police Kolkata reserves the right to reject any/or all the tender rates without assigning any reason and also to distribute the said works among the tenders. There is no guarantee that the lowest tender will be accepted by the authority concern.
- 9. Tender addressed to the Commissioner of Police, Kolkata should be sent in a sealed cover super scribed name of tender to be dropped in the sealed TENDER BOX to be kept the OC, Buildings Office, LaLbazar at 18, Lalbazar Street, Kolkata-700 001 within 15.00 hrs on last date.
- 10. The Tender Committee will open the sealed tender in the Committee Room of Lalbazar, The Agencies may be present or send their authorized representative at the time of opening the sealed tender box.

.C., Buildings(PHE)

PERCENTAGE RATE TENDER AND CONTRACT FOR WORKS: GENERAL RULES AND DIRECTIONS FOR THE GUIDANCE OF CONTRACTS.

1. All works proposed for execution by contract will be notified in a form of invitation of tender posted in public places and signed by the OC, Buildings Office, Lalbazar.

This form will state the work to be carried out, as well as the date of submitting and opening of tenders and the time allowed for carrying out the work, design and drawings and any other documents required in connection with work signed for the purpose of identification by the OC, Buildings Office, Lalbazar shall also be open for inspection by the contractor at the office of the OC, Building, Lalbazar during office hours.

- 2. In the event of the quotation being submitted by a firm, it must be signed separately by each member thereof or in the event of the absence of any partner it must be signed on his behalf by a person holding a power of attorney authorizing him to do so. Such power of attorney is to be produced with the tender and same in the case of a firm carried on by one member of a joint family, it must be disclose that the firm is duly registered under the Indian partnership Act.
- 3. Receipts for payment made on account of work, when executed by a firm, must also be signed by the several partners except where the contractors are described in their tender as a firm in which case the receipts must be signed in the name of the firm by one of the partners or by some other person having authority to give effectual receipts for the firm.
- 4. Any person who submits a tender shall fill up the usual printed form, stating at what rate he is willing to undertake each item of the work. Tenders which propose any alteration, in the work specified in the said form of invitation of tenders or in the time allowed for carrying out the work, or which contain any other conditions of any sort, will be liable to rejection. No single tender shall include more than one work but contractors who wish to quote for two or more works shall submit a separate tender for each. Tenders shall have the name and number of the work to which they refer written outside the envelope.
- 5 The Committee will open tenders in the presence of any intending contractors who may present at the time and will enter the amounts of the several tenders in a comparative statement in a suitable form.

The accepting authority reserves the right to reject any or all the tender without assigning any reasons and he will not be bound to accept either the lowest tender or any of the tenders.

, Buildings(PHE), Lalbazar.