Government of West Bengal Office of the Commissioner of Police 18, Lalbazar Street, Kolkata-700 001.

No. T-416/Gen/24-25

Date - 21.03.2025

NOTICE INVITING TENDER

Sealed tenders in printed form are invited for the following works from eligible tenderers as per particulars given below:

Name of work 1.

Repairing, polishing and floor polishing with allied work in the office of

Wireless Store, Wireless Branch at 112, Ripon Street, Kolkata.

(Details in ANNEXURE-A)

Eligibility 2.

All bonafide contractors /firms having experience / valid license for this

type of field.

3. **Estimated Cost** Rs. 74,271/-

Last date for submission of the tender 4.

28.03. 2025 up to, 15.00 hrs.

Time allowed for completion of works 5.

10(ten) days after the issue of Work Order.

The intending tenderers may inspect the site on any working-day during office time. 6.

The intending tenderers will have to submit copy of valid Certificate of up to date Clearance of Trade License, Professional 7. Tax, Income Tax, G.S.T and Credential along with tender papers for the work.

Sealed Tender addressed to The Commissioner of Police, 18, Lalbazar Street, Kolkata-700001 may be dropped in the box kept in front of the office of the Officer-in-Charge, Building Section, 2nd floor, Northern Building, 18, Lalbazar Street, 8.

Kolkata-700001 before the last date.

9. Sealed tender may also be sent by Registered Post / Speed Post superscribing the envelope as "Tender in response to Tender Notice No. T-416/Gen/24-25 dt. 21.03. 2025" so as to reach on or before the last date.

> O.C. Buildings, Lalbazar, Kolkata.

Annexure-A

work: Repairing, painting and floor polishing with allied work in the office of OC, Wireless Store, Wireless Branch at

Amoun	Unit	Rate	Qty		iption of item		tem No
826.5	sqmtr	19.00		н 43.50	ng out joints of walls, celings etc. upto any heigh bash within a lead of 75m as directed.	Stripping off worn out plaster a and in any floor including remor	Page-11 Item 10
					a warm a send of 75m as directed.		
					with synthetic multi functional rubber emulsion	(a) Applying 2 coats of bonding	Page-45
3828.00	sqmtr	88.00	somtr	n 43.50	coperties by mixing with water in proportion (1	having adhesive and water pro	Item-8
30,20,00				1	operates by mixing with water in proportion (1	bonding agent : 4 water : 6 cer	
a trajno	arina Raja			ē.	per Manufacturer's specification [Cement to be	supplied by the Department	
							Davis ar
12.00				10.40	ring dirt and debris, marking defective locations	Cleaning the concrete surface it	Page-45
1206.00	sqmtr	90.00	sqmtr				Item-5
				k			
				i .	Engineer - in Charge	from site complete as per disection	
		1.00					
						Change the	Page-45
		700 00	sqmtr	2.30	erably upto full diameter by wire brush, applying	the costs of exposed reinforcement	Item-6
1798.60	sqmtr	782.00	sebuti				
8.1%		3			osion of reinforcement as per manufacturer's	to the state of th	
- 2. E.					ber meneriariatis	specification	
5 9 2						Applying	Page-45
		300.00	SUMME.	13.40	agent for joining the old concrete with fresh	concerns to be	
4140.60	sqmtr	309.00	sqmtr				3 5 5 2
					tace).	The said the contract	
: - 4K		* or 3 *	18.	200 8000	tone chips 5.6 nam size with hexagonal square	Cement concrete (1:1.5:3) with o	Page-40
6579,40	squatr	491:00	squir	13.40			
ODI SPIDI							
in est fr	- N	15.44			sticing the same and with proper scarping and	cleaning the reinforcement and d	
. saldin		$\sigma = (1 - \frac{1}{2} m_{i}^{2} (2 \frac{1}{2}))^{-1/2}$			concrete with wree brush etc. after applying a	coat of cement including the coat	
	***				netting LR.C or X. P. M. & cost of all handling	and scalfolding complete as per di	
					a charge in charge	a) 20 mm thick	
100	- 1 m		. 5 8 7				
						Plaster to wall floor ceiting	Page-189
		1 1 1 1 1 1			and and cement mortar including round off or	chantering corners as dismit-	
. 1					ary (Ground floor) [Excluding cost of chipping	over concrete surface	
						(ii) With 1:4 cement mortar	
						and the same of th	9 50
						(a) 20 mm thick plaster	
3977.00	qmtr	194.00	sqmtr	20,50	·	(b) 15 mm thick plaster	
	omir	167.00	sqmtr	23.00		(b) Rendering the	age-204 (1
3841.00			sqmtr	86.10	offino weith white	approved make and buriace of walk	,
9471.00	qmtr	110.00	adjust		3.03	the state of the state of the state of	
		24	* 10000000	49400	approved quality and brand on plastered or	Applying Interior grade Acrylic Pr	age-195 A
1583.04	qmtr	30.80	squatr	148,80			
					EIC. In Ground Floor is Die Coat. Water		
					water	based interior grade Acrylic Primer	i)
						applying Acrylic Emulsion Paint	
			20.20	120 00	wed make and brand on walls and netter	and the state of t	
1416.0 0	qmtr	70.00	schutt	148.80	oved make and brand on walls and ceiling		
416.00	qm tr	70.00	scurrer	148.80		nstruction of Superintending Engin	из
416.00	qmtr	70.00	scuntr	148.80		ncluding sand papering in interme instruction of Superintending Engin il Luxury Quality	из
14 16.0 0	jm tr	70.00	scuntr	148.80	and including putty (to be done under specific wo coats)	nstruction of Superintending Engin il Luxury Quality	117 (ii
				9.00	are including putty to be done under specific we coats.	instruction of Superintending Engin il Luxury Quality Supplying best Indian sheet glass o	in ii) igr-205 St
	insp.				and including putty (to be done under specific wo coats)	instruction of Superintending Engin il Luxury Quality Supplying best Indian sheet glass p putty complete. (In all floors for inter-	in ii) igr-205 St m-1 pt
A THE					are including putty to be done under specific we coats.	instruction of Superintending Engin il Luxury Quality Supplying best Indian sheet glass o	in ii) igr-205 St m-1 pt
ALC:					t in pany and fixed and fixed with nails and	nstruction of Superintending Engin il Luxury Quality Supplying best Indian sheet glass p outly complete, (in all floors for inte- tal 3 mm thick (weighing 7.4 kg/Sq.n	មា ម៉ែ ge- 205 St m-1 pe (n
293:00	untr	77.0b	sqmtir (9-00	t in patry and flued and fixed with pails and & upro-6 in height for external wall)	instruction of Superintending Engin il Luxury Quality Supplying best Indian sheet glass p auty complete, (in all floors for inte i) 3 mm thick (weighing 7.4 kg/Sq.n ii) Priming one coal, on steel or other	m ii) gc 205 St m-1 pc (n) gc 200 (n)
ALC:		77.08 s	sqmtir (9-00	and including putty (to be done under specific wo coats) I in patry and flued and fixed with pails and the upin-6 in height for external wall). If surface with synthetic oil bound primer of faces by sand paperage att.	instruction of Superintending Engin il Luxury Quality Supplying best Indian sheet glass putty complete, (in all floors for inic, 1.3 mm thick (weighing 7.4 kg/Sq. n il Priming one coal on steel or other pproved quality including smoother	m ii) iii) iige 205 St m-1 pu m gc 200 (a) m 1 ap
293:00	untr	777.016 s	adınıtı.	9-00 48.50	at surface with switheric oil bound primer of a faces by sand papering circ.	instruction of Superintending Engin il Luxury Quality Supplying best Indian sheet glass party complete. (In all floors for inic, i) 3 mm thick (weighing 7.4 kg/Sq.n ii) Priming one coat on steel or old pproved quality including smoother b) Painting with best quality see	m ii) ge-205 St m-1 pt n ge-200 (a) m-1 ap ge-200 (A)
293:00	untr	77.06 s	adınıtı.	9-00 48.50	ats including putty (to be done under specific wo coats) t in patty and flued and fixed with nails and the upto-6 in height for external wall) all surface with synthetic oil bound primer of faces by sand papering etc. namel paint of approved make and brand for the prime of the paint of approved make and brand for the prime of the proposition of the p	instruction of Superintending Engin il Luxury Quality Supplying best Indian sheet glass p outly complete, (in all floors for inte,) 3 mm thick (weighing 7.4 kg/Sq.n il Priming one coat on steel or old pproved quality including smoother by Painting with best quality syn icluding smoothering surface by s	ger 205 St mi-1 pe mi ap ger 200 (a) mi 1 ap ger 200 (A) mi 2 inc
293:00 406:50	putr	77.06 s	adınıtı.	9-00 48.50	ats including putty (to be done under specific wo coats) t in patty and flued and fixed with nails and the upto-6 in height for external wall) all surface with synthetic oil bound primer of faces by sand papering etc. namel paint of approved make and brand for the prime of the paint of approved make and brand for the prime of the proposition of the p	instruction of Superintending Engin il Luxury Quality Supplying best Indian sheet glass-p- eutly complete, (in all floors for inte,) 3 mm thick (weighing 7.4 kg/Sq.n ii) Priming one coat on steel or otto pproved quality including smoother A) Painting with best quality syn ieluding smoothering surface by s c. on the surface, if necessary (thi	m ii) iii) ge-205 St m-1 pu (n) ge-200 (a) m-1 ap ge-200 (A) inc etc
293:00 406:50	putr	77.06 s	adınıtı.	9-00 48.50	ats including putty (to be done under specific wo coats) t in patty and flued and fixed with nails and the upto-6 in height for external wall) all surface with synthetic oil bound primer of faces by sand papering etc. namel paint of approved make and brand for the prime of the paint of approved make and brand for the prime of the proposition of the p	instruction of Superintending Engin il Luxury Quality Supplying best Indian sheet glass-p- eutly complete, (in all floors for inte,) 3 mm thick (weighing 7.4 kg/Sq.n ii) Priming one coat on steel or otto pproved quality including smoother A) Painting with best quality syn ieluding smoothering surface by s c. on the surface, if necessary (thi	m ii) iii) ge-205 St m-1 pu (n) ge-200 (a) m-1 ap ge-200 (A) inc etc
293:00 406:50	putr	77.06 s	adınıtı.	9-00 48.50	ats including putty (to be done under specific wo coats) t in patty and flued and fixed with nails and the upto-6 in height for external wall) all surface with synthetic oil bound primer of faces by sand papering etc. namel paint of approved make and brand for the prime of the paint of approved make and brand for the prime of the proposition of the p	instruction of Superintending Engin il Luxury Quality Supplying best Indian sheet glass p outly complete, (in all floors for inte,) 3 mm thick (weighing 7.4 kg/Sq.n il Priming one coat on steel or old pproved quality including smoother by Painting with best quality syn icluding smoothering surface by s	m ii) iii) ge-205 St m-1 pu (n) ge-200 (a) m-1 ap ge-200 (A) inc etc
293:00 406.50	putr	77.06 s	adınıtı.	9-00 48.50	ats including putty (to be done under specific wo coats) it in patty and flued and fixed with nails and it is upto 6 in height for external wall) all surface with synthetic oil bound primer of faces by sand papering etc. namel paint of approved make and brand erring etc. including using of approved putty or other metal surface:	instruction of Superintending Engin il Luxury Quality Supplying best Indian sheet glass p outly complete. (In all floors for inte,) 3 mm thick (weighing 7.4 kg/Sq.n il Priming one coat on steel or old pproved quality including smoother by Painting with best quality syn ictuding smoothening surface by s c. on the surface, if necessary (b) by Two coats (with any shade except	ge-200 (a) m-1 ap ge-200 (A) m-2 inceetc (iv)
293:00 406.50	putr	77.00 s	sqmtr sqmtr	9.00 48.50 48.50	ats including putty (to be done under specific wo coats) it in patty and flued and fixed with nails and it is upto-6 in height for external wall) al surface with synthetic oil bound primer of faces by sand papering cic. namel paint of approved make and brand erring cit. including using of approved putty or other metal surface:	instruction of Superintending Engin il Luxury Quality Supplying best Indian sheet glass-p- eutly complete, (in all floors for inte,) 3 mm thick (weighting 7.4 kg/Sq.n ii) Priming one coat on steel or of pproved quality including smoother (i) Painting with best quality syn including smoothering surface by s (c. on the surface, if necessary (b) (v) Two coats (with any shade except	ge-205 St. m-1 pu (n) ge-200 (a) m-1 ap ge-200 (b) m-2 inc etc (iv)
293:00 406.50	putr	29.00 s	sqmtr sqmtr	9.00 48.50 48.50	ats including putty (to be done under specific wo coats) it in patty and flued and fixed with nails and it is upto-6 in height for external wall) al surface with synthetic oil bound primer of faces by sand papering cic. namel paint of approved make and brand erring cit. including using of approved putty or other metal surface:	instruction of Superintending Engin il Luxury Quality Supplying best Indian sheet glass-p- eutly complete, (in all floors for inte,) 3 mm thick (weighting 7.4 kg/Sq.n ii) Priming one coat on steel or of pproved quality including smoother (i) Painting with best quality syn including smoothering surface by s (c. on the surface, if necessary (b) (v) Two coats (with any shade except	ge-205 St. m-1 pu (n) ge-200 (a) m-1 ap ge-200 (b) m-2 inc etc (iv)
293:00 406:56 331:50	wr. mr	29.00 s	sqmtr sqmtr	9.00 48.50 48.50	ats including putty (to be done under specific wo coats) it in patty and flued and fixed with nails and it is upto-6 in height for external wall) al surface with synthetic oil bound primer of faces by sand papering cic. namel paint of approved make and brand erring cit. including using of approved putty or other metal surface:	instruction of Superintending Engin il Luxury Quality Supplying best Indian sheet glass p outly complete. (In all floors for inte,) 3 mm thick (weighing 7.4 kg/Sq.n il Priming one coat on steel or old pproved quality including smoother by Painting with best quality syn ictuding smoothening surface by s c. on the surface, if necessary (b) by Two coats (with any shade except	ge-205 St. m-1 pu (n) ge-200 (a) m-1 ap ge-200 (b) m-2 inc etc (iv)

Add 9% for C.O.S.T. 5608.67
Add 9% for S.G.S.T. 5608.67
Total 73538.88
Add I'w for L.W.Coss 735.36
Grand Total 74271.24
Say Rs 74271.00

'echnically Checked & Verified

Adistant Engageer
Kolksta Police Directorate
Govt. of West Bengal

TERMS AND CONDITITON OF TENDERS

- 1. All works to be carried out in a manner according to specification for original work now in laid as the regional works in building department circle.
- 2. All materials, tools, plant and labour, the housing, water supply and transport will have to be provided by Contractor at their own cost inclusive of G.S.T. and other charges.
- 3. No extra work will be allowed without prior approval.
- 4. The contractors are requested to inspect the schedule of nature of works at site to save all eventualities connection with works any other information may be obtained from the OC, Buildings Office, Lalbazar. Any place of ignorance after submission of tender by the contractors will not be considered.
- 5. The quantities as shown against the item of work can be verified according to nature of works. Actual requirement to be done soon after containing the written approval of the Jt. CP(O), but contractors are liable for execution of varied quantities at their accepted rates. The rate of the addition item which are not found in the enclosed schedule will be based on building schedule of the regional works and buildings circle subject to approval of proper authority.
- 6. The contractors should submit tender enclosed with Trade License, Income Tax return, GST, Credential, Under taking of black listed failure to which will be disqualified.
- 7. The work will be taken up within 07(Seven) days after receipt of work order, failing to which legal action may be taken against the firm.
- 8. The Commissioner of Police Kolkata reserves the right to reject any/or all the tender rates without assigning any reason and also to distribute the said works among the tenders. There is no guarantee that the lowest tender will be accepted by the authority concern.
- 9. Tender addressed to the Commissioner of Police, Kolkata should be sent in a sealed cover super scribed name of tender to be dropped in the sealed TENDER BOX to be kept the OC, Buildings Office, LaLbazar at 18, Lalbazar Street, Kolkata-700 001 within 15.00 hrs on last date.
- 10. The Tender Committee will open the sealed tender in the Committee Room of Lalbazar, The Agencies may be present or send their authorized representative at the time of opening the sealed tender box.

O.C., Buildings, Lalbazar.

PERCENTAGE RATE TENDER AND CONTRACT FOR WORKS: GENERAL RULES AND DIRECTIONS FOR THE GUIDANCE OF CONTRACTS.

1. All works proposed for execution by contract will be notified in a form of invitation of tender posted in public places and signed by the OC, Buildings Office, Lalbazar.

This form will state the work to be carried out, as well as the date of submitting and opening of tenders and the time allowed for carrying out the work, design and drawings and any other documents required in connection with work signed for the purpose of identification by the OC, Buildings Office, Lalbazar shall also be open for inspection by the contractor at the office of the OC, Building, Lalbazar during office hours.

- 2. In the event of the quotation being submitted by a firm, it must be signed separately by each member thereof or in the event of the absence of any partner it must be signed on his behalf by a person holding a power of attorney authorizing him to do so. Such power of attorney is to be produced with the tender and same in the case of a firm carried on by one member of a joint family, it must be disclose that the firm is duly registered under the Indian partnership Act.
- 3. Receipts for payment made on account of work, when executed by a firm, must also be signed by the several partners except where the contractors are described in their tender as a firm in which case the receipts must be signed in the name of the firm by one of the partners or by some other person having authority to give effectual receipts for the firm.
- 4. Any person who submits a tender shall fill up the usual printed form, stating at what rate he is willing to undertake each item of the work. Tenders which propose any alteration, in the work specified in the said form of invitation of tenders or in the time allowed for carrying out the work, or which contain any other conditions of any sort, will be liable to rejection. No single tender shall include more than one work but contractors who wish to quote for two or more works shall submit a separate tender for each. Tenders shall have the name and number of the work to which they refer written outside the envelope.
- 5 The Committee will open tenders in the presence of any intending contractors who may present at the time and will enter the amounts of the several tenders in a comparative statement in a suitable form.
- The accepting authority reserves the right to reject any or all the tender without assigning any reasons and he will not be bound to accept either the lowest tender or any of the tenders.

O.C., Buildings, Lalbazar.