

Government of West Bengal  
Office of the Commissioner of Police  
18, Lalbazar Street, Kolkata-700 001.


No. T-269/PHE/24-25

Date – 03.01.2025

NOTICE INVITING TENDER

Sealed tenders in printed form are invited for the following work from eligible tenderers as per particulars given below :

1. Name of work : Electrical repairing work n the quarter no.LS-4 of Const. Tahiruddin at Watgunge PHE, 16/1, Kabitirtha Sarani, Kolkata.(Details in ANNEXURE-A)
2. Eligibility : All bonafide contractors /firms having experience for essential civil/elec. work.
3. Estimated Cost : **Rs. 83,642/-**  
Last date for submission of the tender : **11.01.2025 up to 15.00 hrs.**
5. Time allowed for completion of work : 10(ten) days after the issue of Work Order
6. The intending tenderers may inspect the site on any working day during office time.
7. The intending tenderers will have to submit copy of valid Certificate of up to date Clearance of Trade License, Professional tax, Income Tax, G.S.T and Credential along with tender papers for the work.
8. Sealed Tender addressed to The Commissioner of Police, 18, Lalbazar Street, Kolkata-700001 may be dropped in the box kept in front of the office of the Officer-in-Charge, Building Section, 2<sup>nd</sup> floor, Northern Building, 18, Lalbazar Street, Kolkata-700001 before the last date.
9. Sealed tender may also be sent by Registered Post / Speed Post superscribing the envelope as "Tender in response to Tender Notice No. T-269/PHE/24-25 dt. 03.01.2025" so as to reach on or before the last date.

  
O.C. Buildings(PHE)  
Lalbazar, Kolkata.

## E Annexure-A e

Name of work: Electrical Repairing works of quarter LS 4, Kabi Tirtha Sarani, Kolkata 700023 During the year 2024-25 (R &amp; B) Works

No	Page & Item No	Description of item	Quantity	Rate	Unit	Amount
1	Page-11 Item-10	Stripping off worn out plaster and raking out joints of walls, ceilings etc. upto any height and in any floor including removing rubbish within a lead of 75m as directed.	48.09 sqmtr	₹ 19.00	sqmtr	₹ 914.00
2	Page-45 Item-05	Cleaning the concrete surface by removing dirt and debris, marking defective locations and removing loose concrete by careful stripping untill hard surface is exposed, cutting the concrete to regular shape, wire brushing the exposed surface and removing debris from site complete as per direction of the Engineer - in - Charge.	11.09 sqmtr	₹ 90.00	sqmtr	₹ 998.00
3	Page-45 Item-06	Cleaning the exposed reinforcement preferably upto full diameter by wire brush, applying two coats of polymer based rust removing compound left for 24 hours, removing the coating and then applying two (2) coats of polymer modified anti corrosive protective coating formulated to inhibit the corrosion of reinforcement as per manufacturer's specification][Mode of measurement:The affected surface area of	1.66 sqmtr	₹ 782.00	sqmtr	₹ 1,298.00
4	Page-45 Item-8	Applying 2 coats of bonding agent with synthetic multi functional rubber emulsion having adhesive and water proofing properties by mixing with water in proportion (1 bonding agent : 4 water : 6 cement) as per Manufacturer's specification [Cement to be supplied by the Department]	11.09 sqmtr	₹ 88.00	sqmtr	₹ 976.00
5	Page-40 Item-27	"Cement concrete (1:1.5:3) with graded stone chips 5.6 mm size with hexagonal square mesh wire netting, I.R.C. fabric mesh or X.P. M. fitted and fixed after tying the existing reinforcement on concrete without distributing the same and with proper scarping and cleaning the reinforcement and disturbed concrete with wire brush etc, after applying a coat of cement including the cost of wire netting I.R.C or X. P. M. & cost of all handling and scaffolding complete as per direction of Engineer-in -charge.a) 20 mm thick	11.09 sqmtr	₹ 491.00	sqmtr	₹ 5,445.00
6	Page 11/6	Dismantling artificial stone flooring upto 50 mm. thick by carefully chiselling without damaging the base and removing rubbish as directed within a lead of 75 m.	12.00 sqmtr	₹ 50.00	sqmtr	₹ 600.00
7	Page 24/4	Ordinary Cement concrete (mix 1:2:4) with graded stone chips (20 mm nominal size) excluding shuttering and reinforcement, if any, in ground floor as per relevant IS codes.	0.30 cum	₹ 5,172.45	cum	₹ 1,552.00
8	Page-189 Item-1	Plaster (to wall, floor, ceiling etc.) with sand and cement mortar including round off or chamfering corners as directed and raking out joints including throating, nosing and drip course, scaffolding/staging where necessary (Ground floor). [Excluding cost of chipping over concrete surface]				
		(iii) With 1:4 cement mortar (b) 10 mm thick plaster	11.09 sqmtr	₹ 133.00	sqmtr	₹ 1,475.00
		(iii) With 1:6 cement mortar (b) 15 mm thick plaster	48.09 sqmtr	₹ 151.00	sqmtr	₹ 7,262.00
9	Page 204/5	(b) Rendering the surface of walls and ceiling with white cement based wall putty of approved make and brand (1.5mm thick)	41.43 sqmtr	₹ 110.00	sqmtr	₹ 4,557.00
10	Page-196 Item-10	Acrylic Distemper to interior wall, ceiling with a coat of solvent based interior grade acrylic primer (as per manufacturer's specification) including cleaning and smoothing of surface. Two Coats	170.00 sqmtr	₹ 70.00	sqmtr	₹ 11,900.00
11	Page-E/14 Item-1	(a) Distribution wiring in 1.1 KV single core stranded 'FR' PVC insulated & unsheathed copper wire (Brand approved by EIC) in 20mm size PVC (i) 2 x 22/0.3 (1.5 sqmm) + 1 x 22/0.3 (1.5 sqmm) ECC	10.00 mtr	102.00	mtr	₹ 1,020.00
		(ii) 2 x 36/0.3 (2.5 sqmm) + 1 x 22/0.3 (1.5 sqmm) ECC	12.00 mtr	119.00	mtr	₹ 1,428.00
12	Page-E/14 Item-2	Distribution wiring in 2 x 22/0.3 (1.5 sqmm) single core stranded 'FR' PVC insulated & unsheathed copper wire (Brand approved by EIC) in (b) Average run 6 mtr	6.00 point	691.00	point	₹ 4,146.00
13	Page-E/6 Item-18a	Supply & Fixing Socket type fan regulator (Step type) (Brand approved by EIC) on existing sheet metal switch board with bakelite/perspex top cover by screw after making housing for regulator knob by cutting bakelite/perspex top cover incl. making necy. connections etc.	3.00 each	272.00	each	₹ 816.00

Sl No	Page & Item No	Description of item	Quantity	Rate	Unit	Amount
14	Page-E/6 Item-21	Supply & Fixing 240 V, 6A, plug socket with separate 6 A Piano key type switch (Brand approved by EIC) on sheet metal switch board embedded in wall incl. S & F 150x100x65mm MS (16SWG) switch board and bakelite/perspex top cover of 3mm thick by Brass screws after making housing for switch by cutting bakelite/perspex cover and making necessary connections as required.	3.00 each	226.00	each	₹ 678.00
15	Page-E/6 Item-22	Supply & Fixing 240 V, 20A, plug socket with separate 20 A Piano key type switch (Brand approved by EIC) on sheet metal switch board embedded in wall incl. S & F 150x100x65mm MS (16SWG) switch board and bakelite/perspex top cover of 3mm thick by Brass screws after making housing for switch by cutting bakelite/perspex cover and making necessary connections as required.	10.00 each	324.00	each	₹ 3,240.00
16	Page-D/1 Item-1a	Supplying and fixing Sheet steel Main Switches on flat iron frame on wall 30/32 A.240V DP with fuse on L&N.Havells make	1.00 each	1425.00	each	₹ 1,425.00
17	Page-D/6 Item-7	Supplying and fixing 240/415 V MCB of Breaking capacity 10kA & C characteristics on din rail of existing DBs and necessary connection 6-32A Havelles make. SP.	8.00 each	198.00	each	₹ 1,584.00
18	Page-D/6 Item-7	Supplying and fixing 240/415 V MCB of Breaking capacity 10kA & C characteristics on din rail of existing DBs and necessary connection 40A Havelles make. DP.	2.00 each	829.00	each	₹ 1,658.00
19	Page-D/9 Item-13	Supplying and fixing double-door SPN MCB Distribution Board with IP-42/43 protection, concealed in wall after cutting the wall & mending good the damages to original finish incl. Inter connection with suitable size of copper wire and neutral link & provision for earthing attachment.Havelles make.Enclosure (DHDPSNODRW12)	1.00 each	1678.00	each	₹ 1,678.00
20	Page-D/13 Item-20	(c) Supplying & Fixing 240 V AC/DC superior type Multitune (min 10 nos. tune) Call Bell (Anchor) with selector switch for single/Multi Tunes mode, Battery operated on HW board incl. S&F HW board	1.00 each	306.00	each	₹ 306.00
21	Page-K/10 + Page - F/1 Item- 2a	Supplying of 2 Core x 10 sqmm aluminium armoured cable + Laying of cable upto 2 core 25 sqmm on wall/surface incl. S & F MS saddles with earthing attachment in 10 SWG GI (Hot Dip) Wire, making holes etc. as necy. mending good damages and painting [(115 + 58)=173]	15.00 mtr	173.00	mtr	₹ 2,595.00
22	Page-E/19 Item-18	Supply & Fixing 240 V, 25A Modular type socket, 25 A,Modular type starter (Brand approved by EIC) with 25A Modular switch type DP MCB (C-Curve) and 6 Module GI Modular type switch board with. 6 Module top cover plate flushed in wall incl. S&F switch board and cover plate and making necy. connections with PVC Cu wire and earth continuity wire etc.	1.00 each	1222.00	each	₹ 1,222.00
23	Page 79/2	Supplying, fitting and fixing E.W.C. in white glazed vitreous chinaware of approved make complete in position with necessary bolts, nuts etc(a) With 'P' trap	1.00 nos	₹ 1,421.00	each	₹ 1,421.00
24	Page 80/10	Supplying, fitting and fixing Closet seat of approved make with lid and C.P. hinges, rubber buffer and brass screws complete(a) E.W.C.(ii) Plastic (hallow type) white	2.00 nos	₹ 380.00	each	₹ 760.00
25	Page 36/2	Supplying, fitting and fixing 10 litre P.V.C. low-down cistern conforming to I.S. specification with P.V.C. fittings complete,C.I. brackets including two coats of painting to bracket etc.	1.00 nos	₹ 1,015.00	each	₹ 1,015.00
26	Page- 43 Item-9 (S & P)	Supplying, fitting and fixing approved brand P.V.C. CONNECTOR white flexible, with both ends coupling with heavy brass C.P. nut, 15 mm dia.  (v) 900 mm long	3.00 each	147.00	each	₹ 441.00
27	Page- 6 Item-7 (S & P)	Supplying, fitting and fixing (c) PTMT (Polytetra Bib Cock / Stop Cock ( Prayag or equivalent). 15 mm	3.00 each	154.00	each	₹ 462.00
28	Page-12 Item-19(i) (S & P)	Supplying, fitting and fixing PVC pipes of approved make of Schedule 80 (medium duty) conforming to ASTM D - 1785 and threaded to match with GI Pipes as per IS : 1239 (Part - I). with all necessary accessories, specials viz. socket, bend, tee, union, cross, elbo, nipple, longscrow, reducing socket, reducing tee, short piece etc. fitted with holder bats clamps, including cutting pipes, making threads,fitting, fixing etc. complete in all respect including cost of all necessary fittings as (a) For Exposed Work -- PVC Pipes (Dia)				

Sl No	Page & Item No	Description of item	Quantity	Rate	Unit	Amount
14	Page-E/6 Item-21	Supply & Fixing 240 V, 6A, plug socket with separate 6 A Piano key type switch (Brand approved by EIC) on sheet metal switch board embedded in wall incl. S & F 150x100x65mm MS (16SWG) switch board and bakelite/perspex top cover of 3mm thick by Brass screws after making housing for switch by cutting bakelite/perspex cover and making necessary connections as required.	3.00 each	226.00	each	₹ 678.00
15	Page-E/6 Item-22	Supply & Fixing 240 V, 20A, plug socket with separate 20 A Piano key type switch (Brand approved by EIC) on sheet metal switch board embedded in wall incl. S & F 150x100x65mm MS (16SWG) switch board and bakelite/perspex top cover of 3mm thick by Brass screws after making housing for switch by cutting bakelite/perspex cover and making necessary connections as required.	10.00 each	324.00	each	₹ 3,240.00
16	Page-D/1 Item-1a	Supplying and fixing Sheet steel Main Switches on flat iron frame on wall 30/32 A.240V DP with fuse on L&N.Havells make	1.00 each	1425.00	each	₹ 1,425.00
17	Page-D/6 Item-7	Supplying and fixing 240/415 V MCB of Breaking capacity 10kA & C characteristics on din rail of existing DBs and necessary connection 6-32A Havelles make. SP.	8.00 each	198.00	each	₹ 1,584.00
18	Page-D/6 Item-7	Supplying and fixing 240/415 V MCB of Breaking capacity 10kA & C characteristics on din rail of existing DBs and necessary connection 40A Havelles make. DP.	2.00 each	829.00	each	₹ 1,658.00
19	Page-D/9 Item-13	Supplying and fixing double-door SPN MCB Distribution Board with IP-42/43 protection, concealed in wall after cutting the wall & mending good the damages to original finish incl. Inter connection with suitable size of copper wire and neutral link & provision for earthing attachment.Havelles make.Enclosure (DHDPSNODRW12)	1.00 each	1678.00	each	₹ 1,678.00
20	Page-D/13 Item-20	(c) Supplying & Fixing 240 V AC/DC superior type Multitune (min 10 nos. tune) Call Bell (Anchor) with selector switch for single/Multi Tunes mode, Battery operated on HW board incl. S&F HW board	1.00 each	306.00	each	₹ 306.00
21	Page-K/10 + Page - F/1 Item- 2a	Supplying of 2 Core x 10 sqmm aluminium armoured cable + Laying of cable upto 2 core 25 sqmm on wall/surface incl. S & F MS saddles with earthing attachment in 10 SWG GI (Hot Dip) Wire, making holes etc. as necy. mending good damages and painting [(115 + 58)=173]	15.00 mtr	173.00	mtr	₹ 2,595.00
22	Page-E/19 Item-18	Supply & Fixing 240 V, 25A Modular type socket, 25 A,Modular type starter (Brand approved by EIC) with 25A Modular switch type DP MCB (C-Curve) and 6 Module GI Modular type switch board with. 6 Module top cover plate flushed in wall incl. S&F switch board and cover plate and making necy. connections with PVC Cu wire and earth continuity wire etc.	1.00 each	1222.00	each	₹ 1,222.00
23	Page 79/2	Supplying, fitting and fixing E.W.C. in white glazed vitreous chinaware of approved make complete in position with necessary bolts, nuts etc(a) With 'P' trap	1.00 nos	₹ 1,421.00	each	₹ 1,421.00
24	Page 80/10	Supplying, fitting and fixing Closet seat of approved make with lid and C.P. hinges, rubber buffer and brass screws complete(a) E.W.C.(ii) Plastic (hallow type) white	2.00 nos	₹ 380.00	each	₹ 760.00
25	Page 36/2	Supplying, fitting and fixing 10 litre P.V.C. low-down cistern conforming to I.S. specification with P.V.C. fittings complete,C.I. brackets including two coats of painting to bracket etc.	1.00 nos	₹ 1,015.00	each	₹ 1,015.00
26	Page- 43 Item-9 (S & P)	Supplying, fitting and fixing approved brand P.V.C. CONNECTOR white flexible, with both ends coupling with heavy brass C.P. nut, 15 mm dia.  (v) 900 mm long	3.00 each	147.00	each	₹ 441.00
27	Page- 6 Item-7 (S & P)	Supplying, fitting and fixing (c) PTMT (Polytetra Bib Cock / Stop Cock ( Prayag or equivalent). 15 mm	3.00 each	154.00	each	₹ 462.00
28	Page-12 Item-19(i) (S & P)	Supplying, fitting and fixing PVC pipes of approved make of Schedule 80 (medium duty) conforming to ASTM D - 1785 and threaded to match with GI Pipes as per IS : 1239 (Part - I). with all necessary accessories, specials viz. socket, bend, tee, union, cross, elbo, nipple, longscrow, reducing socket, reducing tee, short piece etc. fitted with holder bats clamps, including cutting pipes, making threads,fitting, fixing etc. complete in all respect including cost of all necessary fittings as (a) For Exposed Work -- PVC Pipes (Dia)				

No	Page & Item No	Description of item	Quantity	Rate	Unit	Amount	
		15 mm	6.50	mtr	₹ 101.00	mtr	₹ 657.00
		20 mm	7.00	mtr	₹ 129.00	mtr	₹ 903.00
29	Page-200 Item-1	Priming one coat on timber or plastered surface with synthetic oil bound primer of approved quality including smoothening surfaces by sand papering etc.	25.20	sqmtr	₹ 38.00	sqmtr	₹ 958.00
		(a) Priming one coat on steel or other metal surface with synthetic oil bound primer of approved quality including smoothening surfaces by sand papering etc	23.30	sqmtr	₹ 39.00	sqmtr	₹ 909.00
30	Page-200 Item-2	Painting with best quality synthetic enamel paint of approved make and brand including smoothening surface by sand papering etc. including using of approved putty etc. on the surface, if necessary.(a) On timber or plastered surface :With super gloss (hi-gloss) -(iv) Two coats (with any shade except white)	25.20	sqmtr	₹ 81.00	sqmtr	₹ 2,041.00
		(b) On steel or other metal surface(iv) Two coats (with any shade except white)	23.30	sqmtr	₹ 79.00	sqmtr	₹ 1,841.00

	₹ 70,181.00
Add 9% for CGST	₹ 6,316.29
Add 9% for SGST	₹ 6,316.29
Total =	₹ 82,813.58
Add 1% for LW Cess	₹ 828.14
	₹ 83,641.72
Say	₹ 83,642.00


Rupees Eighty Three Thousand Six Forty Two Only

JE 2.KPD

AE.KPD

## **TERMS AND CONDITON OF TENDERS**

1. All works to be carried out in a manner according to specification for original work now in laid as the regional works in building department circle.
2. All materials, tools, plant and labour, the housing, water supply and transport will have to be provided by Contractor at their own cost inclusive of G.S.T. and other charges.
3. No extra work will be allowed without prior approval.
4. The contractors are requested to inspect the schedule of nature of works at site to save all eventualities connection with works any other information may be obtained from the OC, Buildings Office, Lalbazar. Any place of ignorance after submission of tender by the contractors will not be considered.
5. The quantities as shown against the item of work can be verified according to nature of works. Actual requirement to be done soon after containing the written approval of the Jt. CP(O), but contractors are liable for execution of varied quantities at their accepted rates. The rate of the addition item which are not found in the enclosed schedule will be based on building schedule of the regional works and buildings circle subject to approval of proper authority.
6. The contractors should submit tender enclosed with Trade License, Income Tax return, GST, Credential, Under taking of black listed failure to which will be disqualified.
7. The work will be taken up within 07(Seven) days after receipt of work order, failing to which legal action may be taken against the firm.
8. The Commissioner of Police Kolkata reserves the right to reject any/or all the tender rates without assigning any reason and also to distribute the said works among the tenders . There is no guarantee that the lowest tender will be accepted by the authority concern.
9. Tender addressed to the Commissioner of Police, Kolkata should be sent in a sealed cover super scribed name of tender to be dropped in the sealed TENDER BOX to be kept the OC, Buildings Office, LaLbazar at 18, Lalbazar Street, Kolkata-700 001 within 15.00 hrs on last date.
10. The Tender Committee will open the sealed tender in the Committee Room of Lalbazar, The Agencies may be present or send their authorized representative at the time of opening the sealed tender box.


  
O.C., Buildings(PHE),  
Lalbazar.

**PERCENTAGE RATE TENDER AND CONTRACT FOR WORKS: GENERAL RULES**  
**AND DIRECTIONS FOR THE GUIDANCE OF CONTRACTS.**

1. All works proposed for execution by contract will be notified in a form of invitation of tender posted in public places and signed by the OC, Buildings Office, Lalbazar.

This form will state the work to be carried out, as well as the date of submitting and opening of tenders and the time allowed for carrying out the work, design and drawings and any other documents required in connection with work signed for the purpose of identification by the OC, Buildings Office, Lalbazar shall also be open for inspection by the contractor at the office of the OC, Building, Lalbazar during office hours.

2. In the event of the quotation being submitted by a firm, it must be signed separately by each member thereof or in the event of the absence of any partner it must be signed on his behalf by a person holding a power of attorney authorizing him to do so. Such power of attorney is to be produced with the tender and same in the case of a firm carried on by one member of a joint family, it must be disclose that the firm is duly registered under the Indian partnership Act.
3. Receipts for payment made on account of work, when executed by a firm, must also be signed by the several partners except where the contractors are described in their tender as a firm in which case the receipts must be signed in the name of the firm by one of the partners or by some other person having authority to give effectual receipts for the firm.
4. Any person who submits a tender shall fill up the usual printed form, stating at what rate he is willing to undertake each item of the work. Tenders which propose any alteration, in the work specified in the said form of invitation of tenders or in the time allowed for carrying out the work, or which contain any other conditions of any sort, will be liable to rejection. No single tender shall include more than one work but contractors who wish to quote for two or more works shall submit a separate tender for each. Tenders shall have the name and number of the work to which they refer written outside the envelope.
5. The Committee will open tenders in the presence of any intending contractors who may present at the time and will enter the amounts of the several tenders in a comparative statement in a suitable form.
6. The accepting authority reserves the right to reject any or all the tender without assigning any reasons and he will not be bound to accept either the lowest tender or any of the tenders.

  
O.C., Buildings(PHE),  
Lalbazar.