### Government of West Bengal Office of the Commissioner of Police 18, Lalbazar Street, Kolkata-700 001.

No. T-325/Gen/24-25

Date - 14.01.2025

#### NOTICE INVITING TENDER

Sealed tenders in printed form are invited for the following works from eligible tenderers as per particulars given below:

Name of work
 Repairing of electrical work in 06 Nos. Kiosk on the river bank of Tolly Nallah opposite of Hon'ble Chief Minister's residence, Kolkata.
 (Details in ANNEXURE-A)

2. Eligibility : All bonafide contractors /firms having experience / valid license for this type of field.

3. Estimated Cost : Rs. 98,784/-

4. Last date for submission of the tender : 20. 01. 2025 up to, 15.00 hrs.

Time allowed for completion of works
 10(ten) days after the issue of Work Order.

The intending tenderers may inspect the site on any working day during office time.

7. The intending tenderers will have to submit copy of valid Certificate of up to date Clearance of Trade License, Professional Tax, Income Tax, G.S.T and Credential along with tender papers for the work.

Sealed Tender addressed to The Commissioner of Police, 18, Lalbazar Street, Kolkata-700001 may be dropped in the box kept in front of the office of the Officer-in-Charge, Building Section, 2<sup>nd</sup> floor, Northern Building, 18, Lalbazar Street, Kolkata-700001 before the last date.

9. Sealed tender may also be sent by Registered Post / Speed Post superscribing the envelope as "Tender in response to Tender Notice No. T-325/Gen/24-25 dt. 14.01. 2025" so as to reach on or before the last date.

> O.C. Buildings, Lalbazar, Kolkata.

## Annexure- A

works: Repairing of electrical works in 6 nos kiosks on the river bank of Tolly nala, opposite to CM residence during the 24-2025

024-2025	A CONTRACT OF THE CONTRACT OF	Oty	1	Rate	Unit	Amount
age &	Description of item	Constant of the	Autoria School	1-1-	Point	8400.00
	a comme single take such	2.00 P	Out.	V	-	
	Distribution wiring in 2 x 2220.  PVC insulated & unsheathed copper wire (Brand approved by EIC) in 200 insulated & unsheathed copper wire (Brand approved by EIC) in 200 insulated & unsheathed copper wire (Brand approved by EIC) in 200 insulated & unsheathed copper wire (Brand approved by EIC) in 200 insulated & unsheathed copper wire (Brand approved by EIC) in 200 insulated & unsheathed copper wire (Brand approved by EIC) in 200 insulated & unsheathed copper wire (Brand approved by EIC) in 200 insulated & unsheathed copper wire (Brand approved by EIC) in 200 insulated & unsheathed copper wire (Brand approved by EIC) in 200 insulated & unsheathed copper wire (Brand approved by EIC) in 200 insulated & unsheathed copper wire (Brand approved by EIC) in 200 insulated & unsheathed copper wire (Brand approved by EIC) in 200 insulated & unsheathed copper wire (Brand approved by EIC) in 200 insulated & unsheathed copper wire (Brand approved by EIC) in 200 insulated & unsheathed copper wire (Brand approved by EIC) in 200 insulated & unsheathed copper wire (Brand approved by EIC) in 200 insulated & unsheathed copper wire (Brand approved by EIC) in 200 insulated & unsheathed copper wire (Brand approved by EIC) in 200 insulated & unsheathed copper wire (Brand approved by EIC) in 200 insulated & unsheathed copper wire (Brand approved by EIC) in 200 insulated & unsheathed &					
				-		
					36	
	175mm x 100mmx65mm inspection box, making earthing attachment, painting the MS box and mending good the damages to original					
	finish Avg 5mtr run					
Total Control	(a) Distribution wiring in 1 1 KV single core stranded FR PVC insulated					
Page E/14 Item No ·1	a shouthed conner wire (Brand approved by Etc) in addition					
Rem no	ngid conduit 'PR' (Precision make) incl. necy. fittings as required					
		40.00	mire	119.00	mtr	5712.00
	(ii) 2 x 36/0.3 (2.5 sqmm) + 1 x 22/0.3 (1.5 sqmm) ECC	48.00	mtr	* 100 25 100 100 100	each	1678.00
n D/0	Guine double door SPN MCB Distribution Board with IP-	1:00	nos	1678.00	Daci	
Page-D/9 Item No13						
toem no. To						
	size of copper wire and neutral link a provision for earthing			* .		*
20-	Havells make 2+12 way SPN	10.00	nos	198.00	each	1980.00
Page-D/6	Supplying and fixing 240/415 V MCB of Breaking capacity 10kA, & C characteristics on din rail of existing DBs and nepessary connection at 6	Sec. Maria	16.7			
Item No7	characteristics on din rail of existing Dos and	* ·				554.00
	32A SP ,C curve MCB	1.00	пов	564,000	each	564.00
	b) 40A Double pole,C curve MCB	4.00	BOIL	324.00	each	1296.00
Page-E/6	Supply & Pixing 240 V, 20A, plug socket with separate 20 d Piano key type switch (Brand approved by EIC) on sheet metal switch board type switch (Brand approved by EIC) on sheet metal switch board.					
Item No22		ir.				
	ton cover of amin tinck by bigger					
	making housing for switch by cutting balente, perspes 1 design					
	necessary connections as required					
di .	1.00 pt 2000年 200	4:00	nos	272.00	each	1088.00
Page-E/6	Supply & Fixing Socket type fan regulator (Step type) (Brand approved by	4-90	1100	*		
Item No18a	Supply & Pating Society (yellow) and board with ballelite/persper top- EIC) on existing sheet metal switch board with ballelite/persper top- cover by screw after making housing for regulator knot by putting					
3	bakelite /perspex top cover incl. making necy, connections etc.					
	bakeitte / perspex top cover titol to					TEAC 00
	S/laying of 2core x 10 sqmm PVC insulated& sheathed Al conductor	30.00	mtr	236.000	mtr	7080.00
7	and only from TPDB to SPNDB as required				- 1	
	feeding as per GS(laying on wall with 2x10swg GI wire)					
		2.00	nos	68.00	each	136.00
8 Page C/3	Fixing only ceiling fan complete with blades, canopy, fork, rubber bush	2.00	1100	00.00		
Item No. 21(	Fixing only ceiling tail completely grant and making necessary connection as required rod with approved paint and making necessary connection as required					
***	hv 2x1.5 sqmm flexible copper wire.					
	hy 2x1.5 squitti neadole copper					
	and the state of t	2.00	nos	2279.00	each	4558.00
9	Supplying 1200mm sweep ac ceiling fan ac site	0:00	nos	90:00	each	810.00
10 Page-C/2	Fixing only single/twin fluorescent light atting complete with all	9.00	1400	5-14-0		
Item No. 14						
	・ 「大学」という。 「大学」という。 「本学工芸術学の研究」という。 「大学工芸学」という。 「大学工芸学」という、「大学工芸学」という。 「大学工芸学」という。 「大学工芸学」」 「大学工芸学」」 「大学工芸学」という。 「大学工芸学」」 「大学工芸学」」 「大学工芸学」 「大学工学」 「大学工芸学」 「大学工学」 「「大学工学」 「大学工学」 「大学工学」 「大学工学」 「大学工学」 「「大学工学」 「大学、「大学工学」 「大学工学」 「	9.00	nos	679.00	each	6111.00
11	Supplying of 40watt LED TL fitting [Havells/Surys/Diamond]		20.00	500.00	job	1500.00
12	Dismantling of all existing wiring & accessories from wall & ceiling for	3.00	job	500.00	100	****
12	smooth operation of civil work to pag temporary arrangement	2				
	facilitation of work as reqd				100 miles	31500.00
	Supplying of Pressure die cast housing with epoxy power coated dark	3.00	nos	10500.00	each	31300.00
13	The first free by the state of					
	LED lenses (suitable model Bajaj-BRTBG 150W LED/Surya or simila	r				×
	superior make)	The same of	<i>y</i> .	E07.00	set	1054.00
14 Pean H.	wateropoof type looping cable box siz	e 2.00	se!	527.00	Sec. 1	
14 Page-H/	and the too was down having a ring thick combining of one	Chr. Street				
richi do d	an appropriate the compared of					
	brass cable gland for upto 2- core 16 squim PYC/A cable and havin lined with rubber gasketted CI top cover with brass machine screws etc.	8	- 57			
		ED.				
	S&F 40x6 mm thick, MS clamps with bolts, nuts etc. including painting	lg.				
	with anticorrosive paint		1			
	A STATE OF THE STA					

- 0					
Page-H/I	Erection of Single Steel tubular pole of length as given below/with without sole plate & Cap etc. in CC foundation (Proportion and	1.00	nos	3097.00 each	3097 00
#	dimension indicated below), having 600 x 600x150 mm thick CC (4:2:1)	3850			
7	base block below sole plate /pole with hard jhama metal including CC				
	(6:3:1) muffing 0.30 mts. dia and 0.30 mts. above ground level including				
	3 mm thick neat cemented finish and OI earth bolt after making drilled				
	holes etc. on pole & carriage of pole upto 1.6 Km from Store to work-site				
	including filling up the excavated earth pit with shifted soil and ramming				
	properlyupto 9mtr			**	
Page-H/2	Painting of Steel Tubular Pole of lengths and no. of coats of paint, as	1.00	1108	347.00 · each	347.00
Item No4(a)	given below with ready mixed paint/primer of approved make, and brand				
	incl. preparation of surface by sand paper /emery paper; cleaning etc. for				
	receiving fresh coat of paint [i] 1st coat of aluminium paint over 1 coat				
	of RO priming +(ii) 2nd coat of aluminium paint over 1st coat (239+108)				
	* 47 ON 12				
	Supplying of 6.50 mtr height swaged type tubular pole as per is	1.00	set	5975.00 each	5975.00
	:2712/80 compatible Utkarsh make model no 410-SP-16 i/c base				
	plate.pole cap etc as reqd(Bansal/Utkarsh/ISI)				
					82886,00
		,		Add 9% for CGST	7459.74
	Control of the second of the s			Add 9% for SGST	7459.74
				Total	97805.48
				Add I'v for L.W.Coss	978.05
				Grand Total	98783.53
				Say Rs	98784.00
	and the second s	,		Day Ma	20104.00
	Runnes Ningty Right Thousand Saven Hundred and Pighty Porty Only				

| Rupees Ninety Eight Thousand Seven Hundred and Eighty Four Only |

16

Counter signifus by

Kolkala Police Directorate Govt of West Bengal

### TERMS AND CONDITITON OF TENDERS

- 1. All works to be carried out in a manner according to specification for original work now in laid as the regional works in building department circle.
- 2. All materials, tools, plant and labour, the housing, water supply and transport will have to be provided by Contractor at their own cost inclusive of G.S.T. and other charges.
- 3. No extra work will be allowed without prior approval.
- 4. The contractors are requested to inspect the schedule of nature of works at site to save all eventualities connection with works any other information may be obtained from the OC, Buildings Office, Lalbazar. Any place of ignorance after submission of tender by the contractors will not be considered.
- 5. The quantities as shown against the item of work can be verified according to nature of works. Actual requirement to be done soon after containing the written approval of the Jt. CP(O), but contractors are liable for execution of varied quantities at their accepted rates. The rate of the addition item which are not found in the enclosed schedule will be based on building schedule of the regional works and buildings circle subject to approval of proper authority.
- 6. The contractors should submit tender enclosed with Trade License, Income Tax return, GST, Credential, Under taking of black listed failure to which will be disqualified.
- 7. The work will be taken up within 07(Seven) days after receipt of work order, failing to which legal action may be taken against the firm.
- 8. The Commissioner of Police Kolkata reserves the right to reject any/or all the tender rates without assigning any reason and also to distribute the said works among the tenders. There is no guarantee that the lowest tender will be accepted by the authority concern.
- Tender addressed to the Commissioner of Police, Kolkata should be sent in a sealed cover super scribed name of tender to be dropped in the sealed TENDER BOX to be kept the OC, Buildings Office, LaLbazar at 18, Lalbazar Street, Kolkata-700 001 within 15.00 hrs on last date.
- 10. The Tender Committee will open the sealed tender in the Committee Room of Lalbazar, The Agencies may be present or send their authorized representative at the time of opening the sealed tender box.

O.C., Buildings, Lalbazar.

# PERCENTAGE RATE TENDER AND CONTRACT FOR WORKS: GENERAL RULES AND DIRECTIONS FOR THE GUIDANCE OF CONTRACTS.

 All works proposed for execution by contract will be notified in a form of invitation of tender posted in public places and signed by the OC, Buildings Office, Lalbazar.

This form will state the work to be carried out, as well as the date of submitting and opening of tenders and the time allowed for carrying out the work, design and drawings and any other documents required in connection with work signed for the purpose of identification by the OC, Buildings Office, Lalbazar shall also be open for inspection by the contractor at the office of the OC, Building, Lalbazar during office hours.

- 2. In the event of the quotation being submitted by a firm, it must be signed separately by each member thereof or in the event of the absence of any partner it must be signed on his behalf by a person holding a power of attorney authorizing him to do so. Such power of attorney is to be produced with the tender and same in the case of a firm carried on by one member of a joint family, it must be disclose that the firm is duly registered under the Indian partnership Act.
- 3. Receipts for payment made on account of work, when executed by a firm, must also be signed by the several partners except where the contractors are described in their tender as a firm in which case the receipts must be signed in the name of the firm by one of the partners or by some other person having authority to give effectual receipts for the firm.
- 4. Any person who submits a tender shall fill up the usual printed form, stating at what rate he is willing to undertake each item of the work. Tenders which propose any alteration, in the work specified in the said form of invitation of tenders or in the time allowed for carrying out the work, or which contain any other conditions of any sort, will be liable to rejection. No single tender shall include more than one work but contractors who wish to quote for two or more works shall submit a separate tender for each. Tenders shall have the name and number of the work to which they refer written outside the envelope.
- 5 The Committee will open tenders in the presence of any intending contractors who may present at the time and will enter the amounts of the several tenders in a comparative statement in a suitable form.
- The accepting authority reserves the right to reject any or all the tender without assigning any reasons and he will not be bound to accept either the lowest tender or any of the tenders.

O.C., Buildings, Lalbazar.