

Government of West Bengal
Office of the Commissioner of Police
18, Lalbazar Street, Kolkata-700 001.

No. T-386/Gen/24-25

Date – 27.02.2025

NOTICE INVITING TENDER

Sealed tenders in printed form are invited for the following works from eligible tenderers as per particulars given below :

1. Name of work : Repairing and painting work in the office chamber of AC, HGO at ground floor of KMP Building , B. G. Lines at 7, D. H. Road, Kolkata.
(Details in ANNEXURE-A)
2. Eligibility : All bonafide contractors /firms having experience / valid license for this type of field.
3. Estimated Cost : Rs. 95,081/-
4. Last date for submission of the tender : **07.03. 2025 up to, 15.00 hrs.**
5. Time allowed for completion of works : 10(ten) days after the issue of Work Order.
6. The intending tenderers may inspect the site on any working day during office time.
7. The intending tenderers will have to submit copy of valid Certificate of up to date Clearance of Trade License, Professional Tax, Income Tax, G.S.T and Credential along with tender papers for the work.
8. Sealed Tender addressed to The Commissioner of Police, 18, Lalbazar Street, Kolkata-700001 may be dropped in the box kept in front of the office of the Officer-in-Charge, Building Section, 2nd floor, Northern Building, 18, Lalbazar Street, Kolkata-700001 before the last date.
9. Sealed tender may also be sent by Registered Post / Speed Post superscribing the envelope as "Tender in response to Tender Notice No. T-386/Gen/24-25 dt. 27.02. 2025" so as to reach on or before the last date.



**O.C. Buildings,
Lalbazar, Kolkata.**

Annexure-A

of work: Repairing and painting works in the office chamber of AC,HGO situated at ground floor of Kolkata Mounted Police Building, Lines, 7, D.H. Road, Kolkata-700027 during the year 2024-2025

	Page & Item No.	Description of item	Qty	Rate	Unit	Amount
1	Page-11 Item-1C	Stripping off worn out plaster and raking out joints of walls, ceilings etc. upto any height and in any floor including removing rubbish within a lead of 75m as directed.	42.50	sqmtr	19.00	sqmtr 807.50
2	Page-45 Item-8	(a) Applying 2 coats of bonding agent with synthetic multi functional rubber emulsion having adhesive and water proofing properties by mixing with water in proportion (1 bonding agent : 4 water : 6 cement) as per Manufacturer's specification [Cement to be supplied by the Department]	42.50	sqmtr	88.00	sqmtr 3740.00
3	Page-45 Item-5	Cleaning the concrete surface by removing dirt and debris, marking defective locations and removing loose concrete by careful stripping untill hard surface is exposed, cutting the concrete to regular shape, wire brushing the exposed surface and removing debris from site complete as per direction of the Engineer - in - Charge.	12.50	sqmtr	90.00	sqmtr 1125.00
4	Page-45 Item-6	Cleaning the exposed reinforcement preferably upto full diameter by wire brush, applying two coats of polymer based rust removing compound left for 24 hours, removing the coating and then applying two (2) coats of polymer modified anticorrosive protective coating formulated to inhibit the corrosion of reinforcement as per manufacturer's specification]	1.88	sqmtr	782.00	sqmtr 1466.25
5	Page-45 Item-7	Applying epoxy based reactive joining agent for joining the old concrete with fresh concrete to be applied within manufacturer's specified time as per manufacturer's specification. (0.4 Kg / m ² of concrete surface). Note: Applicable only when the full diameter of reinforcement steel is exposed.	12.50	sqmtr	309.00	sqmtr 3862.50
6	Page-45 Item-9	Extra rate for using water proofing and plasticising admixture @ 0.2% by weight of cement (or as manufacturer's specified rate) for concrete of various grades.	2.50	kg	119.00	kg 297.50
7	Page-40 Item-27	Cement concrete (1:1.5:3) with graded stone chips 5.6 mm size with hexagonal square mesh, wire netting, I.R.C. fabric mesh or X.P. M. fitted and fixed after tying the existing reinforcement on concrete without distributing the same and with proper scarping and cleaning the reinforcement and disturbed concrete with wire brush etc. after applying a coat of cement including the cost of wire netting, I.R.C or X. P. M. & cost of all handling and scaffolding complete as per direction of Engineer-in-charge.(c) 37.5mm thick	12.50	sqmtr	593.00	sqmtr 7412.50
8	Page-41 Item-33	Ordinary Cement concrete (mix 1:2:4) with graded stone chips (6mm nominal size) excluding shuttering and reinforcement, if any, in ground floor as per relevant IS codes Pakur variety	0.50	cum	5449.00	cum 2724.50
9	Page-189 Item-1	Plaster (to wall, floor, ceiling etc.) with sand and cement mortar, including round off or chamfering corners as directed and raking out joints including throating, nosing and drip course, scaffolding/staging where necessary (Ground floor). [Excluding cost of chipping over concrete surface]				
		(iii) With 1:3 cement mortar. (a) 20 mm thick plaster	42.50	sqmtr	213.00	sqmtr 9052.50
		(ii) With 1:4 cement mortar. (c) 10 mm thick plaster	12.50	sqmtr	133.00	sqmtr 1662.50
10	Page-198 Item-5	Rendering the Surface of walls and ceiling with White Cement base water proof wall putty of approved make & brand (1:5 mm thick)	55.00	sqmtr	122.00	sqmtr 6710.00
11	Page-196 Item-10	Acrylic Distemper to interior wall, ceiling with a coat of solvent based interior grade acrylic primer (as per manufacturer's specification) including cleaning and smoothing of surface. Two Coats	156.25	sqmtr	70.00	sqmtr 10937.50
12	Page-200 Item-1	(a) Priming one coat on timber or plastered surface with synthetic oil bound primer of approved quality including smoothing surfaces by sand papering etc.	25.50	sqmtr	38.00	sqmtr 969.00
13	Page-200 Item-2	(A) Painting with best quality synthetic enamel paint of approved make and brand including smoothing surface by sand papering, etc. including using of approved putty etc. on the surface, if necessary : (a) On timber or plastered surface : With super gloss (hi-gloss) - (iv) Two coats (with any shade except white)	25.50	sqmtr	81.00	sqmtr 2065.50
14	Page-117 Item-1	Panel shutters of door and window, as per design (each panel consisting of single plank without joint), including fitting and fixing the same in position but excluding the cost of hinge and other fittings. In ground floor. (In case of non-supply of single plank, penal rate of reduction of 20% will be made). (iii) 35mm thick shutters with 19mm thick panel of size 30 to 45 Cm. (b) Sishu, Gamar, Champ, Badam, Bhola, Mogra, Hallak.	1.80	sqmtr	2948.00	sqmtr 5306.40
15	Page-115 Item-3	Supplying, fitting and fixing fibre reinforced polymer (FRP) Composite door frame as per approved section with glass fibre reinforced plastic moulded skins and a special sandwich core, so as to impart monolithic composite structure as per approved technology of Department of Science and Technology (DST) to satisfy IS: 4020 door testing performance criteria. (ii) 65mm x 90mm	4.46	mtr	497.00	mtr 2216.62
16	Page-125 Item-14	Supplying, fitting & fixing fibre reinforced polymer (FRP) Composite door shutters as per approved design with glass fibre reinforced plastic moulded skins and a special sandwich core, so as to impart monolithic composite structure as per approved technology of Department of Science and Technology (DST) to satisfy IS: 4020 door testing performance criteria. In ground floor. (i) 32 mm thick	1.80	sqmtr	2763.00	sqmtr 4973.40

		Supplying, fitting and fixing PVC pipes of approved make of Schedule 80 (medium duty) conforming to ASTM D - 1785 and threaded to match with GI Pipes as per IS - 1239 (Part - B), with all necessary accessories, specials viz. socket, bend, tee, union, cross, elbow, nipple, long screw, reducing socket, reducing tee, short piece etc. fitted with holder bats clamps, including cutting pipes, making threads, fitting, fixing etc. complete in all respect including cost of all necessary fittings as required, jointing materials and two coats of painting with approved paint in any position above ground. (Payment will be made on the centre line measurements of total pipe line including all specials. No separate payment will be made for accessories, specials. Payment for painting will be made separately.) (a) For Exposed Work - PVC Pipes (Dia) 20 mm	19.00	mtr	129.00	mtr	2451.00
18	Page- 3 Item-3 (S & P)	Supplying, fitting and fixing (a) (i) Chromium plated round shower with revolving joint 100 mm dia with rapid cleaning system (Equivalent to Code No. 542(N) & Model - Tropical / Sunthing Special of ESSCO or similar).	1.00	each	452.00	each	452.00
19	Page- 3 Item-3 (S & P)	Supplying, fitting and fixing (a) Chromium plated Hand shower 70mm dia Round Shape Single flow with Flexible Tube & fittings (Equivalent to Code No. ESH-5512 & Model - Tropical / Sunthing Special of ESSCO or similar).	1.00	each	1228.00	each	1228.00
20	Page- 6 Item-7 (S & P)	Supplying, fitting and fixing (c) (ii) Chromium plated Bib Cock with wall flange (Equivalent to Code No. 5047 & Model - Florentine of Jaquar or similar brand).	1.00	each	861.00	each	861.00
21	Page- 6 Item-7 (S & P)	Supplying, fitting and fixing (d) (i) Chromium plated angular Stop Cock with wall flange (Equivalent to Code No. 5053 & Model - Florentine of Jaquar or similar brand).	1.00	each	815.00	each	815.00
22	Page- 36 Item-2 (S & P)	Supplying, fitting and fixing 10 litre P.V.C. low-down cistern conforming to I.S. specification with P.V.C. fittings complete, C.I. brackets including two coats of painting to bracket etc.	1.00	each	1015.00	each	1015.00
23	Page- 79 Item-3 (S & P)	Supplying, fitting and fixing Anglo-Indian W.C. in white glazed vitreous china ware of approved make complete in position with necessary bolts, nuts etc. (b) With 'S' trap (with vent)	1.00	each	3287.00	each	3287.00
24	Page- 81 Item-10 (S & P)	Supplying, fitting and fixing Closet seat of approved make with lid and C.P. hinges, rubber buffer and brass screws complete. (a) Anglo Indian. (ii) Plastic (bellow type) white.	1.00	each	485.00	each	485.00
25	Page- 82 Item-22 (S & P)	Supplying, fitting and fixing towel rail with two brackets. (a) C.P. over brass (iii) 25 mm dia and 750 mm long	1.00	each	475.00	each	475.00
26	Page- 82 Item-19 (S & P)	Supplying, fitting and fixing best quality Indian make mirror 5.5 mm thick with silvering as per I.S. specifications supported on fibre glass frame of any colour, frame size 550 mm X 400 mm	1.00	each	613.00	each	613.00
27	Page- 83 Item-24 (S & P)	Supplying, fitting and fixing porcelain soap tray of approved make. (i) Recessed soap tray of size 150 mm X 150 mm	1.00	no	338.00	no	338.00
28	Page- 41 Item-2 (S & P)	Supplying, fitting and fixing white vitreous china best quality approved make wash basin with C.I. brackets on 75 mm X 75 mm wooden blocks, C.P. waste fittings of 32 mm dia, one approved quality brass C.P. pillar cock of 15 mm dia, C.P. chain with rubber plug of 30 mm dia, approved quality P.V.C. waste pipe with C.P. nut 32 mm dia, 900 mm long approved quality P.V.C. connection pipe with heavy brass C.P. nut including mending good all damages and painting the brackets with two coats of approved paint. (ii) 550 mm X 400 mm size	1.00	each	2208.00	each	2208.00
29	Page- 43 Item-10 (S & P)	Supplying, fitting and fixing approved brand 32 mm dia P.V.C. waste pipe, with PVC coupling at one end fitted with necessary clamps. (iii) 900 mm long	1.00	each	75.00	each	75.00
30	Page- 43 Item-9 (S & P)	Supplying, fitting and fixing approved brand P.V.C. CONNECTOR white flexible, with both ends coupling with heavy brass C.P. nut, 15 mm dia. (iv) 900 mm long	1.00	each	147.00	each	147.00

	79779.17
Add 9% for C.G.S.T.	7180.13
Add 9% for S.G.S.T.	7180.13
Total	94139.42
Add 1% L.W.Cess	941.39
Grand Total	95080.81
Say Rs.	95081.00

Rupees Ninety Five Thousand and Eighty One Only

Technically Checked & Verified
by
Assistant Engineer
Kolkata Police Directorate
Govt. of West Bengal

TERMS AND CONDITON OF TENDERS

1. All works to be carried out in a manner according to specification for original work now in laid as the regional works in building department circle.
2. All materials, tools, plant and labour, the housing, water supply and transport will have to be provided by Contractor at their own cost inclusive of G.S.T. and other charges.
3. No extra work will be allowed without prior approval.
4. The contractors are requested to inspect the schedule of nature of works at site to save all eventualities connection with works any other information may be obtained from the OC, Buildings Office, Lalbazar. Any place of ignorance after submission of tender by the contractors will not be considered.
5. The quantities as shown against the item of work can be verified according to nature of works. Actual requirement to be done soon after containing the written approval of the Jt. CP(O), but contractors are liable for execution of varied quantities at their accepted rates. The rate of the addition item which are not found in the enclosed schedule will be based on building schedule of the regional works and buildings circle subject to approval of proper authority.
6. The contractors should submit tender enclosed with Trade License, Income Tax return, GST, Credential, Under taking of black listed failure to which will be disqualified.
7. The work will be taken up within 07(Seven) days after receipt of work order, failing to which legal action may be taken against the firm.
8. The Commissioner of Police Kolkata reserves the right to reject any/or all the tender rates without assigning any reason and also to distribute the said works among the tenders . There is no guarantee that the lowest tender will be accepted by the authority concern..
9. Tender addressed to the Commissioner of Police, Kolkata should be sent in a sealed cover super scribed name of tender to be dropped in the sealed TENDER BOX to be kept the OC, Buildings Office, Lalbazar at 18, Lalbazar Street, Kolkata-700 001 within 15.00 hrs on last date.
10. The Tender Committee will open the sealed tender in the Committee Room of Lalbazar, The Agencies may be present or send their authorized representative at the time of opening the sealed tender box.



O.C., Buildings,
Lalbazar.

PERCENTAGE RATE TENDER AND CONTRACT FOR WORKS: GENERAL RULES
AND DIRECTIONS FOR THE GUIDANCE OF CONTRACTS.

1. All works proposed for execution by contract will be notified in a form of invitation of tender posted in public places and signed by the OC, Buildings Office, Lalbazar.

This form will state the work to be carried out, as well as the date of submitting and opening of tenders and the time allowed for carrying out the work, design and drawings and any other documents required in connection with work signed for the purpose of identification by the OC, Buildings Office, Lalbazar shall also be open for inspection by the contractor at the office of the OC, Building, Lalbazar during office hours.

2. In the event of the quotation being submitted by a firm, it must be signed separately by each member thereof or in the event of the absence of any partner it must be signed on his behalf by a person holding a power of attorney authorizing him to do so. Such power of attorney is to be produced with the tender and same in the case of a firm carried on by one member of a joint family, it must be disclose that the firm is duly registered under the Indian partnership Act.
3. Receipts for payment made on account of work, when executed by a firm, must also be signed by the several partners except where the contractors are described in their tender as a firm in which case the receipts must be signed in the name of the firm by one of the partners or by some other person having authority to give effectual receipts for the firm.
4. Any person who submits a tender shall fill up the usual printed form, stating at what rate he is willing to undertake each item of the work. Tenders which propose any alteration, in the work specified in the said form of invitation of tenders or in the time allowed for carrying out the work, or which contain any other conditions of any sort, will be liable to rejection. No single tender shall include more than one work but contractors who wish to quote for two or more works shall submit a separate tender for each. Tenders shall have the name and number of the work to which they refer written outside the envelope.
5. The Committee will open tenders in the presence of any intending contractors who may present at the time and will enter the amounts of the several tenders in a comparative statement in a suitable form.
6. The accepting authority reserves the right to reject any or all the tender without assigning any reasons and he will not be bound to accept either the lowest tender or any of the tenders.


O.C., Buildings,
Lalbazar.