## Government of West Bengal Office of the Commissioner of Police 18, Lalbazar Street, Kolkata-700 001.

No. T-042/Gen/25-26

Date - 15.05.2025

## NOTICE INVITING TENDER

Sealed tenders in printed form are invited for the following works from eligible tenderers as per particulars given below:

Name of work

Essential construction of Sentry Box at Tangra Police Station, Kolkata.

(Details Estimate annexed)

2. Eligibility

All bonafide contractors /firms having experience / valid license for this

type of field.

3. Estimated Cost

: Rs. 51,515 /-

4. Last date for submission of the tender

21.05. 2025 up to, 15.00 hrs.

5. Time allowed for completion of works

10(ten) days after the issue of Work Order.

6. The intending tenderers may inspect the site on any working day during office time.

7. The intending tenderers will have to submit copy of valid Certificate of up to date Clearance of Trade License, Professional Tax, Income Tax, G.S.T and Credential along with tender papers for the work.

8. Sealed Tender addressed to The Commissioner of Police, 18, Lalbazar Street, Kolkata-700001 may be dropped in the box kept in front of the office of the Officer-in-Charge, Building Section, 2<sup>nd</sup> floor, Northern Building, 18, Lalbazar Street, Kolkata-700001 before the last date.

9. Sealed tender may also be sent by Registered Post / Speed Post superscribing the envelope as "Tender in response to Tender Notice No. T-042/Gen/25-26 dt. 15.05. 2025" so as to reach on or before the last date.

O.C. Buildings, Lalbazar, Kolkata. Name of Work: Construction of sentry box Tangra Police station, during the year 2025-26

NO		DESCRIPTION OF ITEM	QUANTITY	RATE	Unit	Amount
1	Page 1	/2 Earth work in excavation of foundation trenches or drains, in all sorts of				
		soil (including mixed soil but excluding laterite or sandstone) including removing, spreading or stacking the spoils within a lead of 75 m. as				
		directed. The item includes necessary trimming the sides of trenches				
		levelling, dressing and ramming the				
2	Page 14/	bottom, bailing out water as required complete	0.50 Cum 11927.00		%CUM	₹ 60.00
_	1 460 141	Single Brick Flat Soling of picked jhama bricks including ramming and dressing bed to proper level and filling joints with local sand.				
3	Page 24/		2.34 sqm 361	00.1	sqm	₹ 845.00
	1 450 247	4 Ordinary Cement concrete (mix 1:2:4) with graded stone chips (20 mm nominal size) excluding shuttering and reinforcement if any, in ground				
		floor as per relevant IS codes.	0.53 cum 524	19 57		
4	Page 100/		0.55 cum 524	10.37	cum	₹ 2,803.00
		conforming to IS: 806-1968 & IS: 1161-1998 ennected to one another with bracket, gusset cleats as per design, direction of				
		Engineer-in-charge complete including cutting to requisite size				
		tabrication with necessary metal arc welding conforming to IS: 816-				
-		1969 & IS: 9595 using electrodes of approved make and brand conforming to IS:814-2004, haulage, hoisting and erection all				
		complete.				
		The rate includes the cost of rolled steel section, consumables such				
5	Page 99/1	as electrodes, gas and fure charge of all tools and plants and labour M.S. structural works in columns, beams etc. with simple rolled	0.12 mt 729	51.00	mt	₹ 8,754.00
7		structural members (e.g. joists, angle, channel sections conforming				
		to 15. 226, IS: 808 & SP (6)- 1964 connected to one another with			,	
		bracket, gussets, cleats as per design, direction of Engineer-incharge				
		complete including cutting to requisite shape and length, fabrication with necessary bolting, metal are welding conforming to				
		15. 610-1969 & 18: 1995 using electrodes of approved make and				
		1) For structural members of specified sections weighing less than				
6 F	age 16/16	22.5 kg./m 125 mm. thick brick work with 1st class bricks in cement mortar (1:4) in	0.10 mt 7260	03.00	mt	₹ 7,260.00
		ground floor				
			4.75 sqm 736.0	00	sqm	₹ 3,496.00
7 P	age 189/1	Plaster (to wall, floor, ceiling etc.) with sand and cement mortar				
		meruding rounding off or chamfering corners as directed and				
		raking out joints including throating, nosing and drin course				
		scaffolding/staging where necessary (Ground floor). [Excluding cost of chipping over concrete surface]				
		or only or of concrete surface]				
		10mm thick plaster.(1:4)				
		15 mm thick plaster.(1:6)	6.00 sqm 133.0	10	/sqm	₹ 798.00
		<i>(1.0)</i>	5.00 sqm 151.0	0	/sqm	₹ 755.00
8 Pa	ge 196/10 A	Acrylic Distemper to interior wall, ceiling with a coat of solvent based				
. 1		merior grade acrylic primer (as per manufacturers enecitiostical				
	1	neluding cleaning and smoothning of surface.	11.00 sqm 70,00		laam	
P	age 82/14	Supriving firing & C			/sqm	₹ 770.00
		Supplying, fitting & fixing Zn-Al alloy (55% Al & 45% Zn) coating of 150 grams per sq. metre (followed by solour				
		coated on both side) steel sheet work having minimum vista				
Da	250000	a) With 0.5 mm thick sheet	4,50 sqm 787.00	,		
ra	58 230/27 P	roviding and fixing exterior quality Aluminium Composite Panel (ACP)	- 101.01	,	/sqm	₹3,542.00
	0	the existing frame work by folding the edges of ACP and ACP fixed				
		and an and an			*	
	Sc	crews forming groves at the periphery of ACP panel. Such grooves filled				

		(b) 4mm thick (0.50mm Al.+3.0mm LDPE +0.50mm Al. PVDF coating)	3.60 sqm	2878.00	/80	qm	₹ 10,361.00
1	Page 173/2	Supplying, fitting and fixing boiling water proof ply conforming to IS: 710-					
		1977 bonded with phenol formaldehyde synthetic resin conforming to IS:					
		848-1974 of					
		approved make and brand fitted and fixed as per design as per approval and direction of Engineer-in-Charge. [excluding the cost of supporting					
		frame work and teak wood batten/Lipping]					
		In Ground Floor					¥ 1 026 00
		(vi) 19mm	0.80 sqm	2420.00	/s	qm	₹ 1.936.00
Ĭ.		and the same of th					
1	0 Page 200/1	(b) Priming one coat on timber or plastered surface with synthetic oil bound primer of approved quality including smoothening surfaces by sand					
		papering etc					
			0.80 m <sup>2</sup>	Rs.	38.00	/sqm	₹ 30.00
			0.00			•	
	1 Page 200/1	(a) Priming one coat on steel or other metal surface with synthetic oil					
	1 1 age 20071	bound primer of approved quality including smoothening surfaces by sand					
		papering etc	3.00 m <sup>2</sup>	Rs.	29.00	/sqm	₹ 87.00
1	2 Page 2007	(A) Painting with best quality synthetic enamel paint of approved make and					
	Z Tage 20012	brand including smoothening surface by sand papering etc. including using					
		of approved putty atc. on the surface, if necessary:					
		(a) On timber or plastered surface :					
		(iv) Two coats (with any shade except white)	0.80 m <sup>2</sup>	Rs.	81.00	/sqm	₹ 65.00
		(b) On steel or other metal surface :(ii) Two coats (white in shade)					
		(b) On steel of other metal surface (ii) I wo coats (white in states)					
			3.00 m <sup>2</sup>	Rs.	77.00	/sqm ·	₹ 231.00
1	3 Page 74/48	Supplying & laying as per IRC-SP:063-2004 paver unit of any					
		shade of approved quality as per relevant IS code, laid in					
		pattern as directed in pavement, footpath, driveway (paver					
		block only), etc including necessary underlay complete in all					
		respect with all labour and material.					5. 1
	96	[Border concrete if necessary to be paid separately].					
		Note: Sub-grade CBR should not be less than 5.					
		a) 25 mm thick Tiles as per IS: 1237-2012 for					
		footpath, ramp, staircase of public building (over 25 mm thick					18.00
		(Avg) Cement mortar (1:3) & Cement Shurry @ 4.4 kg/Sq.m at					
		back side of Block. Cement for Mortar & Slurry to be supplied	2.16 m <sup>2</sup>	Rs.	693.00	/sqm	₹ 1,497.00
		And and a second of the second			HELITANIA BUT MEDICAL	ages and a second and	
			and the same of th			1917	₹ 43,290:00
			Add 99	Va.	for CGST	Γ	₹ 3,896.00
					or il mortes	4	

RUPEES: FIFTY-ONE THOUSAND FIVE HUNDRED FIFTEEN ONLY.

Junior Engineer-II Kolkata Police Directorate Govt. of West Bengal Technically Checked & Verified

₹ 3,896.00 ₹ 51,082.00 ₹ 433.00 ₹ 51,515.00

for SGST

LWC

Assistant Engineer-II
Kolkata Police Directorate
Govt. of West Bengal

1

Add

Add

## TERMS AND CONDITITON OF TENDERS

- 1. All works to be carried out in a manner according to specification for original work now in laid as the regional works in building department circle.
- 2. All materials, tools, plant and labour, the housing, water supply and transport will have to be provided by Contractor at their own cost inclusive of G.S.T. and other charges.
- 3. No extra work will be allowed without prior approval.
- 4. The contractors are requested to inspect the schedule of nature of works at site to save all eventualities connection with works any other information may be obtained from the OC, Buildings Office, Lalbazar. Any place of ignorance after submission of tender by the contractors will not be considered.
- 5. The quantities as shown against the item of work can be verified according to nature of works. Actual requirement to be done soon after containing the written approval of the Jt. CP(O), but contractors are liable for execution of varied quantities at their accepted rates. The rate of the addition item which are not found in the enclosed schedule will be based on building schedule of the regional works and buildings circle subject to approval of proper authority.
- 6. The contractors should submit tender enclosed with Trade License, Income Tax return, GST, Credential, Under taking of black listed failure to which will be disqualified.
- 7. The work will be taken up within 07(Seven) days after receipt of work order, failing to which legal action may be taken against the firm.
- 8. The Commissioner of Police Kolkata reserves the right to reject any/or all the tender rates without assigning any reason and also to distribute the said works among the tenders. There is no guarantee that the lowest tender will be accepted by the authority concern.
- Tender addressed to the Commissioner of Police, Kolkata should be sent in a sealed cover super scribed name of tender to be dropped in the sealed TENDER BOX to be kept the OC, Buildings Office, LaLbazar at 18, Lalbazar Street, Kolkata-700 001 within 15.00 hrs on last date.
- 10. The Tender Committee will open the sealed tender in the Committee Room of Lalbazar, The Agencies may be present or send their authorized representative at the time of opening the sealed tender box.

O.C., Buildings, Lalbazar.

## PERCENTAGE RATE TENDER AND CONTRACT FOR WORKS: GENERAL RULES AND DIRECTIONS FOR THE GUIDANCE OF CONTRACTS.

1. All works proposed for execution by contract will be notified in a form of invitation of tender posted in public places and signed by the OC, Buildings Office, Lalbazar.

This form will state the work to be carried out, as well as the date of submitting and opening of tenders and the time allowed for carrying out the work, design and drawings and any other documents required in connection with work signed for the purpose of identification by the OC, Buildings Office, Lalbazar shall also be open for inspection by the contractor at the office of the OC, Building, Lalbazar during office hours.

- 2. In the event of the quotation being submitted by a firm, it must be signed separately by each member thereof or in the event of the absence of any partner it must be signed on his behalf by a person holding a power of attorney authorizing him to do so. Such power of attorney is to be produced with the tender and same in the case of a firm carried on by one member of a joint family, it must be disclose that the firm is duly registered under the Indian partnership Act.
- 3. Receipts for payment made on account of work, when executed by a firm, must also be signed by the several partners except where the contractors are described in their tender as a firm in which case the receipts must be signed in the name of the firm by one of the partners or by some other person having authority to give effectual receipts for the firm.
- 4. Any person who submits a tender shall fill up the usual printed form, stating at what rate he is willing to undertake each item of the work. Tenders which propose any alteration, in the work specified in the said form of invitation of tenders or in the time allowed for carrying out the work, or which contain any other conditions of any sort, will be liable to rejection. No single tender shall include more than one work but contractors who wish to quote for two or more works shall submit a separate tender for each. Tenders shall have the name and number of the work to which they refer written outside the envelope.
- 5 The Committee will open tenders in the presence of any intending contractors who may present at the time and will enter the amounts of the several tenders in a comparative statement in a suitable form.
- The accepting authority reserves the right to reject any or all the tender without assigning any reasons and he will not be bound to accept either the lowest tender or any of the tenders.

O.C., Buildings, Lalbazar.