Government of West Bengal Office of the Commissioner of Police 18, Lalbazar Street, Kolkata-700 001.

No. T-172/Gen/25-26

Date - 07. 08. 2025

NOTICE INVITING TENDER

Sealed tenders in printed form are invited for the following works from eligible tenderers as per particulars given below:

Name of work

Necessary electrical works in the residential office of Addl. CP(II) at

Jadavpur PHE at 1, Raja S. C. Mallick Road, Kolkata.

(Details Estimate annexed)

2. Eligibility

All bonafide contractors /firms having experience / valid license for this

type of field.

3. Estimated Cost

Rs. 44,991/-

4. Last date for submission of the tender

14. 08. 2025 up to, 15.00 hrs.

5. Time allowed for completion of works

07(seven) days after the issue of Work Order.

6. The intending tenderers may inspect the site on any working day during office time.

7. The intending tenderers will have to submit copy of valid Certificate of up to date Clearance of Trade License, Professional Tax, Income Tax, G.S.T and Credential along with tender papers for the work.

8. Sealed Tender addressed to The Commissioner of Police, 18, Lalbazar Street, Kolkata-700001 may be dropped in the box kept in front of the office of the Officer-in-Charge, Building Section, 2nd floor, Northern Building, 18, Lalbazar Street, Kolkata-700001 before the last date.

9. Sealed tender may also be sent by Registered Post / Speed Post superscribing the envelope as "Tender in response to Tender Notice No. T-172/Gen/25-26 dt. 07.08. 2025" so as to reach on or before the last date.

O.C. Buildings, Lalbazar, Kolkata.

orks Necessary electrical works in the residential office of Addl.CP(II).Kolkata situated at Jadavpur Police Housing Estate 1, Raja k Road, Kolkata-700032 during the year 2025-2026

e 86 m No	Description of item	Quantity		Rate	Unit		Amount
		.00 r	oint 8	340.00	point	v .	3360.0
ge-E/21 //	Distribution wiring in 1.1 KV grade 2x22/0.3 (1.5 sqmm) single core stranded FR PVC 4			*** *		***	
n-1 i	Distribution wiring in 1.1 kV grade execution (1.1 kV grade execution wiring in 1.1 kV grade execution (1.1 kV grade execution						
	msulated & unsheathed copper wife (Brand application) single core stranded FR' Casing-capping (Precision make) with 1x22/0.3 (1.5 sqmm) single core stranded FR' casing-capping (Precision make) with 1x22/0.3 (1.5 sqmm) single core stranded FR' casing-capping (Precision make) with 1x22/0.3 (1.5 sqmm) single core stranded FR' casing-capping (Precision make) with 1x22/0.3 (1.5 sqmm) single core stranded FR' casing-capping (Precision make) with 1x22/0.3 (1.5 sqmm) single core stranded FR' casing-capping (Precision make) with 1x22/0.3 (1.5 sqmm) single core stranded FR' casing-capping (Precision make) with 1x22/0.3 (1.5 sqmm) single core stranded FR' casing-capping (Precision make) with 1x22/0.3 (1.5 sqmm) single core stranded FR' casing-capping (Precision make) with 1x22/0.3 (1.5 sqmm) single core stranded FR' casing-capping (Precision make) with 1x22/0.3 (1.5 sqmm) single core stranded FR' casing-capping (Precision make) with 1x22/0.3 (1.5 sqmm) single core stranded FR' casing-capping (Precision make) with 1x22/0.3 (1.5 sqmm) single core stranded FR' casing-capping (Precision make) with 1x22/0.3 (1.5 sqmm) single core stranded FR' casing-capping (Precision make) with 1x22/0.3 (1.5 sqmm) single core stranded FR' casing-capping (Precision make) with 1x22/0.3 (1.5 sqmm) single core stranded FR' casing-capping (Precision make) with 1x22/0.3 (1.5 sqmm) single core stranded FR' casing-capping (Precision make) with 1x22/0.3 (1.5 sqmm) single core stranded FR' casing-capping (Precision make) with 1x22/0.3 (1.5 sqmm) single core stranded FR' casing-capping (Precision make) with 1x22/0.3 (1.5 sqmm) single core stranded FR' capping (Precision make) with 1x22/0.3 (1.5 sqmm) single core stranded FR' capping (Precision make) with 1x22/0.3 (1.5 sqmm) single core stranded FR' capping (Precision make) with 1x22/0.3 (1.5 sqmm) single core stranded FR' capping (Precision make) with 1x22/0.3 (1.5 sqmm) single core stranded FR' capping (Precision make) with 1x22/0.3 (1.5 sqmm) single core stranded FR' capping (Precision make) with 1x22						
	Casing-capping (Precision make) with 1322/0.0 [1.0] cases fittings etc. to pvC insulated & unsheathed copper wire for EGC, incl. necy fittings etc. to						
	PVC insulated & unsheathed copper whe by EiC) fixed on light/fan/call bell point with Modular type switch (Brand approved by EiC) fixed on light/fan/call bell point with Modular type switch (Brand approved by EiC) fixed on light/fan/call bell point with top cover plate on wall incl. mending good						
	light/fan/call bell point with Modular type switch bard with top cover plate on wall incl mending good Modular GI / PVC switch board with top cover plate on wall incl mending good Modular GI / PVC switch board with top cover plate on wall incl mending good both on surface) (b)						
	damages to original firmsh. Pvc cashiguapping						
	Average run 6 mtr						
	Distribution Wiring in 1.1 KV grade 2x22/0.3-(1.5 sqmm) single core stranded 'FR' PVC						
ge-E/22	Distribution Wiring in 1.1 RV grade 2x22/0.5(1.5 square) by EIC in suitable size PVC insulated & unsheathed copper wire (Brand approved by EIC) in suitable size PVC insulated & unsheathed copper wire (Brand approved by EIC) in suitable size PVC						
rn-6	insulated & unsheathed copper were (Brain applied of Section 1) insulated & unsheathed copper were (Brain applied Section 1) insulated & unsheathed CFR casing-capping (Precision make) with 1x22/0.2 (1.5 sqmm) single core stranded FR casing-capping (Precision make) with 1x22/0.2 (1.5 sqmm) single core stranded FR casing-capping (Precision make) with 1x22/0.2 (1.5 sqmm) single core stranded FR casing-capping (Precision make) with 1x22/0.2 (1.5 sqmm) single core stranded FR casing-capping (Precision make) with 1x22/0.2 (1.5 sqmm) single core stranded FR casing-capping (Precision make) with 1x22/0.2 (1.5 sqmm) single core stranded FR casing-capping (Precision make) with 1x22/0.2 (1.5 sqmm) single core stranded FR casing-capping (Precision make) with 1x22/0.2 (1.5 sqmm) single core stranded FR casing-capping (Precision make) with 1x22/0.2 (1.5 sqmm) single core stranded FR casing-capping (Precision make) with 1x22/0.2 (1.5 sqmm) single core stranded FR casing-capping (Precision make) with 1x22/0.2 (1.5 sqmm) single core stranded FR casing-capping (Precision make) with 1x22/0.2 (1.5 sqmm) single core stranded FR casing-capping (Precision make) with 1x22/0.2 (1.5 sqmm) single core stranded FR casing-capping (Precision make) with 1x22/0.2 (1.5 sqmm) single core stranded FR casing-capping (Precision make) with 1x22/0.2 (1.5 sqmm) single core stranded FR casing-capping (Precision make) single core stranded FR capping (Precision make) single core stran						
	casing-capping (Precision make) with 1822/0. 1900 PVC insulated & unsheathed copper wire for ECC, incl. necy. fittings etc. with S & F 6A PVC insulated & unsheathed copper wire for ECC, incl. necy. fittings etc. with S & F 6A PVC insulated & unsheathed copper wire for ECC, incl. necy. fittings etc. with S & F 6A PVC insulated & unsheathed copper wire for ECC, incl. necy. fittings etc. with S & F 6A PVC insulated & unsheathed copper wire for ECC, incl. necy. fittings etc. with S & F 6A PVC insulated & unsheathed copper wire for ECC, incl. necy. fittings etc. with S & F 6A PVC insulated & unsheathed copper wire for ECC, incl. necy. fittings etc. with S & F 6A PVC insulated & unsheathed copper wire for ECC, incl. necy. fittings etc. with S & F 6A PVC insulated & unsheathed copper wire for ECC, incl. necy. fittings etc.						
	PVC insulated & unsheathed copper ware to be the first death of the fi						
	5 pin Modular type plug socket and switch (praint approved in wall incl. necy, connection						
	the state of the charge of the state of the						
	PVC casing-capping on surface and Switch board concealed	0.00	point	249.00	point		491
	(a) On Board	2.00	100	W. 150 T. 1			143
		2.00	point	719.00	point		244
	(c) Average run 3 mtr	2.00	each	1222.00	each		244
ige-E/19	Supply & Fixing 240 V, 25A Modular type socket, 25 A, Modular type starter (Brand Supply & Fixing 240 V, 25A Modular type DP MCB (C-Curve) and 6 Module GI						
em-18	Supply & Fixing 240 V, 25A Modular type socket, 250 MCB (C-Curve) and 6 Module GI approved by EIC) with 25A Modular switch type DP MCB (C-Curve) and 6 Module GI approved by EIC) with 25A Modular switch type Creek place Sushed in wall incl. S&F						
	approved by EIC) with 25A Modular switch type of an about type switch board with 6 Module top cover place sushed in wall incl. S&F Modular type switch board with 6 Module top cover place sushed in wall incl. S&F						
	switch board and cover plate and making mooy.			100			
	earth continuity wire etc.	4.00	aach	1891.00	each		756
m110	Supply & Fixing 240 V, 3 nos. 16 A, 3 pin Modular type plug socket with 3 nos. 16A.	4.00	each	1031.00			
age-E/18	Supply & Fixing 240 V. 3 nos. 16 A. 3 pin modular type SP MCB (C-Modular type switch (Brand approved by EIC), 20A Modular switch type SP MCB (C-Modular type switch)						
ern-13	Modular type switch (Brand approved by Ele), who would fill Modular type switch Curve) and Indicator without plug top on 2 row 12 Module GI Modular type switch board and						
	Curve) and Indicator without plug top on 2 low line. S&F switch board and board with 2 row 12 Module top cover plate flushed in wall incl. S&F switch board and board with 2 row 12 Module top cover plate flushed in wall incl. S&F switch board and						
	board with 2 row 12 Module top cover plate dusties in which and earth continuity wire cover plate and making necy-connections with PVC Cu wire and earth continuity wire						
	etc						
Page-D/9	Supplying and fixing double-door SPN MCB Distribution Board with IF-42/43						
tem-13	Supplying and fixing double door SFN and supplying and fixing double dou				9		
COLIE TO	original finish incl. Inter-connection with suitable size						
	provision for earthing attachment.	1.00	each	1397.00	each		13
	Havells make 2+4 way Enclosure (DHDPSNODRW04)	1.00	CECA	407			
0 016	Supplying and fixing 240/4, 5 V MCB of Breaking Capacity Tura & Comment						
Page-D/6	dir rail of existing DBs and necessary connection .	4.06	each	198.00	each		7
Item-7			Calculati				
D TO / 1 d	The state of the s						
Page-E/14	(a) Distribution wiring in 1.1 KV single-core strained PVC rigid conduit 'FR' (Precision copper wire (Brand approved by BIC) in 20mm size PVC rigid conduit 'FR' (Precision)						
Hem-1	make) incl. necy, firtings as required.		17.22	116 00	mtr		43
	(i) 2 x 23/0.3 (1.5 sqram) + 1 x 22/0.3 (1.5 sqram) ECC	15.00	mtr	116,00	**		2
	(i) 2 x 22/ 0.3 (ac) outning 1 to compare RCC	18.00	mtr	136.00	mtr		
	(ii) 2 x 36/0.3 (2.5 sqmm) + 1 x 22/0.3 (1.5 sqmm) ECC	1.00	no	10500.0	0 each		10
	Supply & fixing of 10 ltr storage type geyser with 5 star rating [Havells /Crompton	4100		ě.			
	make) as required.						
	Supplying and fixing inlet & out let pipe and necessary connection etc as required	2.00	set	375.00	set		
	Supplying and fixing miet a out fee pape and house						
	Warning S & F MS saddles with	20.00) RM	62.00	RM		1
Page-P/1	Laying of cable upto 3/4 core 25 sqmm on wall/surface incl. S & F MS saddles with						
Item-2b	earthing attachment in 10 SWG CH (Hot Dip) whe making						
	good damages and painting		eac	b 329.00) each		
D (2.14)	Fixing only exhaust fan after making hole in wall and making good damages and	1.00	eac.	1 000.0			
Page-C/4		-					
Item-28b	smooth cement finish etc. as practicable as possible that insulated wire and making connection for exhaust of following diameter:(b) 30 cm (12")						
					10		
	Supply & delivery of 12'sweep AC heavy duty exhaust fan (Crompton / orient) mak.	1.00) no	s 3250.0	00 nos		
	Supply & deliver of the sweet AC heavy stary						37
				Add 9%	for CGST		2
	,	7		Add 9%	for SGST	bu_	
				Tot	al =	Book	44
					I.W.Ces	5	About About
					Total =	_	4
					ay, Rs		44991.

(Rupees Forty Four Thousand Nine Hundred and Ninety One Only)

Junior Engineer-i

Counter signature by

Masistant Enginder

TERMS AND CONDITITON OF TENDERS

- 1. All works to be carried out in a manner according to specification for original work now in laid as the regional works in building department circle.
- 2. All materials, tools, plant and labour, the housing, water supply and transport will have to be provided by Contractor at their own cost inclusive of G.S.T. and other charges.
- 3. No extra work will be allowed without prior approval.
- 4. The contractors are requested to inspect the schedule of nature of works at site to save all eventualities connection with works any other information may be obtained from the OC, Buildings Office, Lalbazar. Any place of ignorance after submission of tender by the contractors will not be considered.
- 5. The quantities as shown against the item of work can be verified according to nature of works. Actual requirement to be done soon after containing the written approval of the Jt. CP(O), but contractors are liable for execution of varied quantities at their accepted rates. The rate of the addition item which are not found in the enclosed schedule will be based on building schedule of the regional works and buildings circle subject to approval of proper authority.
- 6. The contractors should submit tender enclosed with Trade License, Income Tax return, GST, Credential, Under taking of black listed failure to which will be disqualified.
- 7. The work will be taken up within 07(Seven) days after receipt of work order, failing to which legal action may be taken against the firm.
- 8. The Commissioner of Police Kolkata reserves the right to reject any/or all the tender rates without assigning any reason and also to distribute the said works among the tenders. There is no guarantee that the lowest tender will be accepted by the authority concern.
- 9. Tender addressed to the Commissioner of Police, Kolkata should be sent in a sealed cover super scribed name of tender to be dropped in the sealed TENDER BOX to be kept the OC, Buildings Office, LaLbazar at 18, Lalbazar Street, Kolkata-700 001 within 15.00 hrs on last date.
- 10. The Tender Committee will open the sealed tender in the Committee Room of Lalbazar, The Agencies may be present or send their authorized representative at the time of opening the sealed tender box.

O.C., Buildings, Lalbazar.

PERCENTAGE RATE TENDER AND CONTRACT FOR WORKS: GENERAL RULES AND DIRECTIONS FOR THE GUIDANCE OF CONTRACTS.

1. All works proposed for execution by contract will be notified in a form of invitation of tender posted in public places and signed by the OC, Buildings Office, Lalbazar.

This form will state the work to be carried out, as well as the date of submitting and opening of tenders and the time allowed for carrying out the work, design and drawings and any other documents required in connection with work signed for the purpose of identification by the OC, Buildings Office, Lalbazar shall also be open for inspection by the contractor at the office of the OC, Building, Lalbazar during office hours.

- 2. In the event of the quotation being submitted by a firm, it must be signed separately by each member thereof or in the event of the absence of any partner it must be signed on his behalf by a person holding a power of attorney authorizing him to do so. Such power of attorney is to be produced with the tender and same in the case of a firm carried on by one member of a joint family, it must be disclose that the firm is duly registered under the Indian partnership Act.
- 3. Receipts for payment made on account of work, when executed by a firm, must also be signed by the several partners except where the contractors are described in their tender as a firm in which case the receipts must be signed in the name of the firm by one of the partners or by some other person having authority to give effectual receipts for the firm.
- 4. Any person who submits a tender shall fill up the usual printed form, stating at what rate he is willing to undertake each item of the work. Tenders which propose any alteration, in the work specified in the said form of invitation of tenders or in the time allowed for carrying out the work, or which contain any other conditions of any sort, will be liable to rejection. No single tender shall include more than one work but contractors who wish to quote for two or more works shall submit a separate tender for each. Tenders shall have the name and number of the work to which they refer written outside the envelope.
- 5 The Committee will open tenders in the presence of any intending contractors who may present at the time and will enter the amounts of the several tenders in a comparative statement in a suitable form.
- The accepting authority reserves the right to reject any or all the tender without assigning any reasons and he will not be bound to accept either the lowest tender or any of the tenders.

O.C., Buildings, Lalbazar.