

Government of West Bengal
Office of the Commissioner of Police
18, Lalbazar Street, Kolkata-700 001.

No. T-231/Gen/25-26

Date – 12.09. 2025

NOTICE INVITING TENDER

Sealed tenders in printed form are invited for the following works from eligible tenderers as per particulars given below :

1. Name of work : Essential emergent electrical repairing work at the office chamber of DC(II) , HGO at B.G. Lines , 7, D.H. Road, Kolkata . (Details Estimate annexed)
2. Eligibility : All bonafide contractors /firms having experience / valid license for this type of field.
3. Estimated Cost : Rs. 71,194/-
4. Last date for submission of the tender : 19.09. 2025 up to, 15.00 hrs.
5. Time allowed for completion of works : 10(ten) days after the issue of Work Order.
6. The intending tenderers may inspect the site on any working day during office time.
7. The intending tenderers will have to submit copy of valid Certificate of up to date Clearance of Trade License, Professional Tax, Income Tax, G.S.T and Credential along with tender papers for the work.
8. Sealed Tender addressed to The Commissioner of Police, 18, Lalbazar Street, Kolkata-700001 may be dropped in the box kept in front of the office of the Officer-in-Charge, Building Section, 2nd floor, Northern Building, 18, Lalbazar Street, Kolkata-700001 before the last date.
9. Sealed tender may also be sent by Registered Post / Speed Post superscribing the envelope as "Tender in response to Tender Notice No. T-231/Gen/25-26 dt. 12.09. 2025" so as to reach on or before the last date.


O.C. Buildings,
Lalbazar, Kolkata.

ESTIMATE

of Work: Emergent electrical work at the office chamber of DC (II) HGO, located at KMP Building of Body Guard Lines, 7, D. H. Road, Kolkata - 700027.

Page & Item No.	Description of item	Qty	Rate (In Rs.)	Unit	Amount (In Rs.)
1	Page No. E/14 Item No. 1 (a) Distribution wiring in 1.1 KV single core stranded 'FR' PVC insulated & unsheathed copper wire (Brand approved by EIC) in 20mm size PVC rigid conduit 'FR' (Precision make) incl. necy. fittings as required (i) 2 x 22/0.3 (1.5 sqmm) + 1 x 22/0.3 (1.5 sqmm) ECC	36.00	102.00	Mtr.	3,672.00
	(ii) 2 x 36/0.3 (2.5 sqmm) + 1 x 22/0.3 (1.5 sqmm) ECC	14.00	136.00	Mtr.	1,904.00
2	Page No. E/14 Item No. 2 Distribution wiring in 2 x 22/0.3 (1.5 sqmm) single core stranded 'FR' PVC insulated & unsheathed copper wire (Brand approved by EIC) in 20mm size PVC rigid conduit 'FR' (Precision make) with 1x22/0.3 (1.5 sqmm) single core stranded 'FR' PVC insulated & unsheathed copper wire for ECC, to light/fan/call bell points with Piano Key type switch fixed on MS CRC sheet metal (16 SWG) switch board cum JB on wall complete with 2 no. suitable size 'Ph & N' copper bar incl. bakelite/Perspex (wall matching color) top cover 3 mm thick and incl. 175mmx100mmx65mm inspection box, making earthing attachment, painting the MS box and mending good the damages to original finish: (a) Average run 5 mtr	3.00	612.00	Point	1,836.00
	(b) Average run 6 mtr	4.00	791.00	Point	3,164.00
3	Page No. F/1 Item No. 2 (a) Laying of cable upto 2 core 25 sqmm on wall/surface incl. S & F MS saddles with earthing attachment in 10 SWG GI (Hot Dip) Wire, making holes etc. as necy. mending good damages and painting	18.34	58.00	Mtr.	396.00
4	Page No. D/6 Item No. 7 Supplying and fixing 240/415 V MCB of Breaking capacity 10kA & C characteristics on din rail of existing DBs and necessary connection	2.00	198.00	Each	396.00
5	Page No. F/1 Item No. 2 (a) Laying of cable upto 2 core 25 sqmm on wall/surface incl. S & F MS saddles with earthing attachment in 10 SWG GI (Hot Dip) Wire, making holes etc. as necy. mending good damages and painting	20.34	58.00	Mtr.	1,179.72
6	Page No. E/18 Item No. 9 Supply & Fixing 240 V, 6 A, 3 pin Modular type plug socket (Brand approved by EIC) with 6A Modular type switch, without plug top on 4 Module GI Modular type switch board with 3 Module top cover plate flushed in wall incl. S&F switch board and cover plate and making necy. connections with PVC Cu wire and earth continuity wire etc.	6.00	1975.00	Each	11,850.00
	Supplying & Fixing GI Modular Switch Board of the following sizes complete with threeno. suitable size Copper bar with holes (for Ph, N & E) fixed on bakelite / Hard	3.00	297.00	Set	891.00
7	Page No. E/17 Item No. 1 Rubber insulator over the MS welded chairs incl. top cover flushed in wall for housing the board after cutting the brick wall incl. making earthing attachment, painting and mending good damages to building works 4 Module				
8	Page No. E/17 Item No. 3 Supply & Fixing 240 V, 6 A Modular type switch (Brand approved by EIC) on existing GI Modular type switch board having top cover plate and making necessary connections as required	9.00	94.00	Each	846.00
9	Page No. E/17 Item No. 5 (b) Supply & Fixing 240 V, 25 A, 3 pin Modular type plug top with indicator (Brand approved by EIC) & necy. Connections.	2.00	151.00	Each	302.00
10	Page No. E/18 Item No. 9 (b) Supply & Fixing 240 V, 16 A, 3 pin Modular type plug socket (Brand approved by EIC) with 16A Modular type switch, without plug top on 4 Module GI Modular type switch board with top cover plate flushed in wall incl. S&F switch board and cover plate and making necy. connections with PVC Cu wire and earth continuity wire etc.	2.00	527.00	Each	1,054.00
11	Page No. E/19 Item No. 6 (b) Supply & Fixing 240 V, 16 A, 2 (Two) way Modular type switch (Brand approved by EIC) on existing GI Modular switch board having top cover plate and making necessary connections as required	2.00	175.00	Each	350.00
12	Page No. K/10 Item No. F/2, (a) Supplying of 2 core 16 sqmm aluminium armoured cable + laying of 01 no cable upto 35 Sqm in underground trench 460mm wide 760mm average depth with brick protection on the top of the cable with eight (8) nos bricks per metre, including fitting the space between the brick & cable and also the trench with shifted soil, levelling up and restoring surface duly rammed. [138+170=308]	38.00	308.00	Mtr.	11,704.00
13	Page No. E/19 Item No. 17 Supply & Fixing 240 V, 25 A, Modular type starter (Brand approved by EIC) with 25A Modular switch type DP MCB (C Curve) and 4 Module GI Modular type switch board with 4 Module top cover plate flushed in wall incl. S&F switch board and cover plate and making necy. connections with PVC Cu wire and earth continuity wire etc	2.00	1222.00	Each	2,444.00
14	Page No. E/19 Item No. 16 Supply & Fixing 240 V, 25 A, 3 pin Modular type plug socket with 20/25A Modular switch (Brand approved by EIC) type SP MCB (C Curve) and 4 Module GI Modular type switch board with 4 Module top cover plate flushed in wall incl. S&F switch board and cover plate and making necy. connections with PVC Cu wire and earth continuity wire etc.	2	621	Each	1,242.00

18	Page No. E/6 Item No. 19(b)	Supply, fitting and fixing of 1200 mm ceiling fan, white colour, orient/polar/usha or approved make	1	2820	Each	2,820.00
		Wall mount circular fan, white colour, Orient / Polar / usha or equivalent approved make, 22 inch	2.00	3850.00	Nos	7,700.00
19	Page No. E/18 Item No. 10	Supply, fitting and fixing of 12 watt Led Square false ceiling light, cool white, Havells, Crompton, Philips or approved make	6	840	Each	5,040.00
		Fixing only fan regulator on existing sheet metal switch board with bakelite/ perspex top cover by screw incl. making necy. connections etc.	2	18	Each	36.00
		Supply & Fixing 240V, Modular Socket (2 Module) type fan regulator (Step type) (Brand approved by EIC) on existing Modular GI switch board with top cover plate incl. making necy. connections etc.	2	455	Each	910.00
						59,736.72
						Add 9% CGST 5,376.30
						Add 9% SGST 5,376.30
						70,489.33
						Add 1% LW Cess 704.89
						Grand Total 71,194.22
						Say Rs. 71,194.00

(Rupees in words: Seventy One Thousand One Hundred and Ninety Four Only.)

Checked & signed by
02/09/25
Assistant Engineer
Kolkata Police Directorate
Govt. of West Bengal

TERMS AND CONDITON OF TENDERS

1. All works to be carried out in a manner according to specification for original work now in laid as the regional works in building department circle.
2. All materials, tools, plant and labour, the housing, water supply and transport will have to be provided by Contractor at their own cost inclusive of G.S.T. and other charges.
3. No extra work will be allowed without prior approval.
4. The contractors are requested to inspect the schedule of nature of works at site to save all eventualities connection with works any other information may be obtained from the OC, Buildings Office, Lalbazar. Any place of ignorance after submission of tender by the contractors will not be considered.
5. The quantities as shown against the item of work can be verified according to nature of works. Actual requirement to be done soon after containing the written approval of the Jt. CP(O), but contractors are liable for execution of varied quantities at their accepted rates. The rate of the addition item which are not found in the enclosed schedule will be based on building schedule of the regional works and buildings circle subject to approval of proper authority.
6. The contractors should submit tender enclosed with Trade License, Income Tax return, GST, Credential, Under taking of black listed failure to which will be disqualified.
7. The work will be taken up within 07(Seven) days after receipt of work order, failing to which legal action may be taken against the firm.
8. The Commissioner of Police Kolkata reserves the right to reject any/or all the tender rates without assigning any reason and also to distribute the said works among the tenders . There is no guarantee that the lowest tender will be accepted by the authority concern..
9. Tender addressed to the Commissioner of Police, Kolkata should be sent in a sealed cover super scribed name of tender to be dropped in the sealed TENDER BOX to be kept the OC, Buildings Office, Lalbazar at 18, Lalbazar Street, Kolkata-700 001 within 15.00 hrs on last date.
10. The Tender Committee will open the sealed tender in the Committee Room of Lalbazar, The Agencies may be present or send their authorized representative at the time of opening the sealed tender box.




O.C., Buildings,
Lalbazar.

PERCENTAGE RATE TENDER AND CONTRACT FOR WORKS: GENERAL RULES
AND DIRECTIONS FOR THE GUIDANCE OF CONTRACTS.

1. All works proposed for execution by contract will be notified in a form of invitation of tender posted in public places and signed by the OC, Buildings Office, Lalbazar.

This form will state the work to be carried out, as well as the date of submitting and opening of tenders and the time allowed for carrying out the work, design and drawings and any other documents required in connection with work signed for the purpose of identification by the OC, Buildings Office, Lalbazar shall also be open for inspection by the contractor at the office of the OC, Building, Lalbazar during office hours.

2. In the event of the quotation being submitted by a firm, it must be signed separately by each member thereof or in the event of the absence of any partner it must be signed on his behalf by a person holding a power of attorney authorizing him to do so. Such power of attorney is to be produced with the tender and same in the case of a firm carried on by one member of a joint family, it must be disclose that the firm is duly registered under the Indian partnership Act.
3. Receipts for payment made on account of work, when executed by a firm, must also be signed by the several partners except where the contractors are described in their tender as a firm in which case the receipts must be signed in the name of the firm by one of the partners or by some other person having authority to give effectual receipts for the firm.
4. Any person who submits a tender shall fill up the usual printed form, stating at what rate he is willing to undertake each item of the work. Tenders which propose any alteration, in the work specified in the said form of invitation of tenders or in the time allowed for carrying out the work, or which contain any other conditions of any sort, will be liable to rejection. No single tender shall include more than one work but contractors who wish to quote for two or more works shall submit a separate tender for each. Tenders shall have the name and number of the work to which they refer written outside the envelope.
5. The Committee will open tenders in the presence of any intending contractors who may present at the time and will enter the amounts of the several tenders in a comparative statement in a suitable form.
6. The accepting authority reserves the right to reject any or all the tender without assigning any reasons and he will not be bound to accept either the lowest tender or any of the tenders.


O.C., Buildings,
Lalbazar.