Government of West Bengal Office of the Commissioner of Police 18, Lalbazar Street, Kolkata-700 001.

No. T-293/Gen/25-26

Date - 27.11 2025

NOTICE INVITING TENDER

Sealed tenders in printed form are invited for the following works from eligible tenderers as per particulars given below:

1. Name of work

Essential civil repairing & renovation works due to water seepage at

Flat No.504 at 89, Park Street, Kolkata.

(Details Estimate annexed)

2. Eligibility

All bonafide contractors /firms having experience / valid license for this

type of field.

3. Estimated Cost

Rs. 93,469/-

4. Last date for submission of the tender

04. 12. 2025 up to 15.00 hrs.

5. Time allowed for completion of works

10(Ten) days after the issue of Work Order.

6. The intending tenderers may inspect the site on any working day during office time.

7. The intending tenderers will have to submit copy of valid Certificate of up to date Clearance of Trade License, Professional Tax, Income Tax, G.S.T and Credential along with tender papers for the work.

8. Sealed Tender addressed to The Commissioner of Police, 18, Lalbazar Street, Kolkata-700001 may be dropped in the box kept in front of the office of the Officer-in-Charge, Building Section, 2nd floor, Northern Building, 18, Lalbazar Street, Kolkata-700001 before the last date.

9. Sealed tender may also be sent by Registered Post / Speed Post superscribing the envelope as "Tender in response to Tender Notice No. T-293/Gen/25-26 dt. 27.11. 2025" so as to reach on or before the last date.

O.C. Buildings, Lalbazar, Kolkata. ame of Work: Essential civil repairing & renovation works due to water seepage at Flat No.504 at 5th floor Of Sgt. Mohsin Kamal) within 89, Park Street, Kolkata-700016

gt, Monster	Kamal) within 89, Park Street, Kolkata-700010 DESCRIPTION OF ITEM	QUA	NTITY	RATE		.mount ₹ 286.95
Ref	LIEDCINI 1 CO.	7 -	11 Sqmtr.	106.00	Sqmtr.	< _BU. /_
	aking out Mirzapur or glazed porcelain tiles carefully by chiselling from	-				
ge-77 T	aking out Mirzapur or glazed porcelain thes calved as directed. valls or floor including stacking serviceable material as directed.					
O V	valls or floor including states of the ribes in walls and floors to					
em-9	applying fitting & fixing 1st quality Ceranic trees (10mm) fixed with					
1ge-64	supplying, fitting & fixing 1st quality Ceramic titles in fixed with match with the existing work & 4 nos. of key stones (10mm) fixed with match with the existing work & 4 nos. of key stones (10mm) fixed with match with the existing work & 4 nos. of key stones (10mm) fixed with white eament					
em-35	match with the existing work & 4 nos, of key stones () match with white cement uraldite at the back of each tile & finishing the joints with white cement uraldite at the back of each tile & finishing the joints with white cement					
	maddite at the back of each tile & traisfing the Jethan of tiles mixed with colouring oxide if required to match the colour of tiles mixed with colouring oxide if required surface, if necessary or by synthetic					
	mixed with colouring oxide if required to match the colouring oxide if required to match the colouring of concrete surface. If necessary or by synthetic including roughening of concrete surface.					
	including roughering etc.					
	adhesive & grout materials etc.					
	(B) Wall With Sand Cement Mortar (1:4) 20 mm thick & 2 mm thick cement slurry with Sand Cement Mortar (1:4) 2.91 Kg/Sq.m & joint filling using					
	With Sand Cement Mortar (1:4) 20 mm thick & 2 mm to back side of files using cement @ 2.91 Kg/Sq.m & joint filling using at back side of files using cement @ 2.91 kg/Sq.m.					
	tt side of tiles using contour					₹ 28,335.42
	the coment shirty (d) U, 4V by 3500	-	7,43 Sqmt	757.00	Sqmtr.	₹ 28,333.44
	(a) Area of each tile upto 0.07 och		1,43 Sum	ALE PERSONAL		
	(i) Coloured decorative					
	(i) Coloured decorative (b) Applying 2 coats of Non-Toxic Actylic Polymer modified Paint having (b) Applying 2 coats of Non-Toxic Actylic Polymer modified Paint having (d) Explain a properties by mixing in proportion (1 Tiquid: 4 adhesive & waterproofing properties by mixing in proportion (1 Tiquid: 4 adhesive & waterproofing properties by mixing in properties and the properties of th	11				
Page-45	(b) Apply to waterproofing properties by moving in properties are water					
Item-8	adhesive & waterproofing properties by mixing in properties and adhesive & waterproofing properties by mixing in properties and adhesive & waterproofing properties by mixing in properties and adhesive & waterproofing properties by mixing in properties and adhesive & waterproofing properties by mixing in properties and adhesive & waterproofing properties by mixing in properties and adhesive & waterproofing properties by mixing in properties and adhesive & waterproofing properties by mixing in properties and adhesive & waterproofing properties by mixing in properties and adhesive & waterproofing properties by mixing in properties and adhesive & waterproofing properties by mixing in properties and adhesive & waterproofing properties by mixing in properties and adhesive & waterproofing properties & waterproofin	3.3		of a ves	Sept. 1100 (87)	₹ 21.611.42
	cementinous material) or as per manufacturers specifications commented proofing layer in-water tank etc. (No Departmental Cement is required)	2	27 77 Sam	tr. 258.00	Sqmtr.	V 20.1 - 0.1 - 0
	proofing age in the		day of major	*		100000000000000000000000000000000000000
	Rendering the Surface of walls and ceiling with White Cement base water		No. of St. Carlot	122.00	Sqmtr.	₹ 13,162.86
160	Rendering the Surface of walls and centing the Surface of walls are sufficient to the Surface of walls and centing the Surface of walls are sufficient to the Surface of the Surface of walls are sufficient to the Surface of th	1	07.89 Sqn	ntr. 122.00		
Page-198	Rendering the Surface of waits and certain of the proof wall putty of approved make & brand.(1.5 mm thick)	4				
Item-5	proof wall putty of approved near the proof wall putty of approved near the proof of proof of the proof of the same surface to make the same surface for receiving the same surface to make the same surface to the same	36		1 - 2 00:	Samtr.	₹ 2,265.74
5 Page-203	Removing loose scales, blisters etc. from old painten surease the thoroughly smoothening the surface to make the same suitable for receiving the surface to make the surface to make the same suitable for receiving the surface to make the surface t		07.89 Sq	ntr. 21.00	Stilliti.	
Item-1	thoroughly smoothering					
The Line	fresh coat of paint. Applying Interior grade Acrylic Primer of approved quality and brand on Applying Interior grade Acrylic Primer of approved quality and brand on					
6 Page-195	Applying Interior grade Acrylic Primer of applitude carry plastered or cencrete surface old or new surface to receive Distemper/					
	- Loutered or centrete surface of the contract					
Irem-7	plastered or cencrete surface old or new stimac to repairing the surface Actylic emulsion paint including scraping and preparing the surface throughly, complete as per manufacturer's specification and as per direction (a)	ion				
	throughly complete as per maner.					₹ 3,635.97
	of the EIC. (In Ground Floor)		107 90 57	qmtr. 33,70	Sqmtr.	\$ 2.02.2.2
	One Cost		101:03 20	diener.		
	Solvent based interior grade Activity	,				
201	and lying Acrylic Emulsion Family of the posts including putt	, y			(*)	
7 Page-201	Applying Acrylic Emulsion Paint of approved make and ordered and celling including sand papering in intermediate coats including put (to be done under specific instruction of Superintending Engineer): (Ts	WO.		70.0	0 Sqmtr	₹ 7,552.4
Item-4	to be done under specific instruction of Superinteriors		107.89 S	qmtr. 70.0	()	
	coats). ii) Luxury Quality					
	coats). ii) Luxury Quality (b) Priming one coat on timber or plastered surface with synthetic oil (b) Priming one coat on timber or plastered surface with synthetic oil	and.		*	man (Normania	₹ 503.1
8 Page-200	(b) Priming one coat on timber or plastered surface with synthesis bound primer of approved quality including smoothening surfaces by s	MILLIA	13.24 5	Sqmtr. 38J	30 Sqmt	
Item-1	bound primer of approved the			•		
110111	concerns etc.	THILL				
9 Page-200	papering etc. (a) Painting with best quality synthetic enamel paint of approved make brand including smoothening surface by sand papering etc. including the brand including smoothening surface, if necessary	using				
9 Page-200	brand including smoothening surface by same same					
Item-2			- 52 4		00 Sqm	ir. ₹ 1,072
			13.24	Sqmtr. 81	.00	200
	(a) On timber of planted of the control of the cont		97.12.22.2			₹ 78,420
		_	AND THE RESERVE	THE CHARLES THE PARTY OF THE PA	Total	
			41000	9%	for CGST	₹ 7,05
			Add	-	for SGST	₹ 7,05
			Add	9%	TOL SUSS	The state of the s
					Total with T	
			4 7.3	1%	LW Cess	₹ 92
			Add	Tan		₹ 93,46
					DUC 13A	₹
					R/O (+)	₹ 93,46
					Say	4 32,40
						ally Checked & V

RUPEES: NINETY-THREE THOUSAND FOUR HUNDRED SIXTY-NINE ONLY.

Page 1 of 1

echnically Checked & Vergieo

Awastant Engineer Kolkata Police Directorate Govt. of West Beausal

TERMS AND CONDITITON OF TENDERS

- 1. All works to be carried out in a manner according to specification for original work now in laid as the regional works in building department circle.
- 2. All materials, tools, plant and labour, the housing, water supply and transport will have to be provided by Contractor at their own cost inclusive of G.S.T. and other charges.
- 3. No extra work will be allowed without prior approval.
- 4. The contractors are requested to inspect the schedule of nature of works at site to save all eventualities connection with works any other information may be obtained from the OC, Buildings Office, Lalbazar. Any place of ignorance after submission of tender by the contractors will not be considered.
- 5. The quantities as shown against the item of work can be verified according to nature of works. Actual requirement to be done soon after containing the written approval of the Jt. CP(O), but contractors are liable for execution of varied quantities at their accepted rates. The rate of the addition item which are not found in the enclosed schedule will be based on building schedule of the regional works and buildings circle subject to approval of proper authority.
- 6. The contractors should submit tender enclosed with Trade License, Income Tax return, GST, Credential, Under taking of black listed failure to which will be disqualified.
- 7. The work will be taken up within 07(Seven) days after receipt of work order, failing to which legal action may be taken against the firm.
- 8. The Commissioner of Police Kolkata reserves the right to reject any/or all the tender rates without assigning any reason and also to distribute the said works among the tenders. There is no guarantee that the lowest tender will be accepted by the authority concern.
- 9. Tender addressed to the Commissioner of Police, Kolkata should be sent in a sealed cover super scribed name of tender to be dropped in the sealed TENDER BOX to be kept the OC, Buildings Office, LaLbazar at 18, Lalbazar Street, Kolkata-700 001 within 15.00 hrs on last date.
- 10. The Tender Committee will open the sealed tender in the Committee Room of Lalbazar, The Agencies may be present or send their authorized representative at the time of opening the sealed tender box.

O.C., Buildings, Lalbazar.

PERCENTAGE RATE TENDER AND CONTRACT FOR WORKS: GENERAL RULES AND DIRECTIONS FOR THE GUIDANCE OF CONTRACTS.

1. All works proposed for execution by contract will be notified in a form of invitation of tender posted in public places and signed by the OC, Buildings Office, Lalbazar.

This form will state the work to be carried out, as well as the date of submitting and opening of tenders and the time allowed for carrying out the work, design and drawings and any other documents required in connection with work signed for the purpose of identification by the OC, Buildings Office, Lalbazar shall also be open for inspection by the contractor at the office of the OC, Building, Lalbazar during office hours.

- 2. In the event of the quotation being submitted by a firm, it must be signed separately by each member thereof or in the event of the absence of any partner it must be signed on his behalf by a person holding a power of attorney authorizing him to do so. Such power of attorney is to be produced with the tender and same in the case of a firm carried on by one member of a joint family, it must be disclose that the firm is duly registered under the Indian partnership Act.
- 3. Receipts for payment made on account of work, when executed by a firm, must also be signed by the several partners except where the contractors are described in their tender as a firm in which case the receipts must be signed in the name of the firm by one of the partners or by some other person having authority to give effectual receipts for the firm.
- 4. Any person who submits a tender shall fill up the usual printed form, stating at what rate he is willing to undertake each item of the work. Tenders which propose any alteration, in the work specified in the said form of invitation of tenders or in the time allowed for carrying out the work, or which contain any other conditions of any sort, will be liable to rejection. No single tender shall include more than one work but contractors who wish to quote for two or more works shall submit a separate tender for each. Tenders shall have the name and number of the work to which they refer written outside the envelope.
- 5 The Committee will open tenders in the presence of any intending contractors who may present at the time and will enter the amounts of the several tenders in a comparative statement in a suitable form.
- The accepting authority reserves the right to reject any or all the tender without assigning any reasons and he will not be bound to accept either the lowest tender or any of the tenders.

O.C., Buildings, Lalbazar.