

Government of West Bengal  
Office of the Commissioner of Police  
18, Lalbazar Street, Kolkata-700 001.


No. T-136/PHE/25-26

Date – 21.01. 2026

NOTICE INVITING TENDER

Sealed tenders in printed form are invited for the following work from eligible tenderers as per particulars given below :

1. Name of work : Repairing of kitchen and toilet floor and painting of Quarter No.28, 2<sup>nd</sup> floor, Block-2 of Hudco PHE at 95, U. Main Road, Kolkata.  
(Details Estimate annexed)
2. Eligibility : All bonafide contractors /firms having experience for essential civil/elec. work.
3. Estimated Cost : Rs. 76,233/-  
Last date for submission of the tender : 02.02. 2026 up to 15.00 hrs.
5. Time allowed for completion of work : 10(ten) days after the issue of Work Order
6. The intending tenderers may inspect the site on any working day during office time.
7. The intending tenderers will have to submit copy of valid Certificate of up to date Clearance of Trade License, Professional Tax, Income Tax, G.S.T and Credential along with tender papers for the work and tenderers must quote percentage rate of tender in the annexed estimate .
8. Sealed Tender addressed to The Commissioner of Police, 18, Lalbazar Street, Kolkata-700001 may be dropped in the box kept in front of the office of the Officer-in-Charge, Building Section, 2<sup>nd</sup> floor, Northern Building and also in the Drop Box kept beside In Gate, Lalbazar at 18, Lalbazar Street, Kolkata-700001 before the last date.
9. Sealed tender may also be sent by Registered Post / Speed Post super scribing the envelope as “Tender in response to Tender Notice No. T-136/PHE/25-26 dt. 21.01.2026” so as to reach this office on or before the last date & time.

  
O.C. Buildings(PHE)  
Lalbazar, Kolkata.

# E s t i m a t e

Name of the Work: Repairing of kitchen and toilet floor and painting of Quarter 2-28 within Hudco PHE complex at 95 Ultodanga Main Road, Kolkata 700034, during the year of 2025-26 [Req 3380]

| Sl. No. | Page & Item No. | Description of item  | Quantity    | Rate       | Unit  | Amount     |
|---------|-----------------|--|-------------|------------|-------|------------|
| 1       | Page 11 Item 10 | Stripping off worn out plaster and raking out joints of walls, ceilings etc. upto any height and in any floor including removing rubbish within a lead of 75m as directed.   | 17.00 sqmtr | ₹ 19.00    | sqmtr | ₹ 323.00   |
| 2       | Page 16 Item 12 | Cleaning the concrete surface by removing dirt and debris; marking defective locations and removing loose concrete by careful stripping until hard surface is exposed, cutting the concrete to regular shape, wire brushing the exposed surface and removing debris from site complete as per direction of the Engineer - in - Charge.                 | 7.56 sqmtr  | ₹ 90.00    | sqmtr | ₹ 680.00   |
| 3       | Page 30 Item 25 | Cement concrete (1:1.5:3) with graded stone chips 5.6 mm size with hexagonal square mesh wire netting 1 R.C. fabric mesh or X.P. M. fitted and fixed after tying the existing reinforcement on concrete without disturbing the same and with proper scarping and cleaning the reinforcement and disturbed concrete with wire brush etc. after applying | 7.56 sqmtr  | ₹ 604.00   | sqmtr | ₹ 4,566.00 |
| 4       | Page 45 Item 3  | Applying 2 coats of bonding agent with synthetic multi functional rubber emulsion having adhesive and water proofing properties by mixing with water in proportion (1 bonding agent : 4 water : 6 cement) as per Manufacturer's specification [Cement to be supplied by the Department]  | 17.00 sqmtr | ₹ 88.00    | sqmtr | ₹ 1,496.00 |
| 5       | Page 199 Item 1 | Plaster (to wall, floor, ceiling etc.) with sand and cement mortar including round off or chamfering corners as directed and raking out joints including throating, nosing and drip course, scaffolding/staging where necessary [Ground floor]. [Excluding cost of chipping over concrete surface]   | 1           |            |       |            |
|         |                 | (a) With 1:4 cement mortar   | 2           |            |       |            |
|         |                 | (b) 15 mm thick plaster Ground floor   | 17.00 sqmtr | ₹ 151.00   | sqmtr | ₹ 2,567.00 |
|         |                 | With 1:4 cement mortar (a) 10mm thick plaster  | 7.56 sqmtr  | ₹ 133.00   | sqmtr | ₹ 1,005.00 |
| 6       | Page 204/5      | (b) Rendering the surface of walls and ceiling with white cement based wall putty of approved make and brand (1.5mm thick)   | 24.56 sqmtr | ₹ 110.00   | sqmtr | ₹ 2,702.00 |
| 7       | Page 204/5      | Acrylic Distemper to interior wall, ceiling with a coat of solvent based interior grade acrylic primer (as per manufacturer's specification) including cleaning and smoothing of surface. Two Coats  | 37.80 sqmtr | ₹ 70.00    | sqmtr | ₹ 2,646.00 |
| 8       | Page 200 Item 1 | Priming one coat on timber or plastered surface with synthetic oil bound primer of approved quality including smoothing surfaces by sand papering etc.   | 28.08 sqmtr | ₹ 38.00    | sqmtr | ₹ 1,067.00 |
|         |                 | (a) Priming one coat on steel or other metal surface with synthetic oil bound primer of approved quality including smoothing surfaces by sand papering etc.  | 22.18 sqmtr | ₹ 29.00    | sqmtr | ₹ 643.00   |
| 9       | Page 200 Item 2 | Painting with best quality synthetic enamel paint of approved make and brand including smoothing surface by sand papering etc. including using of approved putty etc. on the surface, if necessary (a) On timber or plastered surface (With super gloss (hi-gloss) - (iv) Two coats (with any shade except white)                                      | 28.08 sqmtr | ₹ 81.00    | sqmtr | ₹ 2,274.00 |
|         |                 | (b) On steel or other metal surface (iv) Two coats (with any shade except white)   | 22.18 sqmtr | ₹ 79.00    | sqmtr | ₹ 1,752.00 |
| 10      | Page 10/6       | Dismantling artificial stone flooring upto 30 mm. thick by carefully chipping without damaging the base and removing rubbish as directed within a lead of 75 m.  | 19.90 sqmtr | ₹ 50.00    | sqmtr | ₹ 995.00   |
| 11      | Page 10/2       | Dismantling all types of plain cement concrete works, stacking serviceable materials at site and removing rubbish as directed within a lead of 75 m.   | 0.60 Cum    | ₹ 939.00   | Cum   | ₹ 563.00   |
| 12      | Page 21 Item 1  | Ordinary Cement concrete (mix 1:2:4) with graded stone chips (20 mm nominal size) excluding shuttering and reinforcement if any, in ground floor (as per relevant IS codes)  | 0.60 Cum    | ₹ 5,248.57 | Cum   | ₹ 3,149.00 |

| Page & Item No    | Description of item  | Quantity | Rate  | Unit       | Amount |             |
|-------------------|--|----------|-------|------------|--------|-------------|
| Page-64 Item-33   | Supplying, fitting & fixing 1st quality Ceramic tiles in walls and floors to match with the existing work & 4 nos. of key stones (10mm) fixed with aradite at the back of each tile & finishing the joints with white cement mixed with colouring oxide if required to match the colour of tiles including roughening of concrete surface, if necessary or by synthetic adhesive & grout materials etc.  |          |       |            |        |             |
|                   | (A) Floor  |          |       |            |        |             |
|                   | (b) Area of each tile above 0.09 Sq.m  | 5.40     | sqmtr | ₹ 1,109.00 | sqmtr  | ₹ 5,989.00  |
|                   | (B) Wall   |          |       |            |        |             |
|                   | With: Sand Cement Mortar (1:3) 15 mm thick & 2 mm thick cement slurry at back side of tiles using cement @ 2.91 Kg/Sq.m & joint filling using white cement slurry @ 0.20kg/Sq.m.   |          |       |            |        |             |
|                   | (c) Area of each tile above 0.09 Sq.m  | 14.50    | sqmtr | ₹ 1,109.00 | sqmtr  | ₹ 16,081.00 |
|                   | (i) Coloured decorative  | 14.50    | sqmtr | ₹ 1,109.00 | sqmtr  | ₹ 16,081.00 |
| 14 Page 128/19    | Supplying, fitting & fixing factory made foam PVC (density shall not be less than 600 kg/cum) door frame (finished weight of 2.73 kg/mtr.) of size 100mm X 45mm made of 5mm thick extruded foam PVC sheet, centre cut at junction of horizontal and vertical member and joined them by heat welding. Entire door frame profiles to be reinforced with steel primer coated 19 SWG 40mm X 20mm M.S. tube. An additional 5mm thick PVC sheet with desired colour/shade to be provided at the exposed surface and three nos 5mm thick PVC sheet to be provided as gap insert. The door frame to be fixed with wall by using 8mm dia. and 100mm long stainless steel screws and PVC fasteners. A minimum of 4 nos. screws to be provided for each vertical member & 2 nos. for horizontal member all complete as per direction of Engineer-in-Charge.   | 4.80     | M     | ₹ 516.00   | /M     | ₹ 2,477.00  |
|                   |  | 1        |       |            |        |             |
|                   |  | 2        |       |            |        |             |
| 15 Page 143/36    | Supplying fitting and fixing P.V.C. door shutter of approved quality & shade in position, the style & rail of the P.V.C. door shutter will be made of rigid P.V.C. multicavity hollow chamber of suitable size and section with 2.0 mm (+/- 0.2 mm) wall thickness, the section will have 2nos. built in beads, horizontal & vertical section shall be fixed to each other by self tapping screws and 2 nos. of solid plastic or M.S. tubular galvanised brackets of length 200mmx80mm and other 100mmx100mm both 1.20 mm in each corner of the shutter frame for placing hinges. Polymer based multicavity hollow section of 100 mm x37mm with 2.0 mm (+/- 0.2 mm) wall thickness will be fitted in the middle as lock rail supported by solid polymer bar of 300 mm long at both ends and screws from both sides. The section frame will then be fitted in by PVC panels of size 100 mmx30 mm with wall thickness of 1.2 mm (+/- 0.2 mm) and 2 nos. of 6 mm dia and screws from both sides 6mm dia bright rod will be inserted horizontally with both side check and nut system and stretches where fixing of hinges / hasp bolt / tower bolt / door ring are required to be strong enough to with stand wear and tear. The rate is inclusive of cost of all materials, labour, and hire of tools and plants and | 1.60     | SQM   | ₹ 2,287.00 | /SQM   | ₹ 3,659.00  |
| 16 Page 79/2      | Supplying, fitting and fixing E.W.C. in white glazed vitreous chinaware of approved make complete in position with necessary bolts, nuts etc(a) With P trap  | 2.00     | nos   | ₹ 1,421.00 | each   | ₹ 2,842.00  |
| 17 Page 85/15     | Supplying, fitting and fixing Closet seat of approved make with lid and C.P. hinges, rubber buffer and brass screws complete(a) E.W.C.(ii) Plastic (hollow type) white   | 2.00     | nos   | ₹ 380.00   | each   | ₹ 760.00    |
| 18 Page 36/2      | Supplying, fitting and fixing 10 litre P.V.C. low-down cistern conforming to I.S. specification with P.V.C. fittings complete, C.I. brackets including two coats of painting to bracket etc.   | 1.00     | nos   | ₹ 1,015.00 | each   | ₹ 1,015.00  |
| 19 Page 41/2      | Supplying, fitting and fixing white vitreous china best quality approved make wash basin with C.I. brackets on 75 mm X 75 mm wooden blocks, N.C.P. waste fittings of 32 mm dia., one approved quality brass V.P. (gum rock) of 13 mm dia., C.P. chain with rubber plug of 30 mm dia., approved quality P.V.C. waste pipe with C.P. nut 32 mm dia., 900 mm long approved quality P.V.C. connection pipe with heavy brass C.P. nut including mending good all damages and painting the brackets with two coats of approved paint.(ii) 550 mm X 400 mm size   | 1.00     | nos   | ₹ 2,208.00 | each   | ₹ 2,208.00  |
| 20 Page-33 Item-9 | Supplying, fitting and fixing approved brand P.V.C. CONNECTOR white flexible, with both ends coupling with heavy brass C.P. nut, 15 mm dia.  |          |       |            |        |             |

| Page &<br>Item No     | Description of item   | Quantity  | Rate     | Unit | Amount     |
|-----------------------|---|-----------|----------|------|------------|
|                       | (iv) 900 mm long  | 4.00 each | 147.00   | each | ₹ 588.00   |
| Page - 0<br>Item - 4  | Supplying, fitting and fixing (e) PTMT (Polytetra Bib Cock / Stop Cock ( Prayag or equivalent) 15 mm  | 2.00 each | 154.00   | each | ₹ 308.00   |
| 23 Page 4/3           | Supplying, fitting and fixing shower of approved brand and make(c) Chromium plated Hand shower 70mm dia Round Shape Single flow with Flexible Tube & fittings(Equivalent to Code No. ESH-5512 & Model - Tropical / Sunthing Special of ESSCO or similar). | 1.00 each | 1270.00  | each | ₹ 1,270.00 |
| 23 Page - 3<br>Item 3 | Supplying, fitting and fixing (g) PTMT overhead shower ( Prayag or equivalent)  |           |          |      |            |
|                       | (ii) 150 mm round   | 1.00 No.  | ₹ 340.00 | each | ₹ 340.00   |

|                    |             |
|--------------------|-------------|
|                    | ₹ 63,965.00 |
| Add 9% for CGST    | ₹ 5,756.85  |
| Add 9% for SGST    | ₹ 5,756.85  |
| Total =            | ₹ 75,478.70 |
| Add 1% for LW Cess | ₹ 754.79    |
|                    | ₹ 76,233.49 |
| Say                | ₹ 76,233.00 |


Rupees Seventy Six Thousand Two hundred Thirty Three only

JK.H.KPD

AE,KPD

## TERMS AND CONDITON OF TENDERS

1. All works to be carried out in a manner according to specification for original work now in laid as the regional works in building department circle.
2. All materials, tools, plant and labour, the housing, water supply and transport will have to be provided by Contractor at their own cost inclusive of G.S.T. and other charges.
3. No extra work will be allowed without prior approval.
4. The contractors are requested to inspect the schedule of nature of works at site to save all eventualities connection with works any other information may be obtained from the OC, Buildings Office, Lalbazar. Any place of ignorance after submission of tender by the contractors will not be considered.
5. The quantities as shown against the item of work can be verified according to nature of works. Actual requirement to be done soon after containing the written approval of the Jt. CP(O), but contractors are liable for execution of varied quantities at their accepted rates. The rate of the addition item which are not found in the enclosed schedule will be based on building schedule of the regional works and buildings circle subject to approval of proper authority.
6. The contractors should submit tender enclosed with Trade License, Income Tax return, GST, Credential, Under taking of black listed failure to which will be disqualified.
7. The work will be taken up within 07(Seven) days after receipt of work order, failing to which legal action may be taken against the firm.
8. The Commissioner of Police Kolkata reserves the right to reject any/or all the tender rates without assigning any reason and also to distribute the said works among the tenders . There is no guarantee that the lowest tender will be accepted by the authority concern.
9. Tender addressed to the Commissioner of Police, Kolkata should be sent in a sealed cover super scribed name of tender to be dropped in the sealed TENDER BOX to be kept the OC, Buildings Office, LaLbazar at 18, Lalbazar Street, Kolkata-700 001 within 15.00 hrs on last date.
10. The Tender Committee will open the sealed tender in the Committee Room of Lalbazar, The Agencies may be present or send their authorized representative at the time of opening the sealed tender box.


  
O.C., Buildings(PHE),  
Lalbazar.

**PERCENTAGE RATE TENDER AND CONTRACT FOR WORKS: GENERAL RULES**  
**AND DIRECTIONS FOR THE GUIDANCE OF CONTRACTS.**

1. All works proposed for execution by contract will be notified in a form of invitation of tender posted in public places and signed by the OC, Buildings Office, Lalbazar.

This form will state the work to be carried out, as well as the date of submitting and opening of tenders and the time allowed for carrying out the work, design and drawings and any other documents required in connection with work signed for the purpose of identification by the OC, Buildings Office, Lalbazar shall also be open for inspection by the contractor at the office of the OC, Building, Lalbazar during office hours.

2. In the event of the quotation being submitted by a firm, it must be signed separately by each member thereof or in the event of the absence of any partner it must be signed on his behalf by a person holding a power of attorney authorizing him to do so. Such power of attorney is to be produced with the tender and same in the case of a firm carried on by one member of a joint family, it must be disclose that the firm is duly registered under the Indian partnership Act.
3. Receipts for payment made on account of work, when executed by a firm, must also be signed by the several partners except where the contractors are described in their tender as a firm in which case the receipts must be signed in the name of the firm by one of the partners or by some other person having authority to give effectual receipts for the firm.
4. Any person who submits a tender shall fill up the usual printed form, stating at what rate he is willing to undertake each item of the work. Tenders which propose any alteration, in the work specified in the said form of invitation of tenders or in the time allowed for carrying out the work, or which contain any other conditions of any sort, will be liable to rejection. No single tender shall include more than one work but contractors who wish to quote for two or more works shall submit a separate tender for each. Tenders shall have the name and number of the work to which they refer written outside the envelope.
5. The Committee will open tenders in the presence of any intending contractors who may present at the time and will enter the amounts of the several tenders in a comparative statement in a suitable form.
6. The accepting authority reserves the right to reject any or all the tender without assigning any reasons and he will not be bound to accept either the lowest tender or any of the tenders.

  
O.C., Buildings(PHE),  
Lalbazar.