

Government of West Bengal
Office of the Commissioner of Police
18, Lalbazar Street, Kolkata-700 001.

No. T-159/PHE/25-26

Date – 27. 02. 2026

NOTICE INVITING TENDER

Sealed tenders in printed form are invited for the following work from eligible tenderers as per particulars given below :

1. Name of work : Repairing of ceiling & wall of kitchen, bathroom, bedroom & dining room & inside painting of Quarter No. 7 Block-F, 1st floor of H.C. Block PHE at Sec-III, Salt Lake, Kolkata.
(Details Estimate annexed)
2. Eligibility : All bonafide contractors /firms having experience for essential civil/elec. work.
3. Estimated Cost : **Rs. 95,836/-**
Last date for submission of the tender : **09. 03. 2026, 15.00 hrs.**
5. Time allowed for completion of work : 10(ten) days after the issue of Work Order
6. The intending tenderers may inspect the site on any working day during office time.
7. The intending tenderers will have to submit copy of valid Certificate of up to date Clearance of Trade License, Professional Tax, Income Tax, G.S.T and Credential along with tender papers for the work and tenderers must quote percentage rate of tender in the annexed estimate .
8. Sealed Tender addressed to The Commissioner of Police, 18, Lalbazar Street, Kolkata-700001 may be dropped in the box kept in front of the office of the Officer-in-Charge, Building Section, 2nd floor, Northern Building and also in the Drop Box kept beside In Gate, Lalbazar at 18, Lalbazar Street, Kolkata-700001 before the last date.
9. Sealed tender may also be sent by Registered Post / Speed Post super scribing the envelope as "Tender in response to Tender Notice No. T-159/PHE/25-26 dt. 27.02.2026" so as to reach this office on or before the last date & time.


O.C. Buildings(PHE)
Lalbazar, Kolkata.

Estimate

Name of work: Repairing of ceiling & wall of kitchen, bathroom, bedroom & dining room & inside painting of Quarter No. 07
1st.Floor,Block-F of HC BLOCK PHE at SEC-III, SALT LAKE, Kolkata,during the year 2025-2026 (IBMS Req. No.3887 Dt:
13/11/2025)

Sl. No.	Ref.	Description of Items	Unit	Qty	Rate (Rs.)	Amount (Rs.)
1	Page:11, It No: 10	Stripping off worn out plaster and raking out joints of walls, ceilings etc. upto any height and in any floor including removing rubbish within a lead of 75m as directed.	Sq.Mt	48.31	19.00	917.89
2	Page:45, It No: 5	Cleaning the concrete surface by removing dirt and debris, marking defective locations and removing loose concrete by careful stripping untill hard surface is exposed, cutting the concrete to regular shape wire brushing the exposed surface and removing debris from site complete as per direction of the Engineer - in - Charge.	Sq.Mt	10.50	90.00	945.00
3	Page:40, It No: 27	Cement concrete (1:1.5:3) with graded stone chips 5.6 mm size with hexagonal square mesh wire netting, I.R.C. fabric mesh or X.P. M. fitted and fixed after tying the existing reinforcement on concrete without distributing the same and with proper scarping and cleaning the reinforcement and disturbed concrete with wire brush etc..... b) 25 mm thick	Sq.Mt	10.50	522.00	5481.00
4	Page:45, It No: 8	Applying 2 coats of bonding agent with synthetic multi functional rubber emulsion having adhesive and water proofing properties by mixing with water in proportion (1 bonding agent:4 water : 6 cement) as per Manufacturer's specification [Cement to be supplied by the Department]	Sq.Mt	10.50	88.00	924.00
5	Page:45, It No: 6	Cleaning the exposed reinforcement preferably upto full diameter by wire brush; applying two coats of polymer based rust removing compound left for 24 hours, removing the coating and then applying two (2) coats of polymer modified anti corrosive protective coating formulated to inhibit the corrosion of reinforcement as per manufacturer's specification]	Sq.M	0.60	782.00	469.20
6	Page:45, It No: 7	Applying epoxy based reactive joining agent for joining the old concrete with fresh concrete to be applied within manufacturer's specified time as per manufacturers specification. (0.4 Kg / m ² of concrete surface)	Sq.Mt	0.60	309.00	185.40
7	Page:10, It No: 2	Dismantling all types of plain cement concrete works, stacking serviceable materials at site and removing rubbish as directed within a lead of 75m.	cum	0.46	939.00	431.94
8	Page:24, It No: 4	Ordinary Cement concrete (mix 1:2:4) with graded stone chips (20mm nominal size) excluding shuttering and reinforcement, if any, in ground floor	Cum	0.46	5248.57	2414.34
9	Page:189, It No: 1	Plaster (to wall, floor, ceiling etc.) with sand and cement mortar including rounding off or chamfering corners as directed and raking out joints including throating, nosing and drip course, scaffolding/staging where necessary (Ground floor).[Excluding cost of chipping over concrete surface]	Sq.Mt	48.31	151.00	7294.81
		(i) With 1:6 cement mortar (c) 15 mm thick plaster				
		(iii) With 1:4 cement mortar (c) 10 mm thick plaster	Sq.Mt	10.50	133.00	1396.50
10	Page:204, It No: 5	(b) Rendering the surface of walls and ceiling with white cement based wall putty of approved make and brand(1.5mm thick)	Sq.Mt	10.50	110.00	1155.00

Sl. No.	Ref.	Description of Items	Unit	Qty	Rate (Rs.)	
11	Page:196 It No:10	Acrylic Distemper to interior wall, ceiling with a coat of solvent based interior grade acrylic primer (as per manufacturer's specification) including cleaning and smoothing of surface. Two Coats	Sq.Mt	220.62	70.00	15443.4
12	Page:64 It No:35	Supplying, fitting & fixing 1st quality Ceramic tiles in walls and floors to match with the existing work & 4nos. of key stones (10mm) fixed with araldite at the back of each tile & finishing the joints with white cement mixed with colouring oxide if required to match the colour of tiles including roughening of concrete surface, if necessary or by synthetic adhesive & grout materials etc	Sq.Mt	6.84	755.00	5164.20
		(A) Floor (a) Area of each tile upto 0.09 Sq.m-(i) Coloured decorative With Sand Cement Mortar (1:4) 20mm thick & 2mm thick cement slurry at back side of tiles using cement@2.91 Kg/Sq.m & joint filling using white cement slurry @ 0.20kg/Sq.m.				
		(B) Wall (a) Area of each tile upto 0.09 Sq.m-(i) Coloured decorative With Sand Cement Mortar (1:4) 20mm thick & 2mm thick cement slurry at back side of tiles using cement@2.91 Kg/Sq.m & joint filling using white cement slurry @ 0.20kg/Sq.m.	Sq.Mt	22.80	757.00	17259.60
13	Page:200, It No:1	(a) Priming one coat on steel or other metal surface with synthetic oil bound primer of approved quality including smoothing surfaces by sand papering etc.	Sq.Mt	10.44	29.00	302.76
14	Page:200, It No:1	(b) Priming one coat on timber or plastered surface with synthetic oil bound primer of approved quality including smoothing surfaces by sand papering etc.	Sq.Mt	20.88	38.00	793.44
15	Page:200, It No:2	Painting with best quality synthetic enamel paint of approved make and brand including smoothing surface by sand papering etc. including using of approved putty etc. on the surface, if necessary.(a) On timber or plastered surface :With super gloss (hi-gloss) -(iv) Two coats (with any shade except white) (a) On timber or plastered surface : With super gloss (hi-gloss) (iv) Two coats (with any shade except white	Sq.Mt	20.88	81.00	1691.28
		(a) On timber or plastered surface : With super gloss (hi-gloss) (iv) Two coats (with any shade except white	Sq.Mt	10.44	79.00	824.76
16	Page:43, It No:40	Reinforcement for reinforced concrete work in all sorts of structures including distribution bars, stirrups, binders etc initial straightening and removal of loose rust (if necessary), cutting to requisite length, hooking and bending to correct shape, placing in proper position and binding with 16 gauge black annealed wire at every intersection, complete as per drawing and direction.	MT	0.03	54547.74	1636.43
17	Page:111, It No:02	Welding in M.S. structural work with gas or electric.(b) Continuous weld.	Cm	200	9.00	1800.00

Ref.	Description of Items	Unit	Qty	Rate (Rs.)	Amount (Rs.)
S & P					
18	P-79 /lt:2 Supplying, fitting and fixing E.W.C. in white glazed vitreous chinaware of approved make <i>complete in position with necessary bolts, nuts etc(a) With 'P' trap</i>	Nos	1	1421.00	1421.00
19	P-81 /lt:10 Supplying, fitting and fixing Closet seat of approved make with lid and C.P. hinges, rubber buffer and brass screws complete (a) <i>E.W.C. (ii) Plastic (hallow type) white</i>	Nos	1	380.00	380.00
20	P-36 /lt:02 Supplying, fitting and fixing 10 litre P.V.C. low-down cistern conforming to I.S. specification with P.V.C. fittings complete, C.I. brackets including two coats of painting to bracket etc	Nos	1	1015.00	1015.00
21	P-43 /lt:09 Supplying, fitting and fixing approved brand P.V.C. CONNECTOR white flexible, with both ends coupling with heavy brass C.P. nut, 15 mm dia.	Nos	4	147.00	588.00
22	P-3 /lt:3 Supplying, fitting and fixing shower of approved brand and make (iii) Chromium plated shower arm 240 mm long (Equivalent to Code No. 536(A) & Model- Tropical / Sumthing Special of ESSCO or similar brand	Nos	1	309.00	309.00
23	(i) (1) Chromium plated overhead Rain shower (Square), size-180x180mm with revolving joint (Model Code No. F7010501 of CERA or equivalent)	Nos	1	380.00	380.00
24	P-6 /lt:7 (e) PTMT (Polytetra Bib Cock / Stop Cock (Prayag or equivalent) 15 mm).	Nos	4	154.00	616.00
25	P-82 /lt:19 Supplying, fitting and fixing best quality Indian make mirror 5.5mm thick with silvering as per I.S.I. specifications supported on fibre glass frame of any colour, frame size 550 mm X 400 mm	Nos	1	613.00	613.00
26	P-41 /lt:2(ii) Supplying, fitting and fixing white vitreous china best quality approved make washbasin with C.I. bracket on 75mm X 75mm wooden blocks. (ii) 550 mm X 400 mm size	Nos	1	2208.00	2208.00
27	P-42 /lt:6(ii) Supplying, fitting and fixing stainless steel sink complete with waste fittings and two coats of painting of C.I. brackets. (a) Sink only (ii) 630 mm X 550 mm X 180 mm	Nos	1	3788.00	3788.00
28	P-44 /lt:16 Supplying, fitting and fixing 15mm swan neck tap with left & righthand operating nob with aerator (Equivalent to Code No. 510, 510(A) and Model - TROPICAL / SUMTHING SPECIAL of ESSCO or similar brand).	Nos	1	811.00	811.00
29	P-82 /lt:22 Supplying fitting & fixing towel rail with two brackets. (a) C.P. over brass. (iii) 25 mm dia. and 750 mm long	Nos	1	475.00	475.00
30	P-43 /lt:10 Supplying, fitting and fixing approved brand 32mm dia. P.V.C. waste pipe, with PVC coupling at one end fitted with necessary clamps.	Nos	2	75.00	150.00

Sl. No.	Ref	Description of Items	Unit	Qty	Rate (Rs.)	Amount (Rs.)
31	P-12/It:19	Supplying, fitting and fixing PVC pipes of approved make of Schedule 80 (medium duty) conforming to ASTM D-1785 and threaded to match with GI Pipes as per IS : 1235 (Part-I). With all necessary accessories, Specials viz. socket, bend, tee, union, cross, elbo, nipple, long screw, reducing socket, reducing tee, short piece etc. fitted with holder bats clamps, including cutting pipes, making threads, fitting, fixing etc. complete in all respect including cost of all necessary fittings as required, jointing materials and two coats of painting with approved paint in any position above ground. (Payment will be made on the centre line measurements of total pipe line including all specials. No separate payment will be made for accessories, specials. Payment for painting will be made separately) (a) For Exposed Work PVC Pipes	Mtr	6.00	101.00	606.00
32	P-82 /It:18	(a) For Exposed Work PVC Pipes Dia-15mm	Mtr	3.00	129.00	387.00
		Dia-20mm "Supplying, fitting and fixing soap holder. (a) PTMT	Nos	1	135.00	135.00
A.					Estimated Cost =	80,412.95
1					18% GST, AS applicable	14,474.33
B					TOTAL AMOUNT (B) =	94,887.28
2					Labour welfare cess @1% on Sl. No -B	948.87
C					TOTAL AMOUNT =	95,836.00

RUPEES: NINETY-FIVE THOUSAND EIGHT HUNDRED THIRTY-SIX ONLY.

JE II.KPD

AE-II KPD

TERMS AND CONDITON OF TENDERS

1. All works to be carried out in a manner according to specification for original work now in laid as the regional works in building department circle.
2. All materials, tools, plant and labour, the housing, water supply and transport will have to be provided by Contractor at their own cost inclusive of G.S.T. and other charges.
3. No extra work will be allowed without prior approval.
4. The contractors are requested to inspect the schedule of nature of works at site to save all eventualities connection with works any other information may be obtained from the OC, Buildings Office, Lalbazar. Any place of ignorance after submission of tender by the contractors will not be considered.
5. The quantities as shown against the item of work can be verified according to nature of works. Actual requirement to be done soon after containing the written approval of the Jt. CP(O), but contractors are liable for execution of varied quantities at their accepted rates. The rate of the addition item which are not found in the enclosed schedule will be based on building schedule of the regional works and buildings circle subject to approval of proper authority.
6. The contractors should submit tender enclosed with Trade License, Income Tax return, GST, Credential, Under taking of black listed failure to which will be disqualified.
7. The work will be taken up within 07(Seven) days after receipt of work order, failing to which legal action may be taken against the firm.
8. The Commissioner of Police Kolkata reserves the right to reject any/or all the tender rates without assigning any reason and also to distribute the said works among the tenders . There is no guarantee that the lowest tender will be accepted by the authority concern.
9. Tender addressed to the Commissioner of Police, Kolkata should be sent in a sealed cover super scribed name of tender to be dropped in the sealed TENDER BOX to be kept the OC, Buildings Office, LaLbazar at 18, Lalbazar Street, Kolkata-700 001 within 15.00 hrs on last date.
10. The Tender Committee will open the sealed tender in the Committee Room of Lalbazar, The Agencies may be present or send their authorized representative at the time of opening the sealed tender box.



O.C., Buildings(PHE),
Lalbazar.

PERCENTAGE RATE TENDER AND CONTRACT FOR WORKS: GENERAL RULES
AND DIRECTIONS FOR THE GUIDANCE OF CONTRACTS.

1. All works proposed for execution by contract will be notified in a form of invitation of tender posted in public places and signed by the OC, Buildings Office, Lalbazar.

This form will state the work to be carried out, as well as the date of submitting and opening of tenders and the time allowed for carrying out the work, design and drawings and any other documents required in connection with work signed for the purpose of identification by the OC, Buildings Office, Lalbazar shall also be open for inspection by the contractor at the office of the OC, Building, Lalbazar during office hours.

2. In the event of the quotation being submitted by a firm, it must be signed separately by each member thereof or in the event of the absence of any partner it must be signed on his behalf by a person holding a power of attorney authorizing him to do so. Such power of attorney is to be produced with the tender and same in the case of a firm carried on by one member of a joint family, it must be disclose that the firm is duly registered under the Indian partnership Act.
3. Receipts for payment made on account of work, when executed by a firm, must also be signed by the several partners except where the contractors are described in their tender as a firm in which case the receipts must be signed in the name of the firm by one of the partners or by some other person having authority to give effectual receipts for the firm.
4. Any person who submits a tender shall fill up the usual printed form, stating at what rate he is willing to undertake each item of the work. Tenders which propose any alteration, in the work specified in the said form of invitation of tenders or in the time allowed for carrying out the work, or which contain any other conditions of any sort, will be liable to rejection. No single tender shall include more than one work but contractors who wish to quote for two or more works shall submit a separate tender for each. Tenders shall have the name and number of the work to which they refer written outside the envelope.
5. The Committee will open tenders in the presence of any intending contractors who may present at the time and will enter the amounts of the several tenders in a comparative statement in a suitable form.
6. The accepting authority reserves the right to reject any or all the tender without assigning any reasons and he will not be bound to accept either the lowest tender or any of the tenders.


O.C., Buildings(PHE),
Lalbazar.