

Government of West Bengal
Office of the Commissioner of Police
18, Lalbazar Street, Kolkata-700 001.

No. T-020/Gen/26-27

Date – 20. 05. 2026

NOTICE INVITING TENDER

Sealed tenders in printed form are invited for the following works from eligible tenderers as per particulars given below :

1. Name of work : Necessary electrical wiring with allied works in the Ladies Barrack at ground floor of Main Administrative Building of Special Branch at 15, Lord Sinha Road, Kolkata.. (Details Estimate annexed)
2. Eligibility : All bonafide contractors /firms having experience / valid license for this type of field.
3. Estimated Cost : Rs. 69,359/-
4. Last date for submission of the tender : **28.05. 2026 up to 15.00 hrs.**
5. Time allowed for completion of works : 10(ten) days after the issue of Work Order.
6. The intending tenderer may inspect the site on any working day during office time.
7. The intending tenderers will have to submit copy of valid Certificate of up to date Clearance of Trade License, Professional Tax, Income Tax, G.S.T and Credential along with tender papers for the work and tenderers must quote percentage rate of tender in the annexed estimate .
8. Sealed Tender addressed to The Commissioner of Police, 18, Lalbazar Street, Kolkata-700001 may be dropped in the box kept in front of the office of the Officer-in-Charge, Building Section, 2nd floor, Northern Building and also in the Drop Box kept beside In Gate, Lalbazar at 18, Lalbazar Street, Kolkata-700001 before the last date.
9. Sealed tender may also be sent by Registered Post / Speed Post superscribing the envelope as “Tender in response to Tender Notice No. T-020/Gen/26-27 dt. 20.05. 2026” so as to reach this office on or before the last date & time.


O.C. Buildings,
Lalbazar, Kolkata.

ESTIMATE


Name of Work: Necessary electrical wiring with allied works in the ladies barrack, located at ground floor of Main Administrative Building of Special Branch, 15, Lord Sinha Road, Kolkata - 700071 during the year 2025-2026

Sl. no.	Page & Item No.	Description of item	Qty	Rate (In Rs.)	Unit	Amount (In Rs.)
1		Dismantling of old damage panel board	1.00	950.00	Item	950.00
		Installation of panel board (63amps-240volt) after necessary repair and replacing with terminal MCB, Insulator, cable, socket, wire and meter as below: cable termination with 06v-nos 02 poe terminal and box complete with socket	1.00	2900.00	Each	2,900.00
2		Front cover 3'8" X 4'8" with 14 gauge steel sheet as per specification	1.00	2250.00	Each	2,250.00
		63 amps DP.MCB (Havells) supplying and fittings	4.00	960.00	Each	3,840.00
		All cable dressing and re-connection	1.00	1950.00	Sets	1,950.00
		1 set volt meter (digital) and 1 set amps meter with selector switch LED indicator (R/Y) supply and fittings with electrical connection	1.00	2300.00	Sets	2,300.00
3	Page No. F/1 Item No. 2b	Laying of cable upto 3/4 core 25 sqmm on wall/surface incl. S & F MS saddles with earthing attachment in 10 SWG GI (Hot Dip) Wire, making holes etc. as necy. mending good damages and painting	12.00	62.00	RM	744.00
4		Supply and delivered of 16 sqmm 4 core Al armoured cable ISI band	12.00	229.00	Mtr	2,748.00
5	Page No. G/2 Item No. 3	a) Extra for providing masonry enclosure on the top of the earth electrode of overall size 86.36 cm x 86.36 cm x 46 cm deep (below Ground level) complete with cemented brick work (1:6) of 25 cm width duly plastered with cement mortar (inside) CI hinged inspection cover of size 36.56 cm x 35.56 cm with locking arrangement, GI reducer including drilling of 46 nos. 12 mm dia holes on the GI pipe	1.00	915.00	Item	915.00
		b) Extra for treatment of soil by using salt & charcoal or coke for plate electrode	1.00	531.00	Item	531.00
6	Page No. G/2 Item No. 4	(d) Supplying & fixing earth busbar of galvanized (Hot Dip) MS flat 65 mm x 8 mm on wall having clearance of 6 mm from wall including providing drilled holes on the busbar complete with GI bolts, nuts, washers, spacing insulators etc. as required	2.50	316.00	Mtr	790.00
7	Page No. G/3 Item No. 5	e) Connecting the equipments body to earth busbar incl. S & F 50 mm x 6 mm Galvanized (Hot Dip) MS flat on wall/floor with GI saddle as required and connection to equipments with incl. drilling holes, bolts, nuts, washers etc.	2.50	198.00	Mtr	495.00
8	Page No. F/6 Item No. 11	a) Supplying & fixing medium gauge GI Pipe (ISI-Medium) Protection with necessary fittings and jointing materials as required 25 mm dia	8.00	173.00	Mtr	1,384.00
		b) 32 mm dia	6.00	218.00	Mtr	1,308.00
9	Page No. G/2 Item No. 5	Connecting the equipments to earth busbar including S & F GI (Hot Dip) wire of size as below on wall/floor with staples buried inside wall/ floor as required and making connection to equipments with bolts, nuts, washers, cable lugs etc. as required and mending good damages (a) Solid GI wire (i) No. 4 SWG	2.50	18.00	Mtr	45.00
		(ii) No. 6 SWG	2.50	13.00	Mtr	32.50
10	Page No. E/3 Item No. 10	Supplying & Fixing CRC sheet metal (16 SWG) JB-cum Switch board of the following sizes complete with three no. suitable size Copper bar with holes (for Ph, N & E) fixed on bakelite/Hard Rubber insulator over the MS welded chairs incl. bakelite/Perspex/coloured Perspex (wall matching colour) top cover 3 mm thick flushed in wall for housing the board after cutting the brick wall incl. making earthing attachment, painting and mending good damages to building works (a) 150 mm X 100 mm X 65 mm	1.00	208.00	Each	208.00
11	Page No. E/17 Item No. 3(a)	Supply & Fixing 240 V 6 A Modular type switch (Brand approved by EIC) on existing GI Modular type switch board having top cover plate and making necessary connections as required	30.00	94.00	Each	2,820.00
12	Page No. E/17 Item No. 1	Supplying & Fixing GI Modular Switch Board of the following sizes complete with three no. suitable size Copper bar with holes (for Ph, N & E) fixed on bakelite/Hard Rubber insulator over the MS welded chairs incl. top cover flushed in wall for housing the board after cutting the brick wall incl. making earthing attachment, painting and mending good damages to building works. a) 6 Module	10.00	381.00	Set	3,810.00
13	Page No. E/14 Item No. 2	Distribution wiring in 2 x 22/0.3 (1.5 sqmm) single core stranded FR PVC insulated & unsheathed copper wire (Brand approved by EIC) in 20mm size PVC rigid conduit FR (Precision make), with 1x22/0.3 (1.5 sqmm) single core stranded FR PVC insulated & unsheathed copper wire for ECC, to light/fan/call bell points with Pieno Key type switch fixed on MS CRC sheet metal (16 SWG) switch board cum JB on wall complete with 2 no. suitable size Ph & N copper bar incl. bakelite/Perspex (wall matching color) top cover 3 mm thick and incl. 175mmx100mm x65mm inspection box, making earthing attachment, painting the MS box and mending good the damages to original finish (a) Average run 5 mtr	10.00	612.00	Point	6,120.00
14		Supplying, fitting and fixing of 22 Watt, cool white, tube light, philips/ Havells or approved make	12.00	420.00	Nos	5,040.00

15	Page No. E/17 Item No. 4(a)	Supply & Fixing 240 V, 5A, 5 pin Modular type plug socket (Brand approved by EIC), without switch & plug top, on-existing GI Modular type switch board with top cover plate and making neccy. connections with PVC Cu wire and earth continuity wire etc.	28.00	139.00	Each	3,892.00
16	Page No. E/14 Item No. 1	(a) Distribution wiring in 1.1 KV single core stranded 'FR' PVC insulated & unsheathed copper wire (Brand approved by EIC) in 20mm size PVC rigid conduit 'FR' (Precision make) incl. neccy. fittings as required (i) 2 x 22/0.3 (1.5 sqmm) * 1 x 22/0.3 (1.5 sqmm) ECC	55.00	102.00	Mtr.	5,610.00
		(ii) 2 x 36/0.3 (2.5 sqmm) * 1 x 22/0.3 (1.5 sqmm) ECC	32.00	136.00	Mtr.	4,352.00
		Supply & Fixing 240 V, 16-A, 3 pin Modular type plug socket (Brand approved by EIC) with 16A Modular type switch, without plug top on 4-Module GI Modular type switch board with top cover plate flushed in wall incl. S&P switch board and cover plate and making neccy. connections with PVC Cu wire and earth continuity wire etc.	6.00	527.00	Each	3,162.00

	58,196.50
Add CGST @ 9%	5,237.69
Add SGST @ 9%	5,237.69
Total Amount	68,671.87
LW Cess @ 1%	686.72
Grand Total	69,358.59
Say Amount	69,359.00

(In words: Rupees Sixty Nine Thousand Three Hundred and Fifty Nine Only)

Signature by

 Assistant Engineer
 Kolkata Police Directorate
 Govt. of West Bengal

TERMS AND CONDITON OF TENDERS

1. All works to be carried out in a manner according to specification for original work now in laid as the regional works in building department circle.
2. All materials, tools, plant and labour, the housing, water supply and transport will have to be provided by Contractor at their own cost inclusive of G.S.T. and other charges.
3. No extra work will be allowed without prior approval.
4. The contractors are requested to inspect the schedule of nature of works at site to save all eventualities connection with works any other information may be obtained from the OC, Buildings Office, Lalbazar. Any place of ignorance after submission of tender by the contractors will not be considered.
5. The quantities as shown against the item of work can be verified according to nature of works. Actual requirement to be done soon after containing the written approval of the Jt. CP(O), but contractors are liable for execution of varied quantities at their accepted rates. The rate of the addition item which are not found in the enclosed schedule will be based on building schedule of the regional works and buildings circle subject to approval of proper authority.
6. The contractors should submit tender enclosed with Trade License, Income Tax return, GST, Credential, Under taking of black listed failure to which will be disqualified.
7. The work will be taken up within 07(Seven) days after receipt of work order, failing to which legal action may be taken against the firm.
8. The Commissioner of Police Kolkata reserves the right to reject any/or all the tender rates without assigning any reason and also to distribute the said works among the tenders . There is no guarantee that the lowest tender will be accepted by the authority concern..
9. Tender addressed to the Commissioner of Police, Kolkata should be sent in a sealed cover super scribed name of tender to be dropped in the sealed TENDER BOX to be kept the OC, Buildings Office, Lalbazar at 18, Lalbazar Street, Kolkata-700 001 within 15.00 hrs on last date.
10. The Tender Committee will open the sealed tender in the Committee Room of Lalbazar, The Agencies may be present or send their authorized representative at the time of opening the sealed tender box.



O.C., Buildings,
Lalbazar.

PERCENTAGE RATE TENDER AND CONTRACT FOR WORKS: GENERAL RULES
AND DIRECTIONS FOR THE GUIDANCE OF CONTRACTS.

1. All works proposed for execution by contract will be notified in a form of invitation of tender posted in public places and signed by the OC, Buildings Office, Lalbazar.

This form will state the work to be carried out, as well as the date of submitting and opening of tenders and the time allowed for carrying out the work, design and drawings and any other documents required in connection with work signed for the purpose of identification by the OC, Buildings Office, Lalbazar shall also be open for inspection by the contractor at the office of the OC, Building, Lalbazar during office hours.

2. In the event of the quotation being submitted by a firm, it must be signed separately by each member thereof or in the event of the absence of any partner it must be signed on his behalf by a person holding a power of attorney authorizing him to do so. Such power of attorney is to be produced with the tender and same in the case of a firm carried on by one member of a joint family, it must be disclose that the firm is duly registered under the Indian partnership Act.
3. Receipts for payment made on account of work, when executed by a firm, must also be signed by the several partners except where the contractors are described in their tender as a firm in which case the receipts must be signed in the name of the firm by one of the partners or by some other person having authority to give effectual receipts for the firm.
4. Any person who submits a tender shall fill up the usual printed form, stating at what rate he is willing to undertake each item of the work. Tenders which propose any alteration, in the work specified in the said form of invitation of tenders or in the time allowed for carrying out the work, or which contain any other conditions of any sort, will be liable to rejection. No single tender shall include more than one work but contractors who wish to quote for two or more works shall submit a separate tender for each. Tenders shall have the name and number of the work to which they refer written outside the envelope.
5. The Committee will open tenders in the presence of any intending contractors who may present at the time and will enter the amounts of the several tenders in a comparative statement in a suitable form.
6. The accepting authority reserves the right to reject any or all the tender without assigning any reasons and he will not be bound to accept either the lowest tender or any of the tenders.


O.C., Buildings,
Lalbazar.